THE LIBRARY OF THE
UNIVERSITY OF
NORTH CAROLINA

LUX
LIBERTAS

THE COLLECTION OF
NORTH CAROLINIANA

C614.1
N87v4
1965 Part 2

UNIVERSITY OF N.C. AT CHAPEL HILL
00034018214

This book must not be taken from the Library building.

~~JUN 18 1967~~

Form No. 471

Digitized by the Internet Archive
in 2009 with funding from
Ensuring Democracy through Digital Access (NC-LSTA)

http://www.archive.org/details/annualreportofpu196502nort

NORTH CAROLINA

VITAL STATISTICS 1965

FEB 6 1967

part 2

population
births
deaths
marriages
divorces

NORTH CAROLINA STATE BOARD OF HEALTH
DIVISION OF EPIDEMIOLOGY
PUBLIC HEALTH STATISTICS SECTION

NORTH CAROLINA

VITAL STATISTICS 1965

part 2

population
births
deaths
marriages
divorces

STATE BOARD OF HEALTH

JACOB KOOMEN, M.D., MPH
STATE HEALTH DIRECTOR
AND SECRETARY-TREASURER

W. BURNS JONES, JR., M.D., MPH
ASSISTANT STATE HEALTH DIRECTOR

DIVISION OF EPIDEMIOLOGY

MARTIN P. HINES, D.V.M., MPH
DIRECTOR

PUBLIC HEALTH STATISTICS SECTION

GLENN A. FLINCHUM
CHIEF

POST OFFICE BOX 2091 RALEIGH, NORTH CAROLINA 27602

ACKNOWLEDGEMENTS

This edition of North Carolina Vital Statistics was prepared under the direction of Glenn A. Flinchum, Chief, Public Health Statistics Section. Bradford W. Johnson, Biostatistician was responsible for format design, general supervision, planning of content and review. Joseph I. Bouchard, Data Processing Manager, and Clara K. Tessenear, Chief Nosologist were responsible for compilation, assisted by Mrs. Jean H. Wood and other members of the Statistical Unit. The cover design was executed by Mrs. Gay Brantley and printing was supervised by Mrs. Margie C. Kelly. The assistance of many others is also gratefully acknowledged.

N87v4
1965

C O N T E N T S

G E N E R A L   I N F O R M A T I O N

Page

ANNUAL SUMMARY 1965 1

- Births 2
- Deaths 2
- Color differences in vital statistics 5
- Marriages 5
- Divorces and annulments 5

EXPLANATORY NOTES

- Source and completeness of data 6
- Data collection system 6
- Classification of data 7
- Method of estimating population 8
- Definitions 8
- Rates and ratios 9

TEXT TABLES

I. Selected Vital Rates Per 1,000 Population of the United States and North Carolina, 1961-1965 1

II. Selected Causes of Death Showing Rank among the Five Leading Causes, Number of Deaths and Death Rates Per 100,000 Population: North Carolina, 1915, 1940, 1965 2

FIGURES

1. Annual Number of Reported Births and Deaths with Natural Increase: North Carolina, 1920-1965 3

2. Annual Birth and Death Rates and Rate of Natural Increase: North Carolina, 1920-1965 3

3. Annual Birth and Death Rates and Rate of Natural Increase by Color: North Carolina, 1940-1965 4

4. Annual Infant, Neonatal and Postneonatal Mortality Rates by Color: North Carolina, 1940-1965 4

5. Divorces Granted Each Month in North Carolina: 1964-1965 5

804554

CONTENTS CONTINUED

Table Page

SECTION A
Population, Births, Deaths, Marriages, Divorces and Annulments

A-1 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates: North Carolina, 1920-1965 .... A-2

A-2 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates, by Color: North Carolina, 1940-1965 .... A-3

A-3 Estimated Population, Live Births and Deaths by Color and Sex with Natural Increase and Estimated Rates by Color: North Carolina Counties, 1965 .... A-4

A-4 Estimated Population, Live Births and Deaths by Color and Sex, with Natural Increase and Estimated Rates by Color: Selected North Carolina Cities, 1965 .... A-10

A-5 Resident Live Births, Premature Live Births, Fetal Deaths, Neonatal Deaths, Infant Deaths, Maternal Deaths and Total Deaths: North Carolina, Each County, Urban and Rural, 1965... A-12

A-6 Marriages, Divorces and Annulments by County of Occurrence: North Carolina, 1965 .... A-15

A-7 Marriages by Age of Bride and Groom: North Carolina, 1965 .... A-16

A-8 Marriages by Previous Marital Status of Bride and Groom: North Carolina, 1965 .... A-16

A-9 Marriages by Number of Times Previously Married (Bride and Groom): North Carolina, 1965.. A-16

A-10 Marriages, Divorces and Annulments by Month of Occurrence: North Carolina, 1965 .... A-17

A-11 Divorces and Annulments by Type of Decree and Grounds: North Carolina, 1965 .... A-17

A-12 Divorces by Color and Number of Children: North Carolina, 1965 .... A-17

A-13 Leading Causes of Death (Excluding Fetal Deaths) by Age Group, Color and Sex: North Carolina, Five Year Average, 1961-1965 .... A-18

SECTION B
Births, Infant Deaths, Maternal Deaths, Fetal Deaths

B-1 Live Births by Place of Birth and Residence Showing Estimated Resident Birth Rates and Person in Attendance by Color: North Carolina Counties and Selected Cities, 1965 .... B-2

B-2 Resident Live Births Showing Number and Per Cent Illegitimate, Fetal Deaths and Infant Deaths with Number Occurring in Hospitals, and Estimated Infant Death Rates, by Color: North Carolina Counties and Selected Cities, 1965 .... B-4

B-3 Resident Live Births Showing Total-Birth Order by Color and Age of Mother: North Carolina, 1965 .... B-7

B-4 Resident Live Births Showing Birth Weight by Color and Age of Mother: North Carolina, 1965 .... B-8

B-5 Resident Sets of Plural Births by Color and Sex with Number Live Born and Stillborn: North Carolina, 1965 .... B-8

B-6 Resident Fetal Deaths by Age of Mother, Color and Person in Attendance: North Carolina, 1965 .... B-9

B-7 Maternal Deaths by Color and County of Residence: North Carolina, 1965 .... B-9

B-8 Resident Infant Deaths by Cause, Color and Age: North Carolina, 1965 .... B-10

SECTION C
Deaths (Excluding Fetal Deaths)

C-1 Resident Deaths (Excluding Fetal Deaths) from Each Cause by Age Group, Color and Sex: North Carolina, 1965 .... C-2

C-2 Deaths by County of Occurrence and Residence, with Number Occurring in Hospitals and Other Institutions and Deaths from 16 Selected Causes by Color: North Carolina, 1965 .... C-19

C-3 Deaths in Selected Cities by City of Occurrence and Residence, with Number Occurring in Hospitals and Other Institutions and Deaths from 16 Selected Causes by Color: North Carolina, 1965 .... C-24

C-4 Accidental Deaths Occurring in North Carolina in 1965 by Cause, Color and Sex with Crude Rates Per 100,000 Population C-26

C-5 Accidental Deaths by County and City of Occurrence Showing Type of Transport Involved or Place of Accident: North Carolina, 1965 .... C-27

GUIDE TO TABLES

	SECTION A													SECTION B								SECTION C				
Geographic area:[1]																										
North Carolina	1	2	3	4	5	6	7	8	9	10	11	12	13	1	2	3	4	5	6	7	8	1	2		4	5
Counties			3		5	6								1	2					7			2			5
Selected cities[2]				4	5									1	2									3		5
Urban[3]					5																					
Rural					5																					
Type of entry:																										
Population estimate[4]	1	2	3	4																						
Live births																										
Total number	1	2	3	4	5									1	2	3	4	5								
Number premature[5]					5												4									
Number illegitimate															2											
Birth rate (per 1,000 population)	1	2	3	4										1												
Per cent illegitimate live births															2											
Sets of plural births																		5								
Number of fetal deaths	1	2			5										2			5	6							
Per cent attended by physician, midwife																			6							
Fetal death ratio (per 1,000 live births)	1	2																								
Deaths (excluding fetal deaths)																										
Total number, all ages	1	2	3	4	5								13									1	2	3		
Number accidental deaths, all ages																									4	5
Number neonatal deaths	1	2			5										2						8					
Number infant deaths	1	2			5								13		2						8	1				
Number maternal deaths	1	2			5															7						
Death rate (per 1,000 population)	1	2	3	4																						
Accidental death rate (per 100,000 population)																									4	
Neonatal mortality rate (per 1,000 live births)	1	2																								
Infant mortality rate (per 1,000 live births)	1	2													2											
Maternal mortality rate (per 10,000 live births)	1	2																								
Natural increase (births minus deaths)			3	4																						
Rate of natural increase (per 1,000 population)			3	4																						
Number of marriages						6	7	8	9	10																
Number of divorces						6				10	11	12														
Number of annulments						6				10	11															
Characteristics:																										
Time periods covered if other than 1965 only																										
1920-1965	1																									
1940-1965		2																								
1961-1965 (5-year average)													13													
Age																										
Of mother, single years																			6							
Of mother, 5-year age groups																3	4									
At marriage, 5-year age groups							7																			
At death																										
Under 1 day, 1 to 6 days																					8					
Under 28 days	1	2			5										2						8					
Under 1 year	1	2			5								13		2						8	1				
1 to 4 years													13									1				
5-year age groups																						1				
Other age groups													13													
Color		2	3	4							11	12	13	1	2	3	4	5	6	7	8	1	2	3	4	
Sex			3	4									13					5				1			4	
Attendant at birth (physician, midwife)														1					6							
Total-birth order																3										
Birth weight																	4									
Cause of death																										
Every cause																						1				
16 selected causes																							2	3		
Leading causes (5-year average)													13													
Causes of accidental deaths																									4	
Causes of infant deaths																					8					
Place of event																										
Hospital (births, deaths)														1	2								2	3		
Other institution (deaths)																							2	3		
Home or non-institution (deaths)																							2	3		
Home, farm, resident institution (fatal accidents)																										5
Vehicle involved in fatal accident																						1				5
Previous marital status								8																		
Number of previous marriages									9																	
Month of occurrence (marriage & divorce)										10																
Grounds for divorce or annulment											11															
Number of children (divorces)												12														

1. Marriages, divorces and annulments are classified by place of occurrence only. Accidental deaths (Tables C-4 & C-5) show area where the death occurred. This is not necessarily the same as the area where the accident occurred. Table B-1 shows births by both area of occurrence and area of residence. Tables C-2 & C-3 show deaths by both area of occurrence and area of residence. All other tables classify events by place of residence only.

2. Cities selected are those with 10,000 or more population in the 1960 census.

3. Urban is defined as inside the corporate limits of any incorporated place with a population of 2,500 or more in the 1960 census.

4. Except for census years, population is estimated as of July 1 by the arithmetic or straight line method. This method assumes that each population subdivision (county, city or color group) had an annual numerical increase (or decrease) equal to one tenth of the decennial numerical increase (or decrease) recorded by the previous census.

5. Infants weighing 2500 grams (5½ pounds) or less at birth are classified as premature.

ANNUAL SUMMARY 1965

This volume is Part 2 of the fiftieth annual report of the Public Health Statistics Section of the North Carolina State Board of Health. It contains vital statistics data for North Carolina for the calendar year 1965. Part 1 is printed separately. It presents data on communicable diseases which are reportable to the State Board of Health.

Part 2 gives tables of detailed 1965 statistics for the state, counties, selected cities, and urban and rural areas. It also contains reference information for the years 1920-1965. Tables are presented in three sections:

SECTION A contains population estimates, summary tables of births and deaths; marriages and divorces.

SECTION B contains detailed tables of natality, infant mortality, fetal deaths and a brief table on maternal deaths.

SECTION C contains detailed information on mortality.

Published tables are limited to those of general interest. Additional data are available to qualified research groups and individuals upon request.

With one exception North Carolina's vital rates based on total population continued their trends of recent years. The birth rate continued downward, the death rate and the marriage rates moved upward; but the divorce rate increased over 50 per cent in 1965. This dramatic increase followed changes in the state's divorce laws. After July 1, 1965 divorces could be granted on the grounds of one year separation instead of the former two year period. This increase is presumed to be temporary because of the backlog of couples eligible for divorce when the law was changed.

The difference between national and state vital rates has averaged about 1 per 1,000. North Carolina's birth rates average about 1 per 1,000 population more than the national average. The state's death rate and marriage rate average about 1 per 1,000 less than the United States. North Carolina's divorce rate usually averages almost 1 per 1,000 population lower than the national average but in 1965 the state's divorce rate was almost equal to the national average.

The Office of Vital Statistics recorded 97,656 births and 41,661 deaths to residents of North Carolina in 1965. Records were received from 40,667 marriages performed and 11,079 divorces and 81 annulments granted in the state in 1965.

Deducting resident deaths from births gave a resident natural increase in population (before migration) of 55,995. This was about the same as the population of the city of Fayetteville. North Carolina's birth rate of 20.3 births per 1,000 population and its death rate of 8.7 deaths per 1,000 population gave the state a natural increase (before migration) of 11.6 per 1,000 population (about 1.2 per cent) per year.

The 1965 national vital rates have been estimated at 19.4 births per 1,000 population and 9.4 deaths per 1,000 which gave an annual increase of 10 per 1,000 population (one per cent).

Traditionally, North Carolina's birth rate has been above the national average and its death rate below that of the nation. This is primarily a reflection of the state's generally younger population. North Carolina's proportion of young people is above the national average and its proportion of older people is below the U. S. average.

During the past several years the make-up of the state's population has moved closer to the national average and our birth and death rates have become more nearly representative of the U.S. rates.

TABLE 1 - SELECTED VITAL RATES PER 1,000 POPULATION OF THE UNITED STATES[1]
AND NORTH CAROLINA, 1961 - 1965

Event	1965		1964		1963		1962		1961	
	U.S.	N.C.	U.S.	N.C.	U.S.	N.C.	U.S.	N.C.	U.S.	N.C.
Births	19.4	20.3	21.0	22.3	21.7	22.8	22.4	23.5	23.3	24.2
Deaths	9.4	8.7	9.4	8.5	9.6	8.6	9.5	8.4	9.3	8.1
Marriages	9.2	8.4	9.0	7.7	8.8	7.5	8.5	7.3	8.5	(NA)
Divorces	2.5	2.3	2.3	1.5	2.3	1.6	2.2	1.5	2.3	1.4

(NA) - Not Available

[1] National Center for Health Statistics, *Vital Statistics Report, Provisional Statistics, 1965*, Vol. 14, No. 13

Births

Births in North Carolina declined 7.9 per cent in 1965. There were 97,656 births to residents of the state in 1965, 8,405 less than in the previous year. This was the first year the state had less than 100,000 annual births since the end of World War II (1945 with 87,401 was the last previous year with less than 100,000 births).

Total births and the birth rates have declined generally in North Carolina and nationally since 1957. The decrease of 7.9 per cent in total births for 1965 was the largest ever recorded in North Carolina. Only one decline was anywhere near it; the annual drop of 7.4 per cent recorded in 1922. The 1922 decline, however, followed a two year 10 per cent annual increase in births. The drop in 1922 was an expected adjustment to the large birth increase which followed World War I.

In contrast to 1922, the 1965 decrease was most significant because it followed several years of declining births. This big drop in total births brought the state's birth rate to an all time low of 20.3 births per 1,000 population. In 1964 the birth rate was 22.3, the lowest rate ever recorded before 1965.

Deaths

North Carolina lost 41,661 of its residents by death in 1965, 1,220 more than in the previous year. Heart disease continued to account for more than a third of all deaths in North Carolina. This is about the same as the national average. Cancer and other malignant neoplasms has been the state's second leading cause of death since 1964, a rank formerly held by intracranial vascular lesions. (Intracranial vascular lesions still ranked second in the 1961-1965 five-year average.) Malignant neoplasms and intracranial vascular lesions were about equally deadly in 1965. Each accounted for approximately 13 per cent of all deaths. Motor vehicle accidents caused almost 4 per cent of all deaths in 1965. This made it the fourth leading cause of death, a rank it has held since 1964. All other accidents (except motor vehicle) ranked as the fifth leading cause. Like motor vehicle accidents, this other accident group accounted for almost 4 per cent of the state's deaths in 1965. The increase of accidental deaths, particularly motor vehicle accidents has displaced influenza and pneumonia from the top five causes of death. In 1964 and 1965 influenza and pneumonia ranked sixth, but in the 1961-1965 five-year average it still ranked as the fourth leading cause of death.

Heart disease has been the leading cause of death in North Carolina since 1930. In fact the six leading causes of death have remained essentially unchanged since 1949. This coincides with the most recent changes in cause of death classification.

Over a longer period of time there have been changes in the state's mortality. Some of these changes are indicated in Table II. Figures for 1915, 1940 and 1965 show gross changes in mortality for certain causes. These changes are not exactly comparable. Classification of causes of death are revised every decade to keep abreast of new information. Revised classifications alter the reporting of some causes, for example, nephritis and nephrosis. This cause ranked fifth in 1915 and was the second leading cause in 1940 but was not among the 10 leading causes in 1965. This change is at least partially due to changes in classification. In spite of its limitation Table II does indicate the continued drop in infectious diseases and the rise of chronic diseases and accidents as leading causes of death in North Carolina.

TABLE II - SELECTED CAUSES OF DEATH SHOWING RANK AMONG THE FIVE LEADING CAUSES, NUMBER OF DEATHS AND DEATH RATES PER 100,000 POPULATION: NORTH CAROLINA, 1915, 1940, 1965

Cause of Death	1915			1940			1965		
	Rank	Annual Deaths	Death Rate	Rank	Annual Deaths	Death Rate	Rank	Annual Deaths	Death Rate
Heart Disease	3	1,993	80.6	1	5,938	166.3	1	15,130	314.2
Malignant Neoplasms	-	955	38.6	5	2,092	58.6	2	5,496	114.1
Intracranial Vascular Lesions	4	1,980	80.1	3	3,164	88.6	3	5,429	112.7
Nephritis and Nephrosis	5	1,832	74.1	2	3,433	96.1	-	316	6.6
Influenza and Pneumonia	2	2,907	117.6	4	2,684	75.1	-	1,547	32.1
Tuberculosis	1	3,710	150.0	-	1,608	45.0	-	153	3.2
Motor Vehicle Accidents	Included below			-	1,013	28.4	4	1,629	33.8
All Other Accidents	-	945	38.2	-	1,319	36.9	5	1,553	32.2

FIGURE 1. ANNUAL NUMBER OF REPORTED BIRTHS AND DEATHS WITH NATURAL INCREASE: NORTH CAROLINA, 1920-1965



FIGURE 2. ANNUAL BIRTH AND DEATH RATES AND RATE OF NATURAL INCREASE: NORTH CAROLINA, 1920-1965



FIGURE 3. ANNUAL BIRTH AND DEATH RATES AND RATE OF NATURAL INCREASE BY COLOR: NORTH CAROLINA, 1940-1965



FIGURE 4. ANNUAL INFANT, NEONATAL AND POSTNEONATAL MORTALITY RATES BY COLOR: NORTH CAROLINA, 1940-1965



Color Differences in Vital Statistics

North Carolina's population is approximately three-fourths white and one-fourth nonwhite. The state's nonwhite population is predominately Negro and predominately rural. Health indicators such as overall death rate, infant mortality rate and others reveal significant differences between the general level of health in the white and nonwhite populations of North Carolina and of the nation.

Figure 3 compares the annual birth and death rates and the rate of natural increase of North Carolina's white and nonwhite populations from 1940 to 1965. For all of these rates the nonwhite group is significantly higher.

Figure 4 shows annual infant, neonatal, and postneonatal mortality rates by color group since 1940. Again the nonwhite group is higher indicating a significantly lower level of health. It is interesting to note that the 1965 rates for the nonwhite group are about equal to the 1940 rates for whites. A similar difference has also been noted in national statistics that compare these two color groups.

Marriages

Marriages increased 10.5 per cent in North Carolina in 1965. There were 40,667 marriages recorded for 1965 compared to 36,790 in 1964. This increase roughly approximates the increase in births which took place in the years immediately following World War II. It should be pointed out, however, that marriages are tabulated on an occurrence basis only, since there is no interstate reciprocal exchange of these events by place of residence. Since North Carolina's marriage laws are somewhat more liberal than those of some of the northern states, the number of non-resident marriages is significant. In 1965 there were 9,094 marriages in which the residence of both bride and groom was outside of North Carolina. This was 22.4 per cent of all marriages performed in the state. The number of North Carolina residents who married in other states is not known.

Divorces

Of the 11,160 divorces and annulments recorded for 1965, 10,896 or 97.6 per cent were granted on the basis of one or two year's separation. Figure 5 compares divorces granted in each month of 1965 with 1964. The large increase in the second half of 1965 reflects changes in North Carolina's divorce laws. After July, 1965 divorces could be granted on the grounds of one-year separation instead of the former two-year period. Like marriages, these figures are available by place of occurrence only. Divorce statistics may be obtained as far back as January 1958; however, there is a high degree of incompleteness among certain items such as race and number of children involved.

FIGURE 5. DIVORCES GRANTED EACH MONTH IN NORTH CAROLINA: 1964-1965



EXPLANATORY NOTES

Source and Completeness of Data

Tables published in this report are based on records filed with the Office of Vital Statistics of the North Carolina State Board of Health. These records include birth, death, fetal death, and marriage certificates and listings of divorces and annulments granted in North Carolina.

Tables contain all 1965 events received by the Office of Vital Statistics prior to April 1, 1966. In addition to the vital events which occurred in the state, births and deaths which occurred to North Carolina residents in other states are also included in this report. These certificates are reallocated through an interstate exchange provided by the National Center for Health Statistics. It is estimated that less than one per cent of the 1965 events will be reported too late to be included in this report.

The completeness of birth registration was tested in 1940 and 1950 by the United States Bureau of the Census. These tests revealed that North Carolina's birth registration completeness rose from 86.1 per cent in 1940 to 96.1 per cent in 1950. Completeness of reporting has continued to rise since these tests.

Death registration is estimated to be almost 100 per cent complete. This is due not only to the legal requirements but also to the almost universal demand for death certificates in settling estates, collecting insurance benefits, etc. Some underregistration, however, may occur for deaths under one year of age, particularly among those dying in the first day of life.

Fetal death registration is less complete than either births or deaths. North Carolina law requires that a fetal death certificate be filed for a stillborn child of 20 weeks or more gestation; therefore, over two-thirds of the estimated total fetal losses are not required to be reported. In addition, there is assumed to be significant underregistration of reportable fetal deaths, particularly in the 20-27 weeks gestational ages.

Marriage registration was tested in 1963 by the National Center for Health Statistics. This test indicated that "over 99 per cent of issued licenses terminated in a properly recorded marriage".

Divorces and annulments are not registered on official certificates in North Carolina. These events are reported on lists completed by clerks of courts. The completeness of these lists is not known.

Data Collection System

Each month vital records are forwarded to the Office of Vital Statistics from each registration area in North Carolina. Records are received from local registrars, registers of deeds, and clerks of courts.

With a few exceptions, each county is a registration area. The register of deeds is the local custodian of birth and death records, and the local health director serves as registrar in most counties.

The North Carolina Vital Statistics laws require that birth certificates be filed with the local registrar within 5 days by the attending physician, midwife or other person attending the birth. Statutes also require the funeral director or any other person disposing of a body to file a certificate of death or fetal death with the local registrar within 72 hours after death or before burial. The local registrar forwards these records to the Office of Vital Statistics on the fifth day of each month.

Since 1962, certificates of marriage have been required to be filed with the Office of Vital Statistics. The county register of deeds is responsible for filing these records by the fifteenth of the month following the event.

The law directs the clerk of court in which a divorce (or annulment) is granted to report the divorce (or annulment) to the Office of Vital Statistics by the fifteenth of each month.

Classification of Data

The major classifications of birth and death data in this report are: geographic area, color and sex. Certain data are classified by the institution of occurrence and attendant. Births are grouped by age of mother, total-birth order, and birth weight. Fetal deaths are classified by age of mother and attendant. Deaths (excluding fetal deaths) are classified by age group, sex and the "underlying cause of death".

Marriages and divorces are classified by county and month of occurrence. Marriages are further grouped by age of bride and groom, previous marital status and number of previous marriages. Divorces are classified by grounds and number of children.

The 100 counties of North Carolina are the major geographic subdivisions tabulated in this report. Some data are given for cities with a population of 10,000 or more in the 1960 census. Table A-5 gives data for each county by urban and rural areas. Urban is defined as inside the corporate limits of any incorporated place with a population of 2,500 or more in the 1960 census, and rural includes the balance of the county.

Events are assigned to an area on the basis of two criteria, residence and occurrence. Residence is defined as the place where a person lives or maintains his legal residence, and events are assigned to that place regardless of where they occurred. Residence of the mother is used for assigning births and infant deaths. For deaths in hospitals and other institutions, the usual residence prior to admission to the institution is used. Occurrence is defined as the place where the event occurred regardless of the residence of the person. Births and deaths are given by both residence and occurrence. Fetal, infant and maternal deaths are shown by residence only. Marriages, divorces and annulments, and accidental death tables are given by occurrence only. In the accidental death tables it should be noted that the area listed is the place of death. This is not necessarily the same as the place of the accident.

Some events are classified according to the institution of occurrence. The term "hospital" refers to a general and allied hospital which is defined by the North Carolina Medical Care Commission as a place where two or more non-related individuals reside 24 hours or more on the premises and receive medical care over and above any domiciliary care. Included in all other institutions are the following: tuberculosis and veterans hospitals; physician's offices; mental, chronic, and penal institutions; and domiciliary institutions such as orphanages, rest homes, colleges, etc.

The major racial divisions used in this report are white and nonwhite. With few exceptions the nonwhite class is characteristic of Negroes. North Carolina's population is about 74 per cent white, 25 per cent Negro and about 1 per cent other nonwhite groups. Indians make up the majority of the remaining 1 per cent. There are two concentrations of Indians in North Carolina. One is in and around Swain County in the western mountains and one in Robeson County and nearby southeastern counties.

Age reporting on vital statistics records is subject to some error. There is a tendency for individuals to round ages and consequently there is over reporting of ages ending in the digits 0 and 5. There is a tendency to overstate the ages of very young children, those nearing their 21st and 65th birthdays and those over age 85. From age 22 through middle age there is a tencency to understate age. These errors are partially offset by using age groups in most tabulations.

Cause of death is classified from information in the medical certification section of the death certificate. This portion of the certificate is completed by the attending physician. In the case of an unattended death, the local health director is responsible for investigation and certification. The cause selected is the "underlying cause" which is classified according to the 7th revision of the MANUAL OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH. Due to prior changes and revision of the rules for classifying the cause of death, data preceding 1949 cannot be accurately compared with that of later years. Comparability ratios for specific causes of death may be obtained upon request.

Method of Estimating Population

Estimates are prepared by the Office of Vital Statistics for the white and nonwhite population of the state, each county and for selected cities with 10,000 population or more in the 1960 census. Population is estimated as of July 1 by the arithmetic or straight line method. This method assumes that each population subdivision (county, city or color group) had an annual numerical increase (or decrease) equal to one tenth the numerical increase (or decrease) recorded between the census years 1950-1960. Past estimates made by this method have proved to be as accurate as any other in reflecting the changes in North Carolina's population. A recent test again confirmed this.

The United States Bureau of the Census conducted a special census in 21 North Carolina counties in November 1965 and January 1966. The total census count in these 21 counties (adjusted to July 1, 1965) was 1,170,266 compared with a straight line estimate of 1,171,105. The difference between the two totals was only 839. Only four of the 21 counties showed a difference of more than 5 per cent between the census count and the estimate. The largest deviation was 7.17 per cent. The average deviation for the 21 counties was 3.16 per cent.

Definitions

A Live Birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached; each product of such a birth is considered liveborn.

Premature Live Birth is one for which the birth weight is 2,500 grams (5 pounds, 8 ounces) or less, regardless of the period of gestation.

An Illegitimate Birth is one which occurs to a woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

A Fetal Death is a death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. North Carolina statutes require that only fetal deaths of 20 or more weeks of gestation be registered.

Neonatal Deaths are deaths to children under 28 days of age.

Postneonatal Deaths are deaths to children age 28 days to one year.

Infant Deaths are deaths to children under one year of age.

Maternal Deaths are deaths for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium (International Statistical Codes - 640-689).

Natural Increase is the increase in the population due to the excess of births over deaths for a particular period.

Place of Occurrence refers to where an event takes place regardless of the usual residence of the person involved.

Place of Residence refers to where the person lives or maintains his legal residence.

Urban refers to an incorporated place with a population of 2,500 or more in the 1960 census.

Rural refers to all unincorporated areas and incorporated places with a population of less than 2,500 in the 1960 census.

A Rate shows the probability of the occurrence of some particular event.

A Ratio compares one event with another event, or with the total of like events.

Rates and Ratios

Public health statistics data is more valuable when it is related to the population involved and expressed as rates. Rates are calculated for births and deaths by dividing the number of events by the estimated midyear population and multiplying the quotient by 1,000. This gives the number of events per 1,000 population. Such rates have not been adjusted for differences in the age, sex, race, rural or urban distribution of the population, or for underregistration or late reporting. These factors plus the limitation of population estimates should be kept in mind when comparing two different areas or time periods.

When reviewing the tables the reader should also keep in mind the limitations of small numbers. There are fluctuations in all statistics which are due to chance. This factor is especially important in categories with small frequencies. Where small frequences occur slight variations are proportionately large in relation to the base number. For example, small changes in the number of births or deaths in small population groups may make large changes in these rates. For this reason, and because population estimates for small areas are less reliable, rates for cities and counties should be used with caution.

Formulae for computing rates and ratios used in this report are given below:

RATE OR RATIO	METHOD OF COMPUTATION
CRUDE BIRTH RATE: The number of live births reported in the calendar year per 1,000 estimated midyear population.	$\frac{\text{Number of live births}}{\text{Population}} \times 1{,}000$
CRUDE DEATH RATE: The number of deaths reported in the calendar year per 1,000 estimated midyear population.	$\frac{\text{Number of deaths}}{\text{Population}} \times 1{,}000$
RATE OF NATURAL INCREASE: The number increase in the population due to the excess births over deaths per 1,000 estimated midyear population.	$\frac{\text{Number of live births-number of deaths}}{\text{Population}} \times 1{,}000$
FETAL DEATH RATIO: The number of fetal deaths per 1,000 live births.	$\frac{\text{Number of fetal deaths}}{\text{Number of live births}} \times 1{,}000$
SPECIFIC-CAUSE-OF-DEATH-RATE: The number of deaths from a specific cause (e.g., accidents) per 100,000 estimated midyear population.	$\frac{\text{Number of deaths from a specific cause}}{\text{Population}} \times 100{,}000$
MATERNAL MORTALITY RATE: The number of deaths ascribed to puerperal causes per 10,000 live births.	$\frac{\text{Number of maternal deaths}}{\text{Number of live births}} \times 10{,}000$
INFANT MORTALITY RATE: The number of deaths of infants under 1 year of age per 1,000 live births.	$\frac{\text{Number of deaths under 1 year}}{\text{Number of live births}} \times 1{,}000$
NEONATAL MORTALITY RATE: The number of deaths of infants under 28 days of age per 1,000 live births.	$\frac{\text{Number of deaths under 28 days}}{\text{Number of live births}} \times 1{,}000$
POSTNEONATAL DEATH RATE: The number of deaths of infants from 28 days to 1 year or age per 1,000 live births.	$\frac{\text{Number of deaths from 28 days to one year}}{\text{Number of live births}} \times 1{,}000$

NORTH CAROLINA

VITAL STATISTICS
1965



PART 2
SECTION A

Population

Births

Deaths

Marriages

Divorces

GUIDE TO TABLES IN SECTION A

Table: A-	1	2	3	4	5	6	7	8	9	10	11	12	13
Geographic area:													
North Carolina	1	2	3	4	5	6	7	8	9	10	11	12	13
Counties			3		5	6							
Selected cities[1]				4	5								
Urban[2]					5								
Rural					5								
Type of entry:													
Population estimate[3]	1	2	3	4									
Number of live births	1	2	3	4	5								
Number of premature live births					5								
Number of deaths - all ages	1	2	3	4	5								13
Number of fetal deaths	1	2			5								
Number of neonatal deaths	1	2			5								13
Number of infant deaths	1	2			5								
Number of maternal deaths	1	2			5								
Natural increase (births - deaths)			3	4									
Number of marriages						6	7	8	9	10			
Number of divorces						6				10	11	12	
Number of annulments						6				10	11		
Birth rate (per 1,000 population)	1	2	3	4									
Death rate (per 1,000 population)	1	2	3	4									
Fetal death ratio (per 1,000 live births)	1	2											
Neonatal mortality rate (per 1,000 live births)	1	2											
Infant mortality rate (per 1,000 live births)	1	2											
Maternal mortality rate (per 10,000 live births)	1	2											
Estimated rate of natural increase (per 1,000 population)			3	4									
Characteristics:													
Time periods covered if other than 1965 only													
1920-1965	1												
1940-1965		2											
1961-1965 (5 yr. average)													13
Age group							7						13
Color		2	3	4							11	12	13
Sex			3	4									13
Previous marital status								8					
Number of previous marriages									9				
Month of occurrence										10			
Grounds for divorce or annulment											11		
Number of children												12	
Leading causes of death													13

---

1. Cities selected are those with 10,000 or more population in the 1960 census.

2. Urban is defined as inside the corporate limits of any incorporated place with a population of 2,500 or more in the 1960 census.

3. Except for census years, population is estimated as of July 1 by the arithmetic or straight line method. This method assumes that each population subdivision (county, city or color group) had an annual numerical increase (or decrease) equal to one tenth of the decennial numerical increase (or decrease) recorded by the previous census.

SECTION A

POPULATION, BIRTHS, DEATHS, MARRIAGES, DIVORCES AND ANNULMENTS

Table Page

A-1 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates: North Carolina, 1920-1965 .... A-2

A-2 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates, by Color: North Carolina, 1940-1965 .... A-3

A-3 Estimated Population, Live Births and Deaths by Color and Sex with Natural Increase and Estimated Rates by Color: North Carolina Counties, 1965 .... A-4

A-4 Estimated Population, Live Births and Deaths by Color and Sex, with Natural Increase and Estimated Rates by Color: Selected North Carolina Cities, 1965 .... A-10

A-5 Resident Live Births, Premature Live Births, Fetal Deaths, Neonatal Deaths, Infant Deaths, Maternal Deaths and Total Deaths: North Carolina, Each County, Urban and Rural, 1965 .. A-12

A-6 Marriages, Divorces and Annulments by County of Occurrence: North Carolina, 1965 .... A-15

A-7 Marriages by Age of Bride and Groom: North Carolina, 1965 .... A-16

A-8 Marriages by Previous Marital Status of Bride and Groom: North Carolina, 1965 .... A-16

A-9 Marriages by Number of Times Previously Married (Bride and Groom): North Carolina, 1965 . A-16

A-10 Marriages, Divorces and Annulments by Month of Occurrence: North Carolina, 1965 .... A-17

A-11 Divorces and Annulments by Type of Decree and Grounds: North Carolina, 1965 .... A-17

A-12 Divorces by Color and Number of Children: North Carolina, 1965 .... A-17

A-13 Leading Causes of Death (Excluding Fetal Deaths) by Age Group, Color and Sex: North Carolina, Five Year Average, 1961-1965 .... A-18

Marriages, divorces and annulments by place of occurrence
All other data by place of residence
Death totals do not include fetal deaths

NOTE: Table A-4, page A-11 - Estimates of population and rates shown by Rocky Mount include totals for Rocky Mount, Edgecombe, and Rocky Mount, Nash.

TABLE A-1 POPULATION[1], RESIDENT LIVE BIRTHS, DEATHS, MATERNAL, INFANT, NEONATAL AND FETAL DEATHS WITH RATES[2]: NORTH CAROLINA, 1920-1965

Year	Population	Live Births		Deaths		Maternal Deaths		Infant Deaths				Fetal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1920	2,587,536	81,407	31.5	32,654	12.6	814	100.0	6,909	84.9	3,321	40.8	Not Available	
1921	2,650,711	88,466	33.4	29,454	11.1	650	73.5	6,633	75.0	3,244	36.7		
1922	2,699,923	81,871	30.3	30,821	11.4	651	79.5	6,510	79.5	3,338	40.8	3,451	42.2
1923	2,761,364	84,158	30.5	32,142	11.6	670	79.6	6,813	81.0	3,298	39.2	3,441	40.9
1924	2,830,151	87,540	30.9	33,238	11.7	678	77.5	7,208	82.3	3,556	40.6	3,765	43.0
1925	2,894,514	83,716	28.9	32,548	11.2	725	86.6	6,595	78.8	3,391	40.5	3,886	46.4
1926	2,959,392	82,202	27.8	34,562	11.7	726	88.3	6,769	82.3	3,259	39.6	3,689	44.9
1927	3,027,006	83,330	27.5	32,917	10.9	547	65.6	6,588	79.1	3,297	39.6	3,570	42.8
1928	3,082,380	80,893	26.2	36,160	11.7	635	78.5	6,935	85.7	3,510	43.4	3,917	48.4
1929	3,133,082	77,161	24.6	36,919	11.8	651	84.4	6,106	79.1	3,079	39.9	3,634	47.1
1930	3,171,108	76,772	24.2	35,782	11.3	639	83.2	6,037	78.6	3,133	40.8	3,745	48.8
1931	3,206,641	74,799	23.3	33,116	10.3	596	79.7	5,455	72.9	2,919	39.0	3,365	45.3
1932	3,264,916	77,902	23.9	31,051	9.5	529	67.9	5,183	66.5	2,803	36.0	3,636	46.7
1933	3,318,377	75,422	22.7	30,547	9.2	514	68.1	4,977	66.0	2,736	36.3	3,120	41.4
1934	3,359,276	79,704	23.7	35,180	10.5	569	71.4	6,212	77.9	3,100	38.9	3,299	41.4
1935	3,380,227	78,753	23.3	33,485	9.9	511	64.9	5,422	68.8	2,944	37.4	3,255	41.3
1936	3,400,525	76,182	22.4	35,630	10.5	502	65.9	5,247	68.9	2,732	35.9	3,116	40.9
1937	3,432,099	79,080	23.0	33,981	9.9	429	54.2	5,180	65.5	2,815	35.6	3,142	39.7
1938	3,475,530	79,934	23.0	33,599	9.7	421	52.7	5,487	68.6	2,715	34.0	3,075	38.5
1939	3,531,938	79,133	22.4	31,652	9.0	371	46.9	4,676	59.1	2,603	32.9	2,870	36.3
1940	3,571,623	80,455	22.5	31,904	8.9	412	51.2	4,631	57.6	2,691	33.4	2,773	34.4
1941	3,670,017	84,595	23.1	31,752	8.7	336	39.7	5,053	59.7	2,597	30.7	2,643	31.2
1942	3,665,373	89,854	24.5	29,414	8.0	307	34.2	4,342	48.3	2,519	28.0	2,825	31.4
1943	3,683,037	94,568	25.7	29,971	8.1	306	32.4	4,416	46.7	2,557	27.0	2,567	27.1
1944	3,594,865	90,629	25.2	29,390	8.2	266	29.4	4,115	45.4	2,304	25.4	2,401	26.5
1945	3,514,297	87,401	24.9	28,897	8.2	248	28.4	3,782	43.3	2,178	24.9	2,232	25.5
1946	3,640,645	100,679	27.7	28,724	7.9	203	20.2	3,742	37.2	2,509	24.9	2,394	23.8
1947	3,718,000	112,877	30.4	30,187	8.1	192	17.0	3,938	34.9	2,692	23.8	2,762	24.5
1948	3,798,000	109,430	28.8	30,161	7.9	206	18.8	3,837	35.3	2,517	23.0	2,654	24.3
1949	4,003,775	107,970	27.0	31,009	7.7	127	11.8	4,113	38.1	2,479	23.0	2,766	25.6
1950	4,061,929	106,486	26.2	31,130	7.7	126	11.8	3,674	34.5	2,275	21.4	2,566	24.1
1951	4,123,218	110,910	26.9	31,371	7.6	123	11.1	3,630	32.7	2,287	20.6	2,590	23.4
1952	4,172,249	111,272	26.7	32,259	7.7	113	10.2	3,968	35.7	2,452	22.0	2,491	22.4
1953	4,221,280	111,856	26.5	31,797	7.5	109	9.7	3,658	32.7	2,271	20.3	2,231	19.9
1954	4,270,311	114,846	26.9	31,625	7.4	91	7.9	3,447	30.1	2,229	19.4	2,358	20.5
1955	4,319,342	115,365	26.7	32,274	7.5	96	8.3	3,500	30.3	2,251	19.5	2,366	20.5
1956	4,368,373	116,274	26.6	33,227	7.6	81	7.0	3,594	30.9	2,368	20.4	2,225	19.1
1957	4,417,404	113,440	25.7	35,015	7.9	84	7.4	3,460	30.5	2,256	19.9	2,099	18.5
1958	4,466,435	110,698	24.8	35,674	8.0	60	5.4	3,604	32.6	2,331	21.1	2,184	19.7
1959	4,519,086	110,884	24.5	35,833	7.9	53	4.8	3,624	32.7	2,356	21.2	2,139	19.3
1960	4,556,155	109,774	24.1	38,160	8.4	59	5.4	3,484	31.7	2,219	20.2	2,081	19.0
1961	4,617,934	111,880	24.2	37,496	8.1	55	4.9	3,432	30.7	2,282	20.4	2,196	19.6
1962	4,667,357	109,672	23.5	39,090	8.4	51	4.7	3,341	30.5	2,166	19.7	1,996	18.2
1963	4,716,780	107,364	22.8	40,581	8.6	60	5.6	3,348	31.2	2,135	19.9	1,937	18.0
1964	4,766,203	106,061	22.3	40,441	8.5	39	3.7	3,207	30.2	2,109	19.9	1,937	18.3
1965	4,815,626	97,656	20.3	41,661	8.7	39	4.0	2,972	30.4	1,950	20.0	1,713	17.5

1. Population estimates as of July 1 except for census years. Census years 1920, 1930, 1940, 1950, 1960 enumerated April 1. Population estimates since 1950 were made by PHSS by the arithmetic method (See Guide to Tables footnote 3). Prior estimates were made by U. S. Census Bureau. Number births and deaths revised in accordance with national reports published 1920-1963. Births, deaths, infant deaths and maternal deaths by place of residence, 1939-1965; previous years by occurrence. Neonatal deaths by place of residence 1940-1965; previous years by occurrence. Fetal deaths by place of residence 1942-1965; previous years by occurrence.

2. Live birth and death rates per 1,000 population.
Maternal death rates per 10,000 live births.
Infant death rates and fetal death ratios per 1,000 live births.

TABLE A-2 POPULATION[1], RESIDENT LIVE BIRTHS, DEATHS, MATERNAL, INFANT, NEONATAL AND FETAL DEATHS WITH RATES[2], BY COLOR: NORTH CAROLINA, 1940-1965

Year	Population	Live Births		Deaths		Maternal Deaths		Infant Deaths				Fetal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
White													
1940	2,567,635	54,564	21.3	20,257	7.9	216	39.6	2,719	49.8	1,668	30.6	1,417	26.0
1941	2,635,072	57,384	21.8	19,968	7.6	180	31.4	2,862	49.9	1,573	27.4	1,382	24.1
1942	2,631,738	62,081	23.6	18,615	7.1	175	28.2	2,572	41.4	1,649	26.6	1,567	25.2
1943	2,637,054	66,327	25.2	19,551	7.4	135	20.4	2,757	41.6	1,708	25.8	1,402	21.1
1944	2,573,923	62,462	24.3	19,226	7.5	136	21.8	2,425	38.8	1,444	23.1	1,314	21.0
1945	2,512,722	59,503	23.7	18,982	7.6	111	18.7	2,234	37.5	1,377	23.1	1,198	20.1
1946	2,606,702	71,062	27.3	19,096	7.3	93	13.1	2,324	32.7	1,686	23.7	1,343	18.9
1947	2,662,088	79,592	29.9	20,104	7.6	90	11.3	2,456	30.9	1,777	22.3	1,437	18.1
1948	2,719,368	74,582	27.4	19,897	7.3	92	12.3	2,199	29.5	1,542	20.7	1,346	18.0
1949	2,880,321	72,415	25.1	20,201	7.3	50	6.9	2,185	30.2	1,457	20.1	1,377	19.0
1950	2,983,121	70,205	23.5	20,370	6.8	45	6.4	1,871	26.7	1,306	18.6	1,239	17.6
1951	3,035,044	73,574	24.2	20,929	6.9	36	4.9	1,884	25.6	1,331	18.1	1,328	18.0
1952	3,076,606	74,034	24.1	21,252	6.9	39	5.3	1,956	26.4	1,386	18.7	1,162	15.7
1953	3,118,155	74,446	23.9	21,176	6.8	45	6.0	1,831	24.6	1,307	17.6	1,127	15.1
1954	3,159,704	76,680	24.3	21,313	6.7	27	3.5	1,691	22.1	1,215	15.8	1,169	15.2
1955	3,201,253	77,006	24.1	21,842	6.8	24	3.1	1,742	22.6	1,269	16.5	1,170	15.2
1956	3,242,802	77,756	24.0	22,623	7.0	22	2.8	1,777	22.9	1,341	17.2	1,078	13.9
1957	3,284,351	75,396	23.0	23,840	7.3	18	2.4	1,688	22.4	1,286	17.1	1,047	13.9
1958	3,325,900	74,692	22.5	24,534	7.4	14	1.9	1,831	24.5	1,372	18.4	1,086	14.5
1959	3,335,444	75,190	22.5	24,767	7.4	16	2.1	1,832	24.4	1,396	18.6	1,044	13.9
1960	3,399,285	75,258	22.1	26,383	7.8	16	2.1	1,677	22.3	1,244	16.5	1,064	14.1
1961	3,451,306	76,850	22.3	26,275	7.6	21	2.7	1,739	22.6	1,322	17.2	1,111	14.5
1962	3,492,923	75,342	21.6	27,310	7.8	13	1.7	1,670	22.2	1,258	16.7	1,043	13.8
1963	3,534,540	73,714	20.9	28,406	8.0	16	2.2	1,638	22.2	1,234	16.7	998	13.5
1964	3,576,157	72,399	20.2	28,655	8.0	8	1.1	1,556	21.5	1,167	16.1	985	13.6
1965	3,617,774	66,271	18.3	29,680	8.2	12	1.8	1,460	22.0	1,117	16.9	874	13.2
Nonwhite													
1940	1,003,988	25,891	25.8	11,647	11.6	196	75.7	1,912	73.8	1,023	39.5	1,356	52.4
1941	1,034,945	27,211	26.3	11,784	11.4	156	57.3	2,191	80.5	1,024	37.6	1,261	46.3
1942	1,033,635	27,773	26.9	10,799	10.4	132	47.5	1,770	63.7	870	31.3	1,258	45.3
1943	1,045,983	28,241	27.0	10,420	10.0	171	60.6	1,659	58.7	849	30.1	1,165	41.3
1944	1,020,942	28,167	27.6	10,164	10.0	130	46.2	1,690	60.0	860	30.5	1,087	38.6
1945	1,001,575	27,898	27.9	9,915	9.9	137	49.1	1,548	55.5	801	28.7	1,034	37.1
1946	1,033,943	29,617	28.6	9,628	9.3	110	37.1	1,418	47.9	823	27.8	1,051	35.5
1947	1,055,912	33,285	31.5	10,083	9.5	102	30.6	1,482	44.5	915	27.5	1,325	39.8
1948	1,078,632	34,848	32.3	10,264	9.5	115	33.0	1,659	47.6	975	28.0	1,308	37.5
1949	1,123,454	35,555	31.6	10,808	9.8	77	21.7	1,928	54.2	1,022	28.7	1,389	39.1
1950	1,078,808	36,281	33.6	10,760	10.0	81	22.3	1,803	49.7	969	26.7	1,327	36.6
1951	1,088,174	37,336	34.3	10,442	9.6	87	23.3	1,746	46.8	956	25.6	1,262	33.8
1952	1,095,643	37,238	34.0	11,007	10.0	74	19.9	2,012	54.0	1,066	28.6	1,329	35.7
1953	1,103,125	37,410	33.9	10,621	9.6	64	17.1	1,827	48.8	964	25.8	1,104	29.5
1954	1,110,607	38,166	34.4	10,312	9.3	55	14.4	1,774	46.5	1,014	26.6	1,189	31.2
1955	1,118,089	38,359	34.3	10,432	9.3	72	18.8	1,758	45.8	982	25.6	1,196	31.2
1956	1,125,571	38,518	34.2	10,604	9.4	59	15.3	1,817	47.2	1,027	26.7	1,147	29.8
1957	1,133,053	38,044	33.6	11,175	9.9	66	17.3	1,772	46.6	970	25.5	1,052	27.7
1958	1,140,535	36,006	31.6	11,140	9.8	46	12.8	1,773	49.2	959	26.6	1,098	30.5
1959	1,183,644	35,694	30.2	11,066	9.3	37	10.4	1,792	50.2	960	26.9	1,095	30.7
1960	1,156,870	34,516	29.8	11,777	10.2	43	12.5	1,807	52.4	975	28.2	1,017	29.5
1961	1,166,628	35,030	30.0	11,221	9.6	34	9.7	1,693	48.3	960	27.4	1,085	31.0
1962	1,174,434	34,330	29.2	11,780	10.0	38	11.1	1,671	48.7	908	26.4	953	27.8
1963	1,182,240	33,650	28.5	12,175	10.3	44	13.1	1,710	50.8	901	26.8	939	27.9
1964	1,190,046	33,662	28.3	11,786	9.9	31	9.2	1,651	49.0	942	28.0	952	28.3
1965	1,197,852	31,385	26.2	11,981	10.0	27	8.6	1,512	48.2	833	26.5	839	26.7

1, 2. See footnotes for Table A-1

TABLE A-3 ESTIMATED POPULATION[1], LIVE BIRTHS AND DEATHS BY COLOR AND SEX WITH NATURAL INCREASE AND ESTIMATED RATES BY COLOR: NORTH CAROLINA COUNTIES, 1965

Area	Population	Births			*Total Birth Rate*	Deaths			*Total Death Rate*	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	*Rate*
NORTH CAROLINA	4,815,626	97656	50060	47596	20.3	41661	24123	17538	8.7	55995	11.6
WHITE	3,617,774	66271	34344	31927	18.3	29680	17399	12281	8.2	36591	10.1
NONWHITE	1,197,852	31385	15716	15669	26.2	11981	6724	5257	10.0	19404	16.2
ALAMANCE	93,260	1755	901	854	18.8	710	405	305	7.6	1045	11.2
WHITE	77,596	1321	681	640	17.0	573	323	250	7.4	748	9.6
NONWHITE	15,664	434	220	214	27.7	137	82	55	8.7	297	19.0
ALEXANDER	16,187	293	148	145	18.1	166	106	60	10.3	127	7.8
WHITE	15,104	264	130	134	17.5	152	98	54	10.1	112	7.4
NONWHITE	1,083	29	18	11	26.8	14	8	6	12.9	15	13.9
ALLEGHANY	7,513	127	81	46	16.9	104	65	39	13.8	23	3.1
WHITE	7,301	122	78	44	16.7	99	62	37	13.6	23	3.2
NONWHITE	212	5	3	2	23.6	5	3	2	23.6	0	0.0
ANSON	24,006	507	240	267	21.1	237	147	90	9.9	270	11.2
WHITE	12,579	179	83	96	14.2	130	86	44	10.3	49	3.9
NONWHITE	11,427	328	157	171	28.7	107	61	46	9.4	221	19.3
ASHE	18,660	352	161	191	18.9	194	101	93	10.4	158	8.5
WHITE	18,503	346	159	187	18.7	193	100	93	10.4	153	8.3
NONWHITE	157	6	2	4	38.2	1	1		6.4	5	31.8
AVERY	11,305	210	109	101	18.6	130	70	60	11.5	80	7.1
WHITE	11,177	210	109	101	18.8	129	70	59	11.5	81	7.2
NONWHITE	128					1		1	7.8	- 1	- 7.8
BEAUFORT	35,426	674	345	329	19.0	434	228	206	12.3	240	6.8
WHITE	22,441	386	190	196	17.2	265	140	125	11.8	121	5.4
NONWHITE	12,985	288	155	133	22.2	169	88	81	13.0	119	9.2
BERTIE	23,253	478	248	230	20.6	216	117	99	9.3	262	11.3
WHITE	9,514	133	75	58	14.0	100	61	39	10.5	33	3.5
NONWHITE	13,739	345	173	172	25.1	116	56	60	8.4	229	16.7
BLADEN	28,450	537	262	275	18.9	284	162	122	10.0	253	8.9
WHITE	16,231	253	116	137	15.6	163	92	71	10.0	90	5.5
NONWHITE	12,219	284	146	138	23.2	121	70	51	9.9	163	13.3
BRUNSWICK	20,824	420	209	211	20.2	185	113	72	8.9	235	11.3
WHITE	13,576	212	116	96	15.6	109	73	36	8.0	103	7.6
NONWHITE	7,248	208	93	115	28.7	76	40	36	10.5	132	18.2
BUNCOMBE	133,051	2610	1376	1234	19.6	1436	799	637	10.8	1174	8.8
WHITE	119,531	2264	1188	1076	18.9	1193	657	536	10.0	1071	9.0
NONWHITE	13,520	346	188	158	25.6	243	142	101	18.0	103	7.6
BURKE	56,471	1008	526	482	17.8	392	232	160	6.9	616	10.9
WHITE	52,565	906	478	428	17.2	347	208	139	6.6	559	10.6
NONWHITE	3,906	102	48	54	26.1	45	24	21	11.5	57	14.6
CABARRUS	70,421	1282	669	613	18.2	631	342	289	9.0	651	9.2
WHITE	59,032	969	515	454	16.4	509	285	224	8.6	460	7.8
NONWHITE	11,389	313	154	159	27.5	122	57	65	10.7	191	16.8
CALDWELL	52,807	1254	646	608	23.7	500	315	185	9.5	754	14.3
WHITE	49,027	1139	585	554	23.2	447	284	163	9.1	692	14.1
NONWHITE	3,780	115	61	54	30.4	53	31	22	14.0	62	16.4
CAMDEN	5,798	100	57	43	17.2	64	36	28	11.0	36	6.2
WHITE	3,261	53	27	26	16.3	35	18	17	10.7	18	5.5
NONWHITE	2,537	47	30	17	18.5	29	18	11	11.4	18	7.1

[1] See Guide to Tables footnote 3

Table A-3 - continued

Area	Population	Births			Total Birth Rate	Deaths			Total Death Rate	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	Rate
CARTERET	35,077	552	279	273	15.7	289	171	118	8.2	263	7.5
WHITE	30,761	464	232	232	15.1	236	139	97	7.7	228	7.4
NONWHITE	4,316	88	47	41	20.4	53	32	21	12.3	35	8.1
CASWELL	19,408	377	180	197	19.4	164	94	70	8.5	213	11.0
WHITE	10,046	155	79	76	15.4	97	56	41	9.7	58	5.8
NONWHITE	9,362	222	101	121	23.7	67	38	29	7.2	155	16.6
CATAWBA	79,176	1683	863	820	21.3	715	413	302	9.0	968	12.2
WHITE	71,723	1447	737	710	20.2	618	355	263	8.6	829	11.6
NONWHITE	7,453	236	126	110	31.7	97	58	39	13.0	139	18.7
CHATHAM	27,515	482	252	230	17.5	237	142	95	8.6	245	8.9
WHITE	18,959	281	144	137	14.8	178	110	68	9.4	103	5.4
NONWHITE	8,556	201	108	93	23.5	59	32	27	6.9	142	16.6
CHEROKEE	15,306	261	129	132	17.1	151	95	56	9.9	110	7.2
WHITE	14,885	250	122	128	16.8	145	91	54	9.7	105	7.1
NONWHITE	421	11	7	4	26.1	6	4	2	14.3	5	11.9
CHOWAN	11,304	227	100	127	20.1	90	46	44	8.0	137	12.1
WHITE	5,840	95	47	48	16.3	50	30	20	8.6	45	7.7
NONWHITE	5,464	132	53	79	24.2	40	16	24	7.3	92	16.8
CLAY	5,274	86	48	38	16.3	57	32	25	10.8	29	5.5
WHITE	5,234	84	48	36	16.0	56	32	24	10.7	28	5.3
NONWHITE	40	2		2	50.0	1		1	25.0	1	25.0
CLEVELAND	66,935	1512	782	730	22.6	592	325	267	8.9	920	13.7
WHITE	51,755	1020	536	484	19.7	467	255	212	9.0	553	10.7
NONWHITE	15,180	492	246	246	32.4	125	70	55	8.2	367	24.2
COLUMBUS	48,107	1078	548	530	22.4	459	272	187	9.5	619	12.9
WHITE	31,023	612	314	298	19.7	277	163	114	8.9	335	10.8
NONWHITE	17,084	466	234	232	27.3	182	109	73	10.7	284	16.6
CRAVEN	63,997	1559	793	766	24.4	487	292	195	7.6	1072	16.8
WHITE	46,368	1096	567	529	23.6	265	168	97	5.7	831	17.9
NONWHITE	17,629	463	226	237	26.3	222	124	98	12.6	241	13.7
CUMBERLAND	175,933	5339	2714	2625	30.3	923	573	350	5.2	4416	25.1
WHITE	129,796	3841	1973	1868	29.6	603	377	226	4.6	3238	24.9
NONWHITE	46,137	1498	741	757	32.5	320	196	124	6.9	1178	25.5
CURRITUCK	6,811	99	54	45	14.5	93	53	40	13.7	6	0.9
WHITE	4,672	69	37	32	14.8	63	38	25	13.5	6	1.3
NONWHITE	2,139	30	17	13	14.0	30	15	15	14.0	0	0.0
DARE	6,213	112	62	50	18.0	95	55	40	15.3	17	2.7
WHITE	5,791	101	55	46	17.4	89	50	39	15.4	12	2.1
NONWHITE	422	11	7	4	26.1	6	5	1	14.2	5	11.8
DAVIDSON	88,549	1706	870	836	19.3	666	378	288	7.5	1040	11.7
WHITE	78,721	1448	737	711	18.4	571	329	242	7.3	877	11.1
NONWHITE	9,828	258	133	125	26.3	95	49	46	9.7	163	16.6
DAVIE	17,416	337	181	156	19.4	153	94	59	8.8	184	10.6
WHITE	15,387	285	155	130	18.5	129	78	51	8.4	156	10.1
NONWHITE	2,029	52	26	26	25.6	24	16	8	11.8	28	13.8
DUPLIN	39,850	779	400	379	19.5	366	216	150	9.2	413	10.4
WHITE	24,727	425	221	204	17.2	218	131	87	8.8	207	8.4
NONWHITE	15,123	354	179	175	23.4	148	85	63	9.8	206	13.6
DURHAM	117,434	2371	1200	1171	20.2	1047	566	481	8.9	1324	11.3
WHITE	80,244	1443	742	701	18.0	673	377	296	8.4	770	9.6
NONWHITE	37,190	928	458	470	25.0	374	189	185	10.1	554	14.9

Table A-3 - continued

Area	Population	Births			*Total Birth Rate*	Deaths			*Total Death Rate*	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	*Rate*
EDGECOMBE	55,586	1206	584	622	*21.7*	512	287	225	*9.2*	694	*12.5*
WHITE	26,759	460	213	247	*17.2*	258	140	118	*9.6*	202	*7.5*
NONWHITE	28,827	746	371	375	*25.9*	254	147	107	*8.8*	492	*17.1*
FORSYTH	212,155	3852	1947	1905	*18.2*	1736	981	755	*8.2*	2116	*10.0*
WHITE	164,115	2676	1361	1315	*16.3*	1087	629	458	*6.6*	1589	*9.7*
NONWHITE	48,040	1176	586	590	*24.5*	649	352	297	*13.5*	527	*11.0*
FRANKLIN	27,395	527	271	256	*19.2*	265	156	109	*9.7*	262	*9.6*
WHITE	15,442	204	116	88	*13.2*	159	97	62	*10.3*	45	*2.9*
NONWHITE	11,953	323	155	168	*27.0*	106	59	47	*8.9*	217	*18.2*
GASTON	135,600	2815	1423	1392	*20.8*	1135	687	448	*8.4*	1680	*12.4*
WHITE	118,058	2339	1198	1141	*19.8*	952	592	360	*8.1*	1387	*11.7*
NONWHITE	17,542	476	225	251	*27.1*	183	95	88	*10.4*	293	*16.7*
GATES	9,096	161	83	78	*17.7*	103	61	42	*11.3*	58	*6.4*
WHITE	4,074	47	23	24	*11.5*	44	24	20	*10.8*	3	*0.7*
NONWHITE	5,022	114	60	54	*22.7*	59	37	22	*11.7*	55	*11.0*
GRAHAM	6,196	146	74	72	*23.6*	51	36	15	*8.2*	95	*15.3*
WHITE	5,914	133	67	66	*22.5*	49	34	15	*8.3*	84	*14.2*
NONWHITE	282	13	7	6	*46.1*	2	2		*7.1*	11	*39.0*
GRANVILLE	33,803	637	337	300	*18.8*	306	167	139	*9.1*	331	*9.8*
WHITE	19,145	251	130	121	*13.1*	153	87	66	*8.0*	98	*5.1*
NONWHITE	14,658	386	207	179	*26.3*	153	80	73	*10.4*	233	*15.9*
GREENE	16,069	304	153	151	*18.9*	138	79	59	*8.6*	166	*10.3*
WHITE	7,625	105	54	51	*13.8*	77	49	28	*10.1*	28	*3.7*
NONWHITE	8,444	199	99	100	*23.6*	61	30	31	*7.2*	138	*16.3*
GUILFORD	275,641	5346	2728	2618	*19.4*	2093	1195	898	*7.6*	3253	*11.8*
WHITE	216,639	3743	1920	1823	*17.3*	1551	894	657	*7.2*	2192	*10.1*
NONWHITE	59,002	1603	808	795	*27.2*	542	301	241	*9.2*	1061	*18.0*
HALIFAX	59,261	1314	657	657	*22.2*	594	300	294	*10.0*	720	*12.1*
WHITE	27,091	433	220	213	*16.0*	303	153	150	*11.2*	130	*4.8*
NONWHITE	32,170	881	437	444	*27.4*	291	147	144	*9.0*	590	*18.3*
HARNETT	48,567	1040	519	521	*21.4*	470	290	180	*9.7*	570	*11.7*
WHITE	34,660	637	320	317	*18.4*	313	202	111	*9.0*	324	*9.3*
NONWHITE	13,907	403	199	204	*29.0*	157	88	69	*11.3*	246	*17.7*
HAYWOOD	40,803	827	440	387	*20.3*	388	231	157	*9.5*	439	*10.8*
WHITE	39,878	812	431	381	*20.4*	373	222	151	*9.4*	439	*11.0*
NONWHITE	925	15	9	6	*16.2*	15	9	6	*16.2*	0	*0.0*
HENDERSON	38,914	723	367	356	*18.6*	386	222	164	*9.9*	337	*8.7*
WHITE	36,998	673	344	329	*18.2*	352	204	148	*9.5*	321	*8.7*
NONWHITE	1,916	50	23	27	*26.1*	34	18	16	*17.7*	16	*8.4*
HERTFORD	23,385	497	229	268	*21.3*	209	124	85	*8.9*	288	*12.3*
WHITE	9,701	113	50	63	*11.6*	90	55	35	*9.3*	23	*2.4*
NONWHITE	13,684	384	179	205	*28.1*	119	69	50	*8.7*	265	*19.4*
HOKE	16,671	334	162	172	*20.0*	127	76	51	*7.6*	207	*12.4*
WHITE	7,356	122	63	59	*16.6*	64	33	31	*8.7*	58	*7.9*
NONWHITE	9,315	212	99	113	*22.8*	63	43	20	*6.8*	149	*16.0*
HYDE	5,392	86	40	46	*15.9*	67	37	30	*12.4*	19	*3.5*
WHITE	3,110	28	13	15	*9.0*	40	23	17	*12.9*	-12	*- 3.9*
NONWHITE	2,282	58	27	31	*25.4*	27	14	13	*11.8*	31	*13.6*
IREDELL	65,792	1359	695	664	*20.7*	598	357	241	*9.1*	761	*11.6*
WHITE	54,064	1002	510	492	*18.5*	469	291	178	*8.7*	533	*9.9*
NONWHITE	11,728	357	185	172	*30.4*	129	66	63	*11.0*	228	*19.4*

Area	Population	Births			Total Birth Rate	Deaths			Total Death Rate	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	Rate
JACKSON	17,003	306	167	139	*18.0*	197	125	72	*11.6*	109	*6.4*
WHITE	15,116	249	134	115	*16.5*	182	113	69	*12.0*	67	*4.4*
NONWHITE	1,887	57	33	24	*30.2*	15	12	3	*7.9*	42	*22.3*
JOHNSTON	61,377	1076	546	530	*17.5*	618	364	254	*10.1*	458	*7.5*
WHITE	47,348	706	357	349	*14.9*	462	275	187	*9.8*	244	*5.2*
NONWHITE	14,029	370	189	181	*26.4*	156	89	67	*11.1*	214	*15.3*
JONES	11,005	207	101	106	*18.8*	99	64	35	*9.0*	108	*9.8*
WHITE	5,737	93	40	53	*16.2*	54	33	21	*9.4*	39	*6.8*
NONWHITE	5,268	114	61	53	*21.6*	45	31	14	*8.5*	69	*13.1*
LEE	28,157	599	289	310	*21.3*	241	159	82	*8.6*	358	*12.7*
WHITE	22,370	417	211	206	*18.6*	169	117	52	*7.6*	248	*11.1*
NONWHITE	5,787	182	78	104	*31.4*	72	42	30	*12.4*	110	*19.0*
LENOIR	60,169	1077	558	519	*17.9*	515	302	213	*8.6*	562	*9.3*
WHITE	37,221	573	310	263	*15.4*	288	177	111	*7.7*	285	*7.7*
NONWHITE	22,948	504	248	256	*22.0*	227	125	102	*9.9*	277	*12.1*
LINCOLN	29,528	569	313	256	*19.3*	303	167	136	*10.3*	266	*9.0*
WHITE	25,976	476	269	207	*18.3*	254	137	117	*9.8*	222	*8.5*
NONWHITE	3,552	93	44	49	*26.2*	49	30	19	*13.8*	44	*12.4*
MCDOWELL	27,278	551	305	246	*20.2*	257	156	101	*9.4*	294	*10.8*
WHITE	25,939	513	283	230	*19.8*	239	141	98	*9.2*	274	*10.6*
NONWHITE	1,339	38	22	16	*28.4*	18	15	3	*13.4*	20	*14.9*
MACON	14,284	215	104	111	*15.1*	145	83	62	*10.2*	70	*4.9*
WHITE	14,017	213	103	110	*15.2*	139	78	61	*9.9*	74	*5.3*
NONWHITE	267	2	1	1	*7.5*	6	5	1	*22.5*	- 4	*-15.0*
MADISON	15,479	241	122	119	*15.6*	172	84	88	*11.1*	69	*4.5*
WHITE	15,393	237	119	118	*15.4*	169	82	87	*11.0*	68	*4.4*
NONWHITE	86	4	3	1	*46.5*	3	2	1	*34.9*	1	*11.6*
MARTIN	26,719	554	261	293	*20.7*	256	154	102	*9.6*	298	*11.2*
WHITE	13,432	218	97	121	*16.2*	137	89	48	*10.2*	81	*6.0*
NONWHITE	13,287	336	164	172	*25.3*	119	65	54	*9.0*	217	*16.3*
MECKLENBURG	311,522	6190	3220	2970	*19.9*	2307	1356	951	*7.4*	3883	*12.5*
WHITE	235,662	4263	2238	2025	*18.1*	1569	953	616	*6.7*	2694	*11.4*
NONWHITE	75,860	1927	982	945	*25.4*	738	403	335	*9.7*	1189	*15.7*
MITCHELL	13,255	210	112	98	*15.8*	125	76	49	*9.4*	85	*6.4*
WHITE	13,217	210	112	98	*15.9*	123	74	49	*9.3*	87	*6.6*
NONWHITE	38					2	2		*52.6*	- 2	*-52.6*
MONTGOMERY	19,012	352	188	164	*18.5*	195	113	82	*10.3*	157	*8.3*
WHITE	14,093	216	119	97	*15.3*	147	81	66	*10.4*	69	*4.9*
NONWHITE	4,919	136	69	67	*27.6*	48	32	16	*9.8*	88	*17.9*
MOORE	38,623	802	404	398	*20.8*	415	244	171	*10.7*	387	*10.0*
WHITE	28,452	513	262	251	*18.0*	293	178	115	*10.3*	220	*7.7*
NONWHITE	10,171	289	142	147	*28.4*	122	66	56	*12.0*	167	*16.4*
NASH	61,569	1102	554	548	*17.9*	553	326	227	*9.0*	549	*8.9*
WHITE	37,893	492	266	226	*13.0*	348	207	141	*9.2*	144	*3.8*
NONWHITE	23,676	610	288	322	*25.8*	205	119	86	*8.7*	405	*17.1*
NEW HANOVER	76,189	1417	727	690	*18.6*	786	433	353	*10.3*	631	*8.3*
WHITE	56,107	950	500	450	*16.9*	507	293	214	*9.0*	443	*7.9*
NONWHITE	20,082	467	227	240	*23.3*	279	140	139	*13.9*	188	*9.4*
NORTHAMPTON	25,960	506	276	230	*19.5*	264	159	105	*10.2*	242	*9.3*
WHITE	9,465	114	66	48	*12.0*	124	74	50	*13.1*	-10	*-1.1*
NONWHITE	16,495	392	210	182	*23.8*	140	85	55	*8.5*	252	*15.3*

Table A-3 - continued

Area	Population	Births			Total Birth Rate	Deaths			Total Death Rate	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	Rate
ONSLOW	104,053	2821	1480	1341	*27.1*	376	218	158	*3.6*	2445	*23.5*
WHITE	90,752	2367	1247	1120	*26.1*	296	173	123	*3.3*	2071	*22.8*
NONWHITE	13,301	454	233	221	*34.1*	80	45	35	*6.0*	374	*28.1*
ORANGE	47,454	921	470	451	*19.4*	323	192	131	*6.8*	598	*12.6*
WHITE	36,435	660	352	308	*18.1*	222	135	87	*6.1*	438	*12.0*
NONWHITE	11,019	261	118	143	*23.7*	101	57	44	*9.2*	160	*14.5*
PAMLICO	9,776	158	84	74	*16.2*	95	59	36	*9.7*	63	*6.4*
WHITE	6,081	82	46	36	*13.5*	63	37	26	*10.4*	19	*3.1*
NONWHITE	3,695	76	38	38	*20.6*	32	22	10	*8.7*	44	*11.9*
PASQUOTANK	26,302	484	249	235	*18.4*	274	155	119	*10.4*	210	*8.0*
WHITE	15,737	248	132	116	*15.8*	167	97	70	*10.6*	81	*5.1*
NONWHITE	10,565	236	117	119	*22.3*	107	58	49	*10.1*	129	*12.2*
PENDER	18,555	328	155	173	*17.7*	179	109	70	*9.6*	149	*8.0*
WHITE	9,644	136	69	67	*14.1*	78	55	23	*8.1*	58	*6.0*
NONWHITE	8,911	192	86	106	*21.5*	101	54	47	*11.3*	91	*10.2*
PERQUIMANS	8,957	140	75	65	*15.6*	76	42	34	*8.5*	64	*7.1*
WHITE	4,801	61	37	24	*12.7*	45	27	18	*9.4*	16	*3.3*
NONWHITE	4,156	79	38	41	*19.0*	31	15	16	*7.5*	48	*11.5*
PERSON	27,460	542	287	255	*19.7*	248	154	94	*9.0*	294	*10.7*
WHITE	17,635	285	157	128	*16.2*	175	111	64	*9.9*	110	*6.2*
NONWHITE	9,825	257	130	127	*26.2*	73	43	30	*7.4*	184	*18.7*
PITT	73,171	1380	685	695	*18.9*	666	376	290	*9.1*	714	*9.8*
WHITE	42,182	671	337	334	*15.9*	349	201	148	*8.3*	322	*7.6*
NONWHITE	30,989	709	348	361	*22.9*	317	175	142	*10.2*	392	*12.6*
POLK	11,274	184	99	85	*16.3*	123	65	58	*10.9*	61	*5.4*
WHITE	9,894	144	80	64	*14.6*	104	55	49	*10.5*	40	*4.0*
NONWHITE	1,380	40	19	21	*29.0*	19	10	9	*13.8*	21	*15.2*
RANDOLPH	67,109	1286	674	612	*19.2*	534	322	212	*8.0*	752	*11.2*
WHITE	61,550	1130	600	530	*18.4*	478	285	193	*7.8*	652	*10.6*
NONWHITE	5,559	156	74	82	*28.1*	56	37	19	*10.1*	100	*18.0*
RICHMOND	38,992	817	422	395	*21.0*	418	237	181	*10.7*	399	*10.2*
WHITE	27,301	489	251	238	*17.9*	257	154	103	*9.4*	232	*8.5*
NONWHITE	11,691	328	171	157	*28.1*	161	83	78	*13.8*	167	*14.3*
ROBESON	89,800	2126	1075	1051	*23.7*	861	481	380	*9.6*	1265	*14.1*
WHITE	36,058	634	328	306	*17.6*	383	215	168	*10.6*	251	*7.0*
NONWHITE	53,742	1492	747	745	*27.8*	478	266	212	*8.9*	1014	*18.9*
ROCKINGHAM	72,154	1431	749	682	*19.8*	630	367	263	*8.7*	801	*11.1*
WHITE	56,611	1000	527	473	*17.7*	474	274	200	*8.4*	526	*9.3*
NONWHITE	15,543	431	222	209	*27.7*	156	93	63	*10.0*	275	*17.7*
ROWAN	86,707	1411	751	660	*16.3*	755	438	317	*8.7*	656	*7.6*
WHITE	72,186	1098	574	524	*15.2*	601	358	243	*8.3*	497	*6.9*
NONWHITE	14,521	313	177	136	*21.6*	154	80	74	*10.6*	159	*10.9*
RUTHERFORD	44,424	883	448	435	*19.9*	460	255	205	*10.4*	423	*9.5*
WHITE	39,176	729	373	356	*18.6*	408	224	184	*10.4*	321	*8.2*
NONWHITE	5,248	154	75	79	*29.3*	52	31	21	*9.9*	102	*19.4*
SAMPSON	47,084	904	449	455	*19.2*	473	288	185	*10.0*	431	*9.2*
WHITE	29,018	483	253	230	*16.6*	289	183	106	*10.0*	194	*6.7*
NONWHITE	18,066	421	196	225	*23.3*	184	105	79	*10.2*	237	*13.1*
SCOTLAND	24,579	564	281	283	*22.9*	271	141	130	*11.0*	293	*11.9*
WHITE	14,195	283	141	142	*19.9*	158	78	80	*11.1*	125	*8.8*
NONWHITE	10,384	281	140	141	*27.1*	113	63	50	*10.9*	168	*16.2*

Area	Population	Births			*Total Birth Rate*	Deaths			*Total Death Rate*	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	*Rate*
STANLY	42,837	666	363	303	*15.5*	387	212	175	*9.0*	279	*6.5*
WHITE	38,203	566	311	255	*14.8*	333	184	149	*8.7*	233	*6.1*
NONWHITE	4,634	100	52	48	*21.6*	54	28	26	*11.7*	46	*9.9*
STOKES	22,729	393	202	191	*17.3*	197	125	72	*8.7*	196	*8.6*
WHITE	20,286	347	175	172	*17.1*	172	110	62	*8.5*	175	*8.6*
NONWHITE	2,443	46	27	19	*18.8*	25	15	10	*10.2*	21	*8.6*
SURRY	49,575	1008	518	490	*20.3*	439	250	189	*8.9*	569	*11.5*
WHITE	46,663	934	483	451	*20.0*	411	237	174	*8.8*	523	*11.2*
NONWHITE	2,912	74	35	39	*25.4*	28	13	15	*9.6*	46	*15.8*
SWAIN	7,584	185	103	82	*24.4*	88	61	27	*11.6*	97	*12.8*
WHITE	5,854	119	69	50	*20.3*	71	47	24	*12.1*	48	*8.2*
NONWHITE	1,730	66	34	32	*38.2*	17	14	3	*9.8*	49	*28.3*
TRANSYLVANIA	16,992	399	212	187	*23.5*	142	86	56	*8.4*	257	*15.1*
WHITE	16,062	367	197	170	*22.8*	129	78	51	*8.0*	238	*14.8*
NONWHITE	930	32	15	17	*34.4*	13	8	5	*14.0*	19	*20.4*
TYRRELL	4,242	56	24	32	*13.2*	59	39	20	*13.9*	- 3	*- 0.7*
WHITE	2,323	27	10	17	*11.6*	42	25	17	*18.1*	-15	*- 6.5*
NONWHITE	1,919	29	14	15	*15.1*	17	14	3	*8.9*	12	*6.3*
UNION	46,056	1038	517	521	*22.5*	440	256	184	*9.6*	598	*13.0*
WHITE	36,426	685	341	344	*18.8*	322	186	136	*8.8*	363	*10.0*
NONWHITE	9,630	353	176	177	*36.7*	118	70	48	*12.3*	235	*24.4*
VANCE	31,949	722	396	326	*22.6*	305	178	127	*9.5*	417	*13.1*
WHITE	18,230	316	187	129	*17.3*	170	102	68	*9.3*	146	*8.0*
NONWHITE	13,719	406	209	197	*29.6*	135	76	59	*9.8*	271	*19.8*
WAKE	186,213	3808	1997	1811	*20.4*	1440	878	562	*7.7*	2368	*12.7*
WHITE	139,944	2555	1354	1201	*18.3*	962	573	389	*6.9*	1593	*11.4*
NONWHITE	46,269	1253	643	610	*27.1*	478	305	173	*10.3*	775	*16.7*
WARREN	17,610	340	159	181	*19.3*	188	114	74	*10.7*	152	*8.6*
WHITE	6,435	81	36	45	*12.6*	78	48	30	*12.1*	3	*0.5*
NONWHITE	11,175	259	123	136	*23.2*	110	66	44	*9.8*	149	*13.3*
WASHINGTON	13,651	317	161	156	*23.2*	122	77	45	*8.9*	195	*14.3*
WHITE	7,394	137	68	69	*18.5*	71	45	26	*9.6*	66	*8.9*
NONWHITE	6,257	180	93	87	*28.8*	51	32	19	*8.2*	129	*20.6*
WATAUGA	17,104	338	177	161	*19.8*	152	85	67	*8.9*	186	*10.9*
WHITE	16,866	337	176	161	*20.0*	150	84	66	*8.9*	187	*11.1*
NONWHITE	238	1	1		*4.2*	2	1	1	*8.4*	- 1	*- 4.2*
WAYNE	91,399	1914	984	930	*20.9*	702	388	314	*7.7*	1212	*13.3*
WHITE	59,547	1182	595	587	*19.8*	421	236	185	*7.1*	761	*12.8*
NONWHITE	31,852	732	389	343	*23.0*	281	152	129	*8.8*	451	*14.2*
WILKES	45,285	896	485	411	*19.8*	414	215	199	*9.1*	482	*10.6*
WHITE	42,579	831	454	377	*19.5*	393	203	190	*9.2*	438	*10.3*
NONWHITE	2,706	65	31	34	*24.0*	21	12	9	*7.8*	44	*16.3*
WILSON	59,401	1241	639	602	*20.9*	559	340	219	*9.4*	682	*11.5*
WHITE	35,569	576	304	272	*16.2*	339	210	129	*9.5*	237	*6.7*
NONWHITE	23,832	665	335	330	*27.9*	220	130	90	*9.2*	445	*18.7*
YADKIN	23,156	424	196	228	*18.3*	240	136	104	*10.4*	184	*7.9*
WHITE	22,010	393	181	212	*17.9*	222	126	96	*10.1*	171	*7.8*
NONWHITE	1,146	31	15	16	*27.1*	18	10	8	*15.7*	13	*11.3*
YANCEY	12,800	216	105	111	*16.9*	132	78	54	*10.3*	84	*6.6*
WHITE	12,690	214	104	110	*16.9*	130	76	54	*10.2*	84	*6.6*
NONWHITE	110	2	1	1	*18.2*	2	2		*18.2*	0	*0.0*

TABLE A-4 ESTIMATED POPULATION[1], LIVE BIRTHS AND DEATHS BY COLOR AND SEX. WITH

Area	Population	Births			*Total Birth Rate*	Deaths			*Total Death Rate*	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	*Rate*
ALBEMARLE	12,507	187	96	91	*15.0*	126	67	59	*10.1*	61	*4.9*
WHITE	10,814	144	77	67	*13.3*	111	59	52	*10.3*	33	*3.1*
NONWHITE	1,693	43	19	24	*25.4*	15	8	7	*8.9*	28	*16.5*
ASHEVILLE	63,967	1211	645	566	*18.9*	803	425	378	*12.6*	408	*6.4*
WHITE	53,054	916	478	438	*17.3*	585	300	285	*11.0*	331	*6.2*
NONWHITE	10,913	295	167	128	*27.0*	218	125	93	*20.0*	77	*7.1*
BURLINGTON	37,735	744	373	371	*19.7*	265	148	117	*7.0*	479	*12.7*
WHITE	34,260	606	304	302	*17.7*	223	125	98	*6.5*	383	*11.2*
NONWHITE	3,475	138	69	69	*39.7*	42	23	19	*12.1*	96	*27.6*
CHAPEL HILL	14,358	278	149	129	*19.4*	72	37	35	*5.0*	206	*14.3*
WHITE	12,933	227	119	108	*17.6*	54	28	26	*4.2*	173	*13.4*
NONWHITE	1,425	51	30	21	*35.8*	18	9	9	*12.6*	33	*23.2*
CHARLOTTE	237,012	4507	2337	2170	*19.0*	1809	1051	758	*7.6*	2698	*11.4*
WHITE	170,587	2866	1506	1360	*16.8*	1175	709	466	*6.9*	1691	*9.9*
NONWHITE	66,425	1641	831	810	*24.7*	634	342	292	*9.5*	1007	*15.2*
CONCORD	18,491	325	171	154	*17.6*	210	110	100	*11.4*	115	*6.2*
WHITE	14,165	211	115	96	*14.9*	158	87	71	*11.2*	53	*3.7*
NONWHITE	4,326	114	56	58	*26.4*	52	23	29	*12.0*	62	*14.3*
DURHAM	81,972	1560	789	771	*19.0*	710	380	330	*8.7*	850	*10.4*
WHITE	52,370	820	421	399	*15.7*	420	227	193	*8.0*	400	*7.6*
NONWHITE	29,602	740	368	372	*25.0*	290	153	137	*9.8*	450	*15.2*
ELIZABETH CITY	14,787	288	145	143	*19.5*	178	106	72	*12.0*	110	*7.4*
WHITE	9,065	155	80	75	*17.1*	116	69	47	*12.8*	39	*4.3*
NONWHITE	5,722	133	65	68	*23.2*	62	37	25	*10.8*	71	*12.4*
FAYETTEVILLE	53,611	1856	935	921	*34.6*	453	283	170	*8.4*	1403	*26.2*
WHITE	34,672	1143	585	558	*33.0*	275	173	102	*7.9*	868	*25.0*
NONWHITE	18,939	713	350	363	*37.6*	178	110	68	*9.4*	535	*28.2*
GASTONIA	44,736	1056	552	504	*23.6*	472	275	197	*10.6*	584	*13.1*
WHITE	37,094	824	442	382	*22.2*	367	228	139	*9.9*	457	*12.3*
NONWHITE	7,642	232	110	122	*30.4*	105	47	58	*13.7*	127	*16.6*
GOLDSBORO	32,769	867	466	401	*26.5*	314	170	144	*9.6*	553	*16.9*
WHITE	19,678	508	265	243	*25.8*	164	86	78	*8.3*	344	*17.5*
NONWHITE	13,091	359	201	158	*27.4*	150	84	66	*11.5*	209	*16.0*
GREENSBORO	143,299	2599	1325	1274	*18.1*	1054	582	472	*7.4*	1545	*10.8*
WHITE	105,874	1634	851	783	*15.4*	720	407	313	*6.8*	914	*8.6*
NONWHITE	37,425	965	474	491	*25.8*	334	175	159	*8.9*	631	*16.9*
GREENVILLE	26,080	446	241	205	*17.1*	223	111	112	*8.6*	223	*8.6*
WHITE	18,006	286	146	140	*15.9*	110	57	53	*6.1*	176	*9.8*
NONWHITE	8,074	160	95	65	*19.8*	113	54	59	*14.0*	47	*5.8*
HENDERSON	13,654	316	179	137	*23.1*	132	76	56	*9.7*	184	*13.5*
WHITE	8,173	142	85	57	*17.4*	74	47	27	*9.1*	68	*8.3*
NONWHITE	5,481	174	94	80	*31.7*	58	29	29	*10.6*	116	*21.2*
HICKORY	21,731	531	287	244	*24.4*	240	145	95	*11.0*	291	*13.4*
WHITE	18,670	434	232	202	*23.2*	203	125	78	*10.9*	231	*12.4*
NONWHITE	3,061	97	55	42	*31.7*	37	20	17	*12.1*	60	*19.6*
HIGH POINT	73,660	1329	648	681	*18.0*	533	298	235	*7.2*	796	*10.8*
WHITE	60,888	924	451	473	*15.2*	413	227	186	*6.8*	511	*8.4*
NONWHITE	12,772	405	197	208	*31.7*	120	71	49	*9.4*	285	*22.3*
JACKSONVILLE	18,494	561	295	266	*30.3*	76	40	36	*4.1*	485	*26.2*
WHITE	17,564	499	262	237	*28.4*	61	30	31	*3.5*	438	*24.9*
NONWHITE	930	62	33	29	*66.7*	15	10	5	*16.1*	47	*50.5*
KINSTON	28,225	510	267	243	*18.1*	283	158	125	*10.0*	227	*8.0*
WHITE	17,534	282	160	122	*16.1*	150	87	63	*8.6*	132	*7.5*
NONWHITE	10,691	228	107	121	*21.3*	133	71	62	*12.4*	95	*8.9*

---

1. See Guide to Tables footnote 3

NATURAL INCREASE AND ESTIMATED RATES BY COLOR: SELECTED NORTH CAROLINA CITIES[2], 1965

Area	Population	Births			*Total Birth Rate*	Deaths			*Total Death Rate*	Natural Increase	
		Total	Male	Female		Total	Male	Female		Number	*Rate*
LENOIR	11,501	261	117	144	*22.7*	132	73	59	*11.5*	129	*11.2*
WHITE	9,296	203	84	119	*21.8*	100	55	45	*10.8*	103	*11.1*
NONWHITE	2,205	58	33	25	*26.3*	32	18	14	*14.5*	26	*11.8*
LEXINGTON	17,416	351	180	171	*20.2*	163	92	71	*9.4*	188	*10.8*
WHITE	14,361	264	137	127	*18.4*	124	75	49	*8.6*	140	*9.7*
NONWHITE	3,055	87	43	44	*28.5*	39	17	22	*12.8*	48	*15.7*
LUMBERTON	18,518	397	181	216	*21.4*	178	103	75	*9.6*	219	*11.8*
WHITE	13,491	244	108	136	*18.1*	113	65	48	*8.4*	131	*9.7*
NONWHITE	5,027	153	73	80	*30.4*	65	38	27	*12.9*	88	*17.5*
MONROE	11,275	255	130	125	*22.6*	126	78	48	*11.2*	129	*11.4*
WHITE	7,927	171	85	86	*21.6*	83	54	29	*10.5*	88	*11.1*
NONWHITE	3,348	84	45	39	*25.1*	43	24	19	*12.8*	41	*12.2*
NEW BERN	15,664	301	136	165	*19.2*	222	130	92	*14.2*	79	*5.0*
WHITE	9,321	166	81	85	*17.8*	93	54	39	*10.0*	73	*7.8*
NONWHITE	6,343	135	55	80	*21.3*	129	76	53	*20.3*	6	*0.9*
RALEIGH	108,766	1888	993	895	*17.4*	743	425	318	*6.8*	1145	*10.5*
WHITE	84,392	1307	703	604	*15.5*	498	275	223	*5.9*	809	*9.6*
NONWHITE	24,374	581	290	291	*23.8*	245	150	95	*10.1*	336	*13.8*
REIDSVILLE	15,611	287	147	140	*18.4*	160	88	72	*10.2*	127	*8.1*
WHITE	10,524	158	90	68	*15.0*	97	49	48	*9.2*	61	*5.8*
NONWHITE	5,087	129	57	72	*25.4*	63	39	24	*12.4*	66	*13.0*
ROANOKE RAPIDS	16,029	227	119	108	*14.2*	158	77	81	*9.9*	69	*4.3*
WHITE	13,856	190	102	88	*13.7*	143	69	74	*10.3*	47	*3.4*
NONWHITE	2,173	37	17	20	*17.0*	15	8	7	*6.9*	22	*10.1*
ROCKY MOUNT E	34,483	315	154	161	*17.2*	158	78	80	*10.6*	157	*6.6*
WHITE	22,890	127	60	67	*13.5*	81	40	41	*9.6*	46	*3.8*
NONWHITE	11,593	188	94	94	*24.7*	77	38	39	*12.5*	111	*12.2*
ROCKY MOUNT N	*	279	147	132		207	118	89		72	
WHITE	Included	181	102	79	*	139	78	61	*	42	*
NONWHITE	Above	98	45	53		68	40	28		30	
SALISBURY	21,927	355	204	151	*16.2*	266	151	115	*12.1*	89	*4.1*
WHITE	15,425	231	129	102	*15.0*	191	111	80	*12.4*	40	*2.6*
NONWHITE	6,502	124	75	49	*19.1*	75	40	35	*11.5*	49	*7.5*
SANFORD	13,429	266	125	141	*19.8*	106	67	39	*7.9*	160	*11.9*
WHITE	10,882	189	99	90	*17.4*	77	52	25	*7.1*	112	*10.3*
NONWHITE	2,547	77	26	51	*30.2*	29	15	14	*11.4*	48	*18.8*
SHELBY	18,848	348	195	153	*18.5*	174	89	85	*9.2*	174	*9.2*
WHITE	14,413	226	130	96	*15.7*	135	72	63	*9.4*	91	*6.3*
NONWHITE	4,435	122	65	57	*27.5*	39	17	22	*8.8*	83	*18.7*
STATESVILLE	21,388	489	264	225	*22.9*	203	110	93	*9.5*	286	*13.4*
WHITE	16,836	319	179	140	*18.9*	137	81	56	*8.1*	182	*10.8*
NONWHITE	4,552	170	85	85	*37.3*	66	29	37	*14.5*	104	*22.8*
THOMASVILLE	17,307	333	166	167	*19.2*	122	65	57	*7.0*	211	*12.2*
WHITE	13,434	227	114	113	*16.9*	93	50	43	*6.9*	134	*10.0*
NONWHITE	3,873	106	52	54	*27.4*	29	15	14	*7.5*	77	*19.9*
WILMINGTON	43,472	920	474	446	*21.2*	578	311	267	*13.3*	342	*7.9*
WHITE	26,602	527	286	241	*19.8*	341	189	152	*12.8*	186	*7.0*
NONWHITE	16,870	393	188	205	*23.3*	237	122	115	*14.0*	156	*9.2*
WILSON	31,771	656	326	330	*20.6*	299	182	117	*9.4*	357	*11.2*
WHITE	19,635	324	165	159	*16.5*	177	111	66	*9.0*	147	*7.5*
NONWHITE	12,136	332	161	171	*27.4*	122	71	51	*10.1*	210	*17.3*
WINSTON SALEM	123,378	2484	1218	1266	*20.1*	1284	708	576	*10.4*	1200	*9.7*
WHITE	79,786	1385	680	705	*17.4*	673	377	296	*8.4*	712	*8.9*
NONWHITE	43,592	1099	538	561	*25.2*	611	331	280	*14.0*	488	*11.2*

---

[2] Cities selected are those with 10,000 or more population in 1960 census.

TABLE A-5 RESIDENT LIVE BIRTHS, PREMATURE LIVE BIRTHS[1], FETAL DEATHS, NEONATAL DEATHS, INFANT DEATHS, MATERNAL DEATHS AND TOTAL DEATHS[2]: NORTH CAROLINA, EACH COUNTY, URBAN[3] AND RURAL, 1965

Area	Live Births		Fetal Deaths	Infant Deaths		Maternal Deaths	Total Deaths
	Total	Premature		Under 28 Days	Under 1 Yr.		
NORTH CAROLINA	97656	9313	1713	1950	2972	39	41661
URBAN	37060	3869	624	815	1157	14	17037
RURAL	60596	5444	1089	1135	1815	25	24624
ALAMANCE	1755	175	32	23	40		710
BURLINGTON	744	63	12	9	17		265
GRAHAM	151	17	1	2	2		77
RURAL	860	95	19	12	21		368
ALEXANDER	293	29	6	10	12		166
ALLEGHANY	127	10	3	2	3		104
ANSON	507	53	11	11	24		237
WADESBORO	97	5	3	3	5		54
RURAL	410	48	8	8	19		183
ASHE	352	32	7	8	11		194
AVERY	210	15	5	3	6		130
BEAUFORT	674	67	8	11	17		434
WASHINGTON	190	25	2	3	4		137
RURAL	484	42	6	8	13		297
BERTIE	478	50	18	7	12		216
BLADEN	537	46	9	10	21		284
BRUNSWICK	420	48	9	7	16		185
BUNCOMBE	2610	220	33	64	83		1436
ASHEVILLE	1211	111	16	30	43		803
RURAL	1399	109	17	34	40		633
BURKE	1008	87	13	16	23	1	392
MORGANTON	188	22	4	4	5		94
VALDESE	58	4	1		1		16
RURAL	762	61	8	12	17	1	282
CABARRUS	1282	124	25	17	25		631
CONCORD	325	39	6	6	8		210
RURAL	957	85	19	11	17		421
CALDWELL	1254	120	21	33	44		500
LENOIR	261	24	7	10	12		132
GRANITE FALLS	69	9		1	1		25
RURAL	924	87	14	22	31		343
CAMDEN	100	11	2	2	4		64
CARTERET	552	39	11	13	21		289
MOREHEAD CITY	102	7	1	3	5		78
BEAUFORT	61	5	2	2	3		51
RURAL	389	27	8	8	13		160
GASTON	2815	286	30	54	75	2	1135
GASTONIA	1056	117	7	30	41		472
BELMONT	143	14	4	2	3		41
BESSEMER CITY	94	9	3				46
CHERRYVILLE	83	9		2	2		39
DALLAS	100	14	1		1		32
LOWELL	70	11	1	2	3		27
MOUNT HOLLY	126	15	2	3	4		51
RURAL	1143	97	12	15	21	2	427
GATES	161	9	7	2	5		103
GRAHAM	146	8	4	2	4		51
GRANVILLE	637	71	12	11	24		306
OXFORD	113	12	2	3	3		89
RURAL	524	59	10	8	21		217
GREENE	304	26	13	8	14		138
GUILFORD	5346	559	82	111	162	2	2093
GREENSBORO	2599	288	37	60	83	1	1054
HIGH POINT	1329	139	28	27	45		533
RURAL	1418	132	17	24	34	1	506
HALIFAX	1314	138	30	30	57	2	594
ROANOKE RAPIDS	227	26	1	5	7		158
SCOTLAND NECK	59	10	2	2	4		44
ENFIELD	72	8	4	3	8		42
RURAL	956	94	23	20	38	2	350
HARNETT	1040	92	25	17	29		470
DUNN	202	12	6	1	3		80
RURAL	838	80	19	16	26		390
HAYWOOD	827	67	7	12	16		388
WAYNESVILLE	161	19	3	2	2		84
CANTON	100	7		1	1		50
RURAL	566	41	4	9	13		254
HENDERSON	723	51	14	15	19		386
HENDERSONVILLE	135	13	4	6	7		105
RURAL	588	38	10	9	12		281
HERTFORD	497	46	13	11	19		209
AHOSKIE	96	8	6	2	3		41
MURFREESBORO	34	3			1		23
RURAL	367	35	7	9	15		145
HOKE	334	27	6	5	15		127
RAEFORD	80	8		1	2		31
RURAL	254	19	6	4	13		96
HYDE	86	10	4	2	4		67
IREDELL	1359	22	18	25	36	1	598
STATESVILLE	489	51	8	8	14		203
MOORESVILLE	158	19	1	1	4		86
RURAL	712	52	9	16	18	1	309

---

1. Premature is defined as an infant weighing 2500 grams (5½ pounds) or less at birth.
2. Total deaths do not include fetal deaths but do include maternal deaths.

CASWELL	377	54	11	11	12		164
CATAWBA	1683	165	28	43	61		715
HICKORY	531	56	10	14	14		240
NEWTON	163	13	1	6	7		79
LONGVIEW	1						4
RURAL	988	96	17	23	40		392
CHATHAM	482	55	12	10	13	1	237
SILER CITY	71	11	3	3	3		38
RURAL	411	44	9	7	10	1	199
CHEROKEE	261	24	2	5	6		151
CHOWAN	227	29	2	8	10	1	90
EDENTON	72	5		2	2	1	42
RURAL	155	24	2	6	8		48
CLAY	86	7		1	2		57
CLEVELAND	1512	150	17	23	42	1	592
SHELBY	348	39		10	13		174
KINGS MOUNTAIN	202	25	6	1	2		84
RURAL	962	86	11	12	27	1	334
COLUMBUS	1078	71	26	18	46	1	459
WHITEVILLE	94	6	1	1	4		49
RURAL	984	65	25	17	42	1	410
CRAVEN	1559	138	25	35	54	1	487
NEW BERN	301	29	6	9	14		222
RURAL	1258	109	19	26	40	1	265
CUMBERLAND	5339	478	82	93	153	3	923
FAYETTEVILLE	1856	195	30	40	65	2	453
SPRING LAKE	337	31	2	3	6		14
RURAL	3146	252	50	50	82	1	456
CURRITUCK	99	14	2	3	6	1	93
DARE	112	6	3	1	1		95
DAVIDSON	1706	162	23	33	40		666
LEXINGTON	351	39	5	9	12		163
THOMASVILLE	333	34	5	4	5		122
RURAL	1022	89	13	20	23		381
DAVIE	337	30	5	10	14		153
DUPLIN	779	74	11	14	24	2	366
DURHAM	2371	264	43	48	59	1	1047
DURHAM	1560	188	33	33	39		710
RURAL	811	76	10	15	20	1	337
EDGECOMBE	1206	115	27	17	33	2	512
ROCKY MOUNT	315	29	3	6	9		158
TARBORO	191	17	2	2	3	1	94
RURAL	700	69	22	9	21	1	260
FORSYTH	3852	398	68	84	104	3	1736
WINSTON SALEM	2484	296	49	64	80	2	1284
KERNERSVILLE	76	7			1		33
RURAL	1292	95	19	20	23	1	419
FRANKLIN	527	42	12	13	17		265
LOUISBURG	56	6			1		25
RURAL	471	36	12	13	16		240

JACKSON	306	33	4	5	5		197
JOHNSTON	1076	97	17	30	39	1	618
SMITHFIELD	100	15	3	3	3		77
SELMA	69	12	1	5	6		56
CLAYTON	78	8		3	3	1	32
RURAL	829	62	13	19	27		453
JONES	207	30	6	5	6		99
LEE	599	54	9	11	17		241
SANFORD	266	28	4	5	9		107
RURAL	333	26	5	6	8		135
LENOIR	1077	102	24	22	39		515
KINSTON	510	46	19	9	15		283
RURAL	567	56	5	13	24		232
LINCOLN	569	58	14	14	18		303
LINCOLNTON	142	14	5	2	2		59
RURAL	427	44	9	12	16		244
MCDOWELL	551	38	6	10	13		257
MARION	84	7	3	1	1		47
RURAL	467	31	3	9	12		210
MACON	215	13	7	3	8		145
MADISON	241	25	6	3	5		172
MARTIN	554	62	16	12	17		256
WILLIAMSTON	146	10	5	2	3		63
RURAL	408	52	11	10	14		193
MECKLENBURG	6190	658	72	117	179	3	2307
CHARLOTTE	4507	510	56	90	143	3	1810
DAVIDSON	41	3			1		19
RURAL	1642	145	16	27	35		478
MITCHELL	210	14	2	6	7		125
SPRUCE PINE	41	4		1	1		23
RURAL	169	10	2	5	6		102
MONTGOMERY	352	41	12	8	12		195
MOORE	802	79	17	16	31		415
SOUTHERN PINES	128	15	5	5	6		58
RURAL	674	64	12	11	25		356
NASH	1102	82	39	19	29	1	553
ROCKY MOUNT	279	20	8	5	8		207
RURAL	823	62	31	14	21	1	346
NEW HANOVER	1417	144	29	33	43		786
WILMINGTON	920	111	21	29	36		578
RURAL	497	33	8	4	7		208
NORTHAMPTON	506	59	17	14	23		264
ONSLOW	2821	221	30	51	73	1	376
JACKSONVILLE	561	41	4	11	11		76
RURAL	2260	180	26	40	62	1	300
ORANGE	921	75	13	9	18		323
CHAPEL HILL	280	17	4	1	4		72
RURAL	641	58	9	8	14		251
PAMLICO	158	14	2	3	10		95

---

3. Urban is defined as inside the corporate limits of any incorporated place with a population of 2500 or more in the 1960 census.

Table A-5 - continued

Area	Live Births		Fetal Deaths	Infant Deaths		Maternal Deaths	Total Deaths
	Total	Pre-mature		Under 28 Days	Under 1 Yr.		
PASQUOTANK	484	43	9	8	12		274
ELIZABETH CITY	288	30	5	7	7		178
RURAL	196	13	4	1	5		96
PENDER	328	40	6	9	15		179
PERQUIMANS	140	8	5	1	4		76
PERSON	542	64	14	11	16	1	248
ROXBORO	112	14		4	4		56
RURAL	430	50	14	7	12	1	192
PITT	1380	127	27	40	62		666
GREENVILLE	446	38	6	14	18		223
FARMVILLE	96	6	2	1	2		40
AYDEN	42	2	1	2	2		46
RURAL	796	81	18	23	40		357
POLK	184	11	2	4	5		123
RANDOLPH	1286	124	13	29	36		534
ASHEBORO	194	19	1	4	5		111
RURAL	1092	105	12	25	31		423
RICHMOND	817	77	19	17	31	1	418
ROCKINGHAM	110	11	6	1	3		69
HAMLET	91	10	2	2	2		75
RURAL	616	56	11	14	26	1	274
ROBESON	2126	195	53	47	93		861
LUMBERTON	397	30	7	6	16		179
RED SPRINGS	71	6	1	1	1		53
RURAL	1658	159	45	40	76		629
ROCKINGHAM	1431	143	32	27	34		630
REIDSVILLE	287	31	9	5	8		160
LEAKSVILLE	126	11	1	6	6		70
DRAPER	61	5		3	3		35
SPRAY	74	12		1	1		40
RURAL	883	84	22	12	16		325
ROWAN	1411	120	15	14	25	1	755
SALISBURY	355	31	5	4	6	1	266
SPENCER	38	3		1	1		42
RURAL	1018	86	10	9	18		447
RUTHERFORD	883	92	10	20	25		460
FOREST CITY	166	18	1	2	5		74
RUTHERFORDTON	72	12		1	1		45
SPINDALE	94	11	2	2	3		41
RURAL	551	51	7	15	16		300
SAMPSON	904	69	14	17	30	1	473
CLINTON	142	9	1	4	7		103
RURAL	762	60	13	13	23	1	370
SCOTLAND	564	55	14	16	23		271
LAURINBURG	188	22	3	8	9		107
RURAL	376	33	11	8	14		164
STANLY	666	63	14	15	24		387
ALBEMARLE	187	18	6	4	8		126
RURAL	479	45	8	11	16		261
STOKES	393	33	1	4	7		197
SURRY	1008	86	18	20	29	1	439
MOUNT AIRY	137	11	3	2	3		72
ELKIN	38	1	1				24
RURAL	833	74	14	18	26	1	343
SWAIN	185	15	2	6	6		88
TRANSYLVANIA	399	40	6	12	12		142
BREVARD	130	17		5	5		46
RURAL	269	23	6	7	7		96
TYRRELL	56	6		1	1		59
UNION	1038	110	20	28	42	1	440
MONROE	255	31	6	13	19		126
RURAL	783	79	14	15	23	1	314
VANCE	722	83	16	15	26	1	305
HENDERSON	316	35	5	5	9	1	132
RURAL	406	48	11	10	17		173
WAKE	3808	361	74	75	107		1440
RALEIGH	1888	181	38	49	64		743
WAKE FOREST	65	5	1	2	2		37
CARY	98	10	1	3	3		26
FUQUAY SPRINGS	67	7					38
GARNER	86	8		2	2		19
RURAL	1604	150	34	19	36		577
WARREN	340	32	12	9	14		188
WASHINGTON	317	26	3	5	11		122
PLYMOUTH	107	7	2	4	5		49
RURAL	210	19	1	1	6		73
WATAUGA	338	32	4	8	9		152
BOONE	54	3		2	2		35
RURAL	284	29	4	6	7		117
WAYNE	1914	187	46	31	48		702
GOLDSBORO	867	87	19	11	17		314
MOUNT OLIVE	90	15	6	2	2		68
RURAL	957	85	21	18	29		320
WILKES	896	85	13	15	31		414
NORTH WILKESBORO	92	8	2	1	2		42
RURAL	804	77	11	14	29		372
WILSON	1241	114	27	33	51	1	559
WILSON	656	64	12	18	25	1	299
RURAL	585	50	15	15	26		260
YADKIN	424	36	4	8	10		240
YANCEY	216	23	1	2	3		132

TABLE A-6 MARRIAGES, DIVORCES* AND ANNULMENTS BY COUNTY OF OCCURRENCE: NORTH CAROLINA, 1965

Area	Marriages	Divorces	Annulments
NORTH CAROLINA	40667	11079	81
Alamance	795	272	2
Alexander	145	14	
Alleghany	1217	10	
Anson	66	18	
Ashe	233	27	
Avery	141	12	
Beaufort	410	84	
Bertie	185	35	
Bladen	89	27	
Brunswick	70	38	
Buncombe	1260	478	15
Burke	398	174	1
Cabarrus	440	271	3
Caldwell	424	130	1
Camden	820	4	
Carteret	312	79	
Caswell	148	6	
Catawba	546	217	1
Chatham	220	48	
Cherokee	277	16	
Chowan	103	20	
Clay	26		
Cleveland	313	118	3
Columbus	154	94	1
Craven	517	144	1
Cumberland	895	416	4
Currituck	120	8	
Dare	68	6	
Davidson	727	195	1
Davie	132	37	
Duplin	266	131	1
Durham	1143	404	1
Edgecombe	403	98	
Forsyth	1378	521	2
Franklin	223	87	
Gaston	498	452	3
Gates	72	7	
Graham	187	13	
Granville	257	35	
Greene	135	7	
Guilford	2472	882	5
Halifax	883	97	
Harnett	264	179	
Haywood	349	85	2
Henderson	301	98	2
Hertford	238	44	
Hoke	42	17	
Hyde	39	4	
Iredell	411	130	
Jackson	199	13	
Johnston	570	139	2
Jones	93	9	
Lee	190	49	
Lenoir	439	137	1
Lincoln	139	33	
McDowell	210	51	
Macon	143	23	
Madison	241	16	
Martin	214	56	1
Mecklenburg	1461	849	10
Mitchell	141	8	
Montgomery	98	29	
Moore	180	61	
Nash	607	235	
New Hanover	458	255	1
Northampton	149	36	
Onslow	642	114	
Orange	351	81	
Pamlico	67	8	
Pasquotank	2128	84	1
Pender	112	8	
Perquimans	213	6	
Person	291	27	
Pitt	610	135	2
Polk	58	8	
Randolph	461	149	1
Richmond	160	107	1
Robeson	208	157	2
Rockingham	1219	166	4
Rowan	534	130	
Rutherford	194	100	
Sampson	262	51	
Scotland	68	60	1
Stanly	230	76	
Stokes	208	76	
Surry	528	125	1
Swain	416	16	
Transylvania	91	37	
Tyrrell	28	5	
Union	205	66	
Vance	507	43	
Wake	1570	503	1
Warren	390	11	
Washington	103	10	
Watauga	320	12	
Wayne	619	132	
Wilkes	459	91	
Wilson	550	175	2
Yadkin	225	10	1
Yancey	296	12	

*Divorces include 10 from bed and board (judicial separation).

TABLE A-7 MARRIAGES BY AGE OF BRIDE AND GROOM: NORTH CAROLINA, 1965

Age of Groom	Total	Age of Bride: Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & Over	Not Stated
Total	40667	70	19953	12785	2905	1350	987	834	634	454	300	206	186	3
Under 15	1	1												
15-19	9472	46	8275	1077	54	14	3	1	2					
20-24	19142	21	10337	8027	600	109	29	11	5	2			1	
25-29	5385	2	1098	2792	1131	259	70	21	10	1		1		
30-34	2001		155	598	623	375	168	51	26	3	2			
35-39	1348		57	189	308	314	260	138	59	18	1	2		2
40-44	897		19	55	117	157	198	214	98	30	5	3		1
45-49	676		6	25	43	77	136	196	125	48	15	5		
50-54	521		4	13	18	24	83	105	139	89	33	11	2	
55-59	386		2	5	8	12	21	57	86	101	61	27	6	
60-64	305			4	1	6	12	23	53	76	67	51	12	
65 & over	533				2	3	7	17	31	86	116	106	165	

TABLE A-8 MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: NORTH CAROLINA, 1965

Marital Status of Groom	Total	Marital Status of Bride: Never Married	Widowed	Divorced	Widowed and Divorced
Total	40667	34039	1803	4705	120
Never Married	34336	31763	428	2122	23
Widowed	1449	299	782	334	34
Divorced	4773	1962	556	2206	49
Widowed and Divorced	109	15	37	43	14

TABLE A-9 MARRIAGES BY NUMBER OF TIMES PREVIOUSLY MARRIED (BRIDE AND GROOM): NORTH CAROLINA, 1965

Number Previous Marriages (Groom)	Total	Number of Previous Marriages (Bride): 0	1	2	3	4 & Over
Total	40667	34038	5988	575	62	4
0	34338	31765	2437	127	8	1
1	5761	2182	3207	337	34	1
2	491	81	297	98	15	-
3	69	10	43	9	5	2
4 & over	8		4	4		

TABLE A-10 MARRIAGES, DIVORCES* AND ANNULMENTS BY MONTH OF OCCURRENCE: NORTH CAROLINA, 1965

	Total	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Marriages													
Number	40667	2248	2363	2393	2790	2820	5189	4404	4650	3457	3205	3143	4005
Per Cent	*100.0*	*5.5*	*5.8*	*5.9*	*6.9*	*6.9*	*12.8*	*10.8*	*11.4*	*8.5*	*7.9*	*7.7*	*9.8*
Divorces*													
Number	11079	592	507	695	578	761	763	1042	1531	1495	1103	1239	773
Per Cent	*100.0*	*5.3*	*4.6*	*6.3*	*5.2*	*6.9*	*6.9*	*9.4*	*13.8*	*13.5*	*10.0*	*11.2*	*7.0*
Annulments													
Number	81	9	8	8		8	13	4	10	7	4	6	4
Per Cent	*100.0*	*11.1*	*9.9*	*9.9*		*9.9*	*16.0*	*4.9*	*12.3*	*8.6*	*4.9*	*7.4*	*4.9*

*Includes 10 divorces from bed & board (judicial separation).

TABLE A-11 DIVORCES AND ANNULMENTS BY TYPE OF DECREE AND GROUNDS: NORTH CAROLINA, 1965

Type of Decree and Grounds	Total	Race				
		White	Negro	Indian	Other	Not Stated
Total	11160	9189	1743	35	3	190
Type - Divorce	11069	9104	1739	35	3	188
Annulment	81	76	3			2
Bed & Board	10	9	1			
Grounds - One year separation*	10896	8951	1724	35	3	183
Adultery	161	141	15			5
Bigamy	8	8				
Conviction of crime, cruelty, desertion, insanity, and nonsupport	9	9				
Impotency	7	7				
Not stated	79	73	4			2

*Prior to July 1, 1965 two years separation was required.

TABLE A-12 DIVORCES BY COLOR AND NUMBER OF CHILDREN: NORTH CAROLINA, 1965

Color	Total	Number of Children						
		0	1	2	3	4	5 or More	Not Stated
Total	11160	4003	2775	1984	993	448	283	674
White	9189	3166	2394	1662	843	371	211	542
Nonwhite	1781	778	340	273	134	70	70	116
Not stated	190	59	41	49	16	7	2	16

TABLE A-13 LEADING CAUSES OF DEATH (EXCLUDING FETAL DEATHS) BY AGE GROUP, COLOR AND SEX: NORTH CAROLINA, FIVE-YEAR AVERAGE, 1961-1965

Cause of Death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No
ALL AGES (Ten Leading Causes) - TOTAL ALL CAUSES		39,823		16,471		11,559		6,580		5,213
Diseases of the heart (410-443)................	1	14,299	1	6,576	1	4,167	1	1,951	1	1,604
Vascular lesions affecting central nervous system (330-334)............................	2	5,188	3	1,744	2	1,860	2	776	2	808
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)..............	3	5,108	2	2,093	3	1,838	3	593	3	584
Influenza and pneumonia, including pneumonia of newborn (480-483,490-493,763)................	4	1,620	6	498	4	437	4	379	4	306
Motor vehicle accidents (810-835)..............	5	1,464	4	804	7	248	6	327	9	85
All accidents (except motor vehicle) (800-802, 840-962)..	6	1,413	5	637	6	272	5	348	5	156
Arteriosclerosis (450).........................	7	652	8	230	5	281	-	71	-	71
Diabetes mellitus (260)........................	8	615	10	190	8	218	-	77	6	130
Immaturity (774,776)...........................	9	543	-	164	10	116	8	147	7	116
Congenital malformations (750-759).............	10	540	9	206	9	192	-	79	-	63
Suicide (970-979,963)..........................	_	472	7	349	-	77	-	40	-	6
Homicide and legal executions (980-985,964).....	-	431	-	104	-	32	7	233	-	61
Postnatal asphyxia and atelectasis (762)........	-	469	-	167	-	102	9	113	8	87
Hypertension without mention of heart (444-447).	-	372	-	111	-	92	10	98	10	72
UNDER 1 YEAR (Seven Leading Causes) - TOTAL ALL CAUSES		3,252		938		665		931		717
Immaturity (774,776)...........................	1	543	2	163	2	116	2	147	2	116
Influenza and pneumonia, including pneumonia of newborn (480-483,490-493,763)................	2	502	5	83	4	64	1	198	1	157
Postnatal asphyxia and atelectasis (762)........	3	469	1	167	3	102	3	113	3	87
Congenital malformations (750-759).............	4	382	3	148	1	138	6	55	5	41
Birth injuries (760,761).......................	5	253	4	101	5	57	5	56	6	40
Dysentery, gastritis, duodenitis, enteritis, colitis, and diarrhea of newborn (045-048, 543,571,572,764)............................	6	135	-	10	-	11	4	67	4	46
All accidents (except motor vehicle) (800-802, 840-962)..	7	132	6	28	6	20	7	46	7	39
Hemolytic disease of newborn (erythroblastosis) (770).......................................	-	28	7	11	7	11	-	3	-	2
1-4 YEARS (Six Leading Causes) - TOTAL ALL CAUSES		494		139		118		128		109
All accidents (except motor vehicle) (800-802, 840-962)..	1	105	1	29	2	18	1	31	1	27
Influenza and pneumonia (480-483,490-493).......	2	77	5	13	4	16	2	25	2	23
Motor vehicle accidents (810-835)..............	3	56	2	21	3	17	3	12	5	6
Congenital malformations (750-759).............	4	53	4	15	1	19	4	10	3	9
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)..............	5	35	3	17	5	11	6	3	6	3
Dysentery, gastritis, duodenitis, enteritis, and colitis (045-048,543,571,572)............	6	19	6	4	6	4	5	5	4	7
5-14 YEARS (Six Leading Causes) - TOTAL ALL CAUSES		538		211		119		129		79
Motor vehicle accidents (810-835)..............	1	136	1	64	1	24	2	33	2	15
All accidents (except motor vehicle) (800-802, 840-962)..	2	120	2	53	3	13	1	38	1	16
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)..............	3	62	3	27	2	19	3	9	3	8
Congenital malformations (750-759).............	4	35	4	14	3	13	4	4	5	4
Influenza and pneumonia (480-483,490-493).......	5	24	5	7	5	8	-	4	4	6
Diseases of the heart (410-443)................	6	10	-	1	-	3	5	3	5	4
Nephritis and nephrosis (590-594)..............	_	10	6	3	-	1	5	3	-	2
Vascular lesions affecting central nervous system (330-334)............................	-	7	-	1	6	3	-	1	-	1

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

Table A-13 - continued

Cause of Death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
15-24 YEARS (Six Leading Causes) - TOTAL ALL CAUSES		1,031		498		164		260		109
Motor vehicle accidents (810-835)	1	426	1	267	1	59	1	85	1	15
All accidents (except motor vehicle) (800-802, 840-962)	2	152	2	87	3	10	3	49	6	6
Homicide and legal executions (980-985,964)	3	90	5	16	5	6	2	56	2	12
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	4	60	3	25	2	19	4	9	5	7
Diseases of the heart (410-443)	5	40	6	12	4	8	4	9	3	11
Suicide (970-979,963)	6	37	4	22	5	6	6	7	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	-	13	-	-	-	4	-	-	4	10
25-44 YEARS (Eight Leading Causes) - TOTAL ALL CAUSES		3,410		1,361		628		832		590
Diseases of the heart (410-443)	1	715	1	316	2	86	1	176	1	137
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	447	4	150	1	174	6	48	2	76
Motor vehicle accidents (810-835)	3	430	2	235	3	62	3	108	5	24
All accidents (except motor vehicle) (800-802, 840-962)	4	277	3	153	6	25	4	79	7	20
Homicide and legal executions (980-985,964)	5	224	6	49	8	15	2	124	4	37
Vascular lesions affecting central nervous system (330-334)	6	199	7	48	4	38	5	59	3	54
Suicide (970-979,963)	7	172	5	122	5	34	-	14	-	2
Cirrhosis of liver (581)	8	73	8	33	7	18	-	9	-	12
Hypertension without mention of heart (444-447)	-	47	-	6	-	4	7	22	-	15
Influenza and pneumonia (480-483,490-493)	-	72	-	19	-	14	8	19	7	20
Alcoholism (322)	-	60	-	25	-	6	8	19	-	10
Deliveries and complications of pregnancy, childbirth and the puerperium (640-689)	-	33	-	-	-	10	-	-	6	24
45-64 YEARS (Eight Leading Causes) - TOTAL ALL CAUSES		10,899		5,043		2,197		2,078		1,580
Diseases of the heart (410-443)	1	4,462	1	2,406	2	659	1	824	1	573
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	2,072	2	819	1	698	3	264	2	291
Vascular lesions affecting central nervous system (330-334)	3	1,135	3	341	3	218	2	292	3	284
All accidents (except motor vehicle) (800-802, 840-962)	4	293	4	162	8	40	4	72	8	19
Motor vehicle accidents (810-835)	5	275	6	140	5	51	5	68	-	15
Diabetes mellitus (260)	6	210	-	65	4	54	-	32	4	59
Influenza and pneumonia (480-483,490-493)	7	205	8	76	6	41	6	52	5	36
Suicide (970-979,963)	8	199	5	153	-	30	-	15	-	1
Cirrhosis of liver (581)	-	152	7	80	7	41	-	19	-	12
Homicide and legal executions (980-985,964)	-	88	-	27	-	8	7	43	-	10
Hypertension without mention of heart (444-447)	-	99	-	22	-	14	8	36	7	26
Nephritis and nephrosis (590-594)	-	127	-	41	-	22	-	36	6	28
65 YEARS AND OVER (Eight Leading Causes) - TOTAL		20,190		8,278		7,666		2,220		2,027
Diseases of the heart (410-443)	1	9,050	1	3,836	1	3,407	1	932	1	874
Vascular lesions affecting central nervous system (330-334)	2	3,826	2	1,348	2	1,595	2	419	2	465
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	2,425	3	1,052	3	915	3	259	3	199
Influenza and pneumonia (480-483, 490-493)	4	719	4	293	4	290	4	75	4	61
Arteriosclerosis (450)	5	594	5	208	5	270	5	58	5	59
Diabetes mellitus (260)	6	340	7	106	6	150	-	30	6	55
All accidents, (except motor vehicle) (800-802, 840-962)	7	334	6	126	7	146	8	33	8	29
Hypertension without mention of heart (444-447)	8	223	8	82	8	72	6	39	7	30
Nephritis and nephrosis (590-594)	-	142	-	45	-	39	7	34	-	23

NOTE: "TOTAL ALL CAUSES" on top line of each age group gives average number of deaths from all causes (listed leading causes plus all other causes).

NORTH CAROLINA

VITAL STATISTICS 1965



PART 2
SECTION B

Births

Infant Deaths

Maternal Deaths

Fetal Deaths

GUIDE TO TABLES IN SECTION B

Table: B-	1	2	3	4	5	6	7	8
Geographic area:[1]								
North Carolina	1	2	3	4	5	6	7	8
Counties	1	2					7	
Selected cities[2]	1	2						
Type of entry:								
Number of live births	1	2	3	4	5			
Number of illegitimate live births		2						
Sets of plural births					5			
Number of fetal deaths (stillbirths)		2			5	6		
Number of neonatal deaths (under 28 days)		2						8
Number of infant deaths (under 1 year)		2						8
Number of maternal deaths							7	
Birth rate (per 1,000 population[3])	1							
Per cent illegitimate live births		2						
Infant death rate (per 1,000 live births)		2						
Per cent fetal deaths attended by physician						6		
Per cent fetal deaths attended by midwife						6		
Characteristics:								
Age of mother:								
Single years						6		
5-year age groups			3	4				
Age of infant at death:								
Under 1 day								8
1 to 6 days								8
Under 28 days		2						8
Under 1 year		2						8
Total-birth order of resident live births			3					
Birth weight of resident live births				4				
Premature live births (birth weight 2500 grams or less)				4				
Cause of infant deaths								8
Color	1	2	3	4	5	6	7	8
Sex					5			
Hospital events	1	2						
Physician-attended	1					6		
Midwife attended	1					6		

1. Table B-1 shows live births by place of occurrence and by place of residence. All other tables show place of residence only.
2. Cities selected are those with 10,000 or more population in the 1960 census.
3. Birth rates are estimated using a population base estimated as of July 1 by the arithmetic or straight line method. This method assumes that each population subdivision (county, city or color group) had an annual numerical increase (or decrease) equal to one tenth of the decennial increase (or decrease) recorded by the previous census.

SECTION B

BIRTHS, INFANT DEATHS, MATERNAL DEATHS, FETAL DEATHS

Table | Page

B-1 Live Births by Place of Birth and Residence Showing Estimated Resident Birth Rates and Person in Attendance by Color: North Carolina Counties and Selected Cities, 1965....... B-2

B-2 Resident Live Births Showing Number and Per Cent Illegitimate, Fetal Deaths and Infant Deaths with Number Occurring in Hospitals, and Estimated Infant Death Rates, by Color: North Carolina Counties and Selected Cities, 1965............................. B-4

B-3 Resident Live Births Showing Total-Birth Order by Color and Age of Mother: North Carolina, 1965.. B-7

B-4 Resident Live Births Showing Birth Weight by Color and Age of Mother: North Carolina, 1965.. B-8

B-5 Resident Sets of Plural Births by Color and Sex with Number Live Born and Stillborn: North Carolina, 1965.. B-8

B-6 Resident Fetal Deaths by Age of Mother, Color and Person in Attendance: North Carolina, 1965.. B-9

B-7 Maternal Deaths by Color and County of Residence: North Carolina, 1965.................. B-9

B-8 Resident Infant Deaths by Cause, Color and Age: North Carolina, 1965.................... B-10

RELATED TABLES IN OTHER SECTIONS

A-1 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates: North Carolina, 1920-1965... A-2

A-2 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates, by Color: North Carolina, 1940-1965...................................... A-3

A-3 Estimated Population, Live Births and Deaths by Color and Sex with Natural Increase and Estimated Rates by Color: North Carolina Counties, 1965.......................... A-4

A-4 Estimated Population, Live Births and Deaths by Color and Sex, with Natural Increase and Estimated Rates by Color: Selected North Carolina Cities, 1965..................... A-10

A-5 Resident Live Births, Premature Live Births, Fetal Deaths, Neonatal Deaths, Infant Deaths, Maternal Deaths and Total Deaths: North Carolina, Each County, Urban and Rural, 1965... A-12

A-13 Leading Causes of Death (Excluding Fetal Deaths) by Age Group, Color and Sex: North Carolina, Five-Year Average, 1961-1965... A-18

C-1 Resident Deaths (Excluding Fetal Deaths) from Each Cause by Age Group, Color and Sex: North Carolina, 1965.. C-2

TABLE B-1 LIVE BIRTHS BY PLACE OF BIRTH AND RESIDENCE SHOWING ESTIMATED RESIDENT BIRTH RATES AND PERSON IN ATTENDANCE BY COLOR: NORTH CAROLINA COUNTIES AND SELECTED CITIES, 1965

Area	Place of Birth			Place of Residence														
				Total		White		Nonwhite		Attended by:								
										Physician					Midwife		Other and Not Stated	
											In Hosp.		Not in Hosp.					
	Total	White	NW	No.	Rate	No.	Rate	No.	Rate	Total	White	NW	White	NW	White	NW	White	NW
NORTH CAROLINA	97525	66365	31160	97656	20.3	66271	18.3	31385	26.2	94330	66053	26457	154	1666	48	3109	16	153
ALAMANCE	1842	1478	364	1755	18.8	1321	17.0	434	27.7	1754	1320	426	1	7				1
ALEXANDER	181	146	35	293	18.1	264	17.5	29	26.8	293	264	29						
ALLEGHANY	232	226	6	127	16.9	122	16.7	5	23.6	127	122	5						
ANSON	332	96	236	507	21.1	179	14.2	328	28.7	378	175	191	1	11	3	124		2
ASHE	320	314	6	352	18.9	346	18.7	6	38.2	350	343	6	1		2			
AVERY	323	322	1	210	18.6	210	18.8			210	210							
BEAUFORT	815	461	354	674	19.0	386	17.2	288	22.2	559	383	170		6	3	110		2
BERTIE	373	111	262	478	20.6	133	14.0	345	25.1	474	132	308	1	33				4
BLADEN	409	189	220	537	18.9	253	15.6	284	23.2	502	252	245	1	4		1		34
BRUNSWICK	188	83	105	420	20.2	212	15.6	208	28.7	375	212	158		5		40		5
BUNCOMBE	2937	2581	356	2610	19.6	2264	18.9	346	25.6	2607	2257	345	5				2	1
BURKE	1046	954	92	1008	17.8	906	17.2	102	26.1	1004	901	101	1	1	3		1	
CABARRUS	1520	1218	302	1282	18.2	969	16.4	313	27.5	1282	968	311	1	2				
CALDWELL	1043	918	125	1254	23.7	1139	23.2	115	30.4	1254	1139	115						
CAMDEN	7		7	100	17.2	53	16.3	47	18.5	93	53	40				7		
CARTERET	517	391	126	552	15.7	464	15.1	88	20.4	552	463	88	1					
CASWELL	10		10	377	19.4	155	15.4	222	23.7	367	155	210		2		10		
CATAWBA	1771	1543	228	1683	21.3	1447	20.2	236	31.7	1663	1445	208	2	8		19		1
CHATHAM	313	244	69	482	17.5	281	14.8	201	23.5	482	281	198		3				
CHEROKEE	313	302	11	261	17.1	250	16.8	11	26.1	261	247	11	3					
CHOWAN	373	155	218	227	20.1	95	16.3	132	24.2	215	95	119		1		11		1
CLAY	14	14		86	16.3	84	16.0	2	50.0	86	72	2	12					
CLEVELAND	1844	1284	560	1512	22.6	1020	19.7	492	32.4	1497	1016	471	3	7	1	14		
COLUMBUS	833	432	401	1078	22.4	612	19.7	466	27.3	863	589	252	6	16	17	197		1
CRAVEN	1751	1242	509	1559	24.4	1096	23.6	463	26.3	1522	1094	418	1	9		36	1	
CUMBERLAND	5443	3935	1508	5339	30.3	3841	29.6	1498	32.5	5289	3837	1434	4	14		24		26
CURRITUCK	17	1	16	99	14.5	69	14.8	30	14.0	88	68	13	1	6		11		
DARE	15	14	1	112	18.0	101	17.4	11	26.1	112	99	11	2					
DAVIDSON	1365	1132	233	1706	19.3	1448	18.4	258	26.3	1705	1445	255	3	2				1
DAVIE	279	240	39	337	19.4	285	18.5	52	25.6	337	285	51		1				
DUPLIN	566	228	338	779	19.5	425	17.2	354	23.4	768	424	323	1	20		8		3
DURHAM	2960	1767	1193	2371	20.2	1443	18.0	928	25.0	2371	1443	928						
EDGECOMBE	1043	317	726	1206	21.7	460	17.2	746	25.9	989	456	370	2	161	2	214		1
FORSYTH	4385	3179	1206	3852	18.2	2676	16.3	1176	24.5	3852	2673	1145	3	31				
FRANKLIN	407	151	256	527	19.2	204	13.2	323	27.0	426	204	205		17		101		
GASTON	2348	1955	393	2815	20.8	2339	19.8	476	27.1	2815	2334	466	5	10				
GATES	34		34	161	17.7	47	11.5	114	22.7	129	47	80		2		31		1
GRAHAM				146	23.6	133	22.5	13	46.1	146	133	12		1				
GRANVILLE	544	210	334	637	18.8	251	13.1	386	26.3	599	251	321		27		37		1
GREENE	127	12	115	304	18.9	105	13.8	199	23.6	278	98	94	7	79		26		
GUILFORD	5600	4031	1569	5346	19.4	3743	17.3	1603	27.2	5340	3736	1581	4	19	1	1	2	2
HALIFAX	1369	450	919	1314	22.2	433	16.0	881	27.4	816	431	324	2	59		497		1
HARNETT	1036	626	410	1040	21.4	637	18.4	403	29.0	973	636	332	1	4		64		3
HAYWOOD	792	776	16	827	20.3	812	20.4	15	16.2	827	812	15						
HENDERSON	726	667	59	723	18.6	673	18.2	50	26.1	722	670	50	2		1			
HERTFORD	750	221	529	497	21.3	113	11.6	384	28.1	497	112	269	1	115				
HOKE	26		26	334	20.0	122	16.6	212	22.8	311	122	186		3		23		
HYDE	4		4	86	15.9	28	9.0	58	25.4	84	28	52		4				2
IREDELL	1749	1312	437	1359	20.7	1002	18.5	357	30.4	1359	1001	353	1	4				
JACKSON	263	254	9	306	18.0	249	16.5	57	30.2	300	244	55	1		4			2
JOHNSTON	780	476	304	1076	17.5	706	14.9	370	26.4	1075	704	347	2	22				1
JONES	18		18	207	18.8	93	16.2	114	21.6	191	93	95		3		15		1
LEE	755	520	235	599	21.3	417	18.6	182	31.4	599	415	182	2					
LENOIR	1358	774	584	1077	17.9	573	15.4	504	22.0	919	560	301	9	49	4	151		3
LINCOLN	518	445	73	569	19.3	476	18.3	93	26.2	559	475	82		2	1	9		
MCDOWELL	504	467	37	551	20.2	513	19.8	38	28.4	551	509	38	4					
MACON	198	196	2	215	15.1	213	15.2	2	7.5	214	211	2	1		1			
MADISON	3	3		241	15.6	237	15.4	4	46.5	238	234	4					3	
MARTIN	376	130	246	554	20.7	218	16.2	336	25.3	462	218	177		67		92		
MECKLENBURG	6742	4825	1917	6190	19.9	4263	18.1	1927	25.4	6178	4258	1862	5	53		11		1
MITCHELL	242	241	1	210	15.8	210	15.9			210	209		1					
MONTGOMERY	354	200	154	352	18.5	216	15.3	136	27.6	345	216	116		13		7		
MOORE	933	546	387	802	20.8	513	18.0	289	28.4	798	512	280	1	5		4		
NASH	1247	617	630	1102	17.9	492	13.0	610	25.8	907	490	232	2	183		195		
NEW HANOVER	1747	1135	612	1417	18.6	950	16.9	467	23.3	1417	949	462	1	5				
NORTHAMPTON	279	1	278	506	19.5	114	12.0	392	23.8	358	114	129		115		147		1
ONSLOW	2759	2306	453	2821	27.1	2367	26.1	454	34.1	2740	2365	373	2			70		11
ORANGE	1107	501	606	921	19.4	660	18.1	261	23.7	921	658	261	2					
PAMLICO	13		13	158	16.2	82	13.5	76	20.6	145	82	63				12		1
PASQUOTANK	779	481	298	484	18.4	248	15.8	236	22.3	413	248	146		19		71		

Table B-1 - continued

Area	Place of Birth			Place of Residence														
				Total		White		Nonwhite		Attended by:								
											Physician				Midwife		Other and Not Stated	
											In Hosp.		Not in Hosp.					
	Total	White	NW	No.	*Rate*	No.	*Rate*	No.	*Rate*	Total	White	NW	White	NW	White	NW	White	NW
PENDER	336	165	171	328	*17.7*	136	*14.1*	192	*21.5*	308	136	166		6		20		
PERQUIMANS	41		41	140	*15.6*	61	*12.7*	79	*19.0*	100	61	37		2		40		
PERSON	553	299	254	542	*19.7*	285	*16.2*	257	*26.2*	540	285	248		7		2		
PITT	1525	719	806	1380	*18.9*	671	*15.9*	709	*22.9*	1261	667	577	3	14	1	113		5
POLK	232	182	50	184	*16.3*	144	*14.6*	40	*29.0*	184	144	40						
RANDOLPH	990	855	135	1286	*19.2*	1130	*18.4*	156	*28.1*	1286	1128	154	2	2				
RICHMOND	770	477	293	817	*21.0*	489	*17.9*	328	*28.1*	817	489	305		23				
ROBESON	1897	682	1215	2126	*23.7*	634	*17.6*	1492	*27.8*	2119	629	1433	5	52				7
ROCKINGHAM	1576	1015	561	1431	*19.8*	1000	*17.7*	431	*27.7*	1425	999	406	1	19		3		3
ROWAN	1126	806	320	1411	*16.3*	1098	*15.2*	313	*21.6*	1411	1096	303	2	10				
RUTHERFORD	795	647	148	883	*19.9*	729	*18.6*	154	*29.3*	883	728	148	1	6				
SAMPSON	780	403	377	904	*19.2*	483	*16.6*	421	*23.3*	795	479	270	2	44	2	107		
SCOTLAND	996	375	621	564	*22.9*	283	*19.9*	281	*27.1*	564	283	271		10				
STANLY	610	513	97	666	*15.5*	566	*14.8*	100	*21.6*	665	564	97	2	2				1
STOKES	207	178	29	393	*17.3*	347	*17.1*	46	*18.8*	392	346	45	1					1
SURRY	1176	1109	67	1008	*20.3*	934	*20.0*	74	*25.4*	1008	934	74						
SWAIN	313	191	122	185	*24.4*	119	*20.3*	66	*38.2*	184	118	64	1	1				1
TRANSYLVANIA	389	358	31	399	*23.5*	367	*22.8*	32	*34.4*	399	367	32						
TYRRELL	30	8	22	56	*13.2*	27	*11.6*	29	*15.1*	39	26	12	1			17		
UNION	1062	740	322	1038	*22.5*	685	*18.8*	353	*36.7*	1038	685	318		35				
VANCE	906	413	493	722	*22.6*	316	*17.3*	406	*29.6*	627	315	306	1	5		94		1
WAKE	3833	2603	1230	3808	*20.4*	2555	*18.3*	1253	*27.1*	3789	2552	1219	1	17		12	2	5
WARREN	133	12	121	340	*19.3*	81	*12.6*	259	*23.2*	249	79	147	2	21		90		1
WASHINGTON	275	108	167	317	*23.2*	137	*18.5*	180	*28.8*	194	137	55		2		123		
WATAUGA	371	369	2	338	*19.8*	337	*20.0*	1	*4.2*	337	336	1					1	
WAYNE	2088	1307	781	1914	*20.9*	1182	*19.8*	732	*23.0*	1849	1168	642	10	29	1	50	3	11
WILKES	732	673	59	896	*19.8*	831	*19.5*	65	*24.0*	896	831	65						
WILSON	1481	698	783	1241	*20.9*	576	*16.2*	665	*27.9*	1188	568	486	6	128	1	48	1	3
YADKIN	254	235	19	424	*18.3*	393	*17.9*	31	*27.1*	424	393	30		1				
YANCEY	181	179	2	216	*16.9*	214	*16.9*	2	*18.2*	216	213	2	1					
CITIES *																		
ALBEMARLE	606	512	94	187	*15.0*	144	*13.3*	43	*25.4*	186	144	40		2				1
ASHEVILLE	2932	2577	355	1211	*18.9*	916	*17.3*	295	*27.0*	1210	914	294	2					1
BURLINGTON	1777	1451	326	744	*19.7*	606	*17.7*	138	*39.7*	744	605	135	1	3				
CHAPEL HILL				278	*19.4*	227	*17.6*	51	*35.8*	278	226	51	1					
CHARLOTTE	6714	4817	1897	4507	*19.0*	2866	*16.8*	1641	*24.7*	4497	2864	1586	2	45		10		
CONCORD	1517	1217	300	325	*17.6*	211	*14.9*	114	*26.4*	325	211	114						
DURHAM	2960	1767	1193	1560	*19.0*	820	*15.7*	740	*25.0*	1560	820	740						
ELIZABETH CITY	64		64	288	*19.5*	155	*17.1*	133	*23.2*	242	155	78		9		46		
FAYETTEVILLE	3295	2311	984	1856	*34.6*	1143	*33.0*	713	*37.6*	1833	1141	686	2	4		13		10
GASTONIA	2342	1953	389	1056	*23.6*	824	*22.2*	232	*30.4*	1056	823	230	1	2				
GOLDSBORO	1202	713	489	867	*26.5*	508	*25.8*	359	*27.4*	829	501	322	5	1	1	30	1	6
GREENSBORO	3629	2538	1091	2599	*18.1*	1634	*15.4*	965	*25.8*	2595	1632	960		3		1	2	1
GREENVILLE	33	2	31	446	*17.1*	286	*15.9*	160	*19.8*	418	285	130		3	1	26		1
HENDERSON	783	363	420	316	*23.1*	142	*17.4*	174	*31.7*	291	142	148		1		25		
HICKORY	1328	1201	127	531	*24.4*	434	*23.2*	97	*31.7*	528	434	90		4		3		
HIGH POINT	1962	1491	471	1329	*18.0*	924	*15.2*	405	*31.7*	1329	922	395	2	10				
JACKSONVILLE	587	445	142	561	*30.3*	499	*28.4*	62	*66.7*	556	499	57				5		
KINSTON	1229	763	466	510	*18.1*	282	*16.1*	228	*21.3*	440	277	143	1	19	4	64		2
LENOIR	1043	918	125	261	*22.7*	203	*21.8*	58	*26.3*	261	203	58						
LEXINGTON	769	647	122	351	*20.2*	264	*18.4*	87	*28.5*	350	263	85	1	1				1
LUMBERTON	1837	675	1162	397	*21.4*	244	*18.1*	153	*30.4*	397	244	150		3				
MONROE	1046	740	306	255	*22.6*	171	*21.6*	84	*25.1*	255	171	79		5				
NEW BERN	907	519	388	301	*19.2*	166	*17.8*	135	*21.3*	289	165	123		1		11	1	
RALEIGH	3482	2353	1129	1888	*17.4*	1307	*15.5*	581	*23.8*	1885	1305	580					2	1
REIDSVILLE	882	534	348	287	*18.4*	158	*15.0*	129	*25.4*	286	158	125		3				1
ROANOKE RAPIDS	722	417	305	227	*14.2*	190	*13.7*	37	*17.0*	222	189	32	1			5		
ROCKY MOUNT E	274	104	170	315	*17.2*	127	*13.5*	188	*24.7*	312	127	98		87		3		
ROCKY MOUNT N	917	610	307	279		181		98		277	181	37		59		2		
SALISBURY	1118	805	313	355	*16.2*	231	*15.0*	124	*19.1*	355	231	121		3				
SANFORD	755	520	235	266	*19.8*	189	*17.4*	77	*30.2*	266	189	77						
SHELBY	1175	801	374	348	*18.5*	226	*15.7*	122	*27.5*	347	226	119		2		1		
STATESVILLE	1183	917	266	489	*22.9*	319	*18.9*	170	*37.3*	489	319	168		2				
THOMASVILLE	560	452	108	333	*19.2*	227	*16.9*	106	*27.4*	333	227	106						
WILMINGTON	1510	898	612	920	*21.2*	527	*19.8*	393	*23.3*	920	527	390		3				
WILSON	63	2	61	656	*20.6*	324	*16.5*	332	*27.4*	631	322	270	1	38		23	1	1
WINSTON SALEM	4384	3179	1205	2484	*20.1*	1385	*17.4*	1099	*25.2*	2484	1385	1069		30				

*Cities selected are those with 10,000 or more population in 1960 census.

See Tables A-3 & A-4 for births by color and sex and Table A-5 for births by county, urban and rural.

TABLE B-2 RESIDENT LIVE BIRTHS SHOWING NUMBER AND PER CENT ILLEGITIMATE, FETAL DEATHS AND INFANT DEATHS WITH NUMBER OCCURRING IN HOSPITALS, AND ESTIMATED INFANT DEATH RATES, BY COLOR: NORTH CAROLINA COUNTIES AND SELECTED CITIES, 1965

Area	Live Births						Fetal Deaths				Infant Deaths								*Infant Death Rate*	
	Total		Illegitimate		*Per Cent Illegitimate*		Total		In Hosp.		Under 28 Days				Under 1 Year					
											Total		In Hosp.		Total		In Hosp.			
	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW
NORTH CAROLINA	66271	31385	2077	8893	*3.1*	*28.3*	874	839	856	702	1117	833	1090	720	1460	1512	1266	929	*22.0*	*48.2*
ALAMANCE	1321	434	30	114	*2.3*	*26.3*	21	11	21	11	14	9	14	9	21	19	18	11	*15.9*	*43.8*
ALEXANDER	264	29	9	7	*3.4*	*24.1*	5	1	5	1	9	1	8	1	10	2	8	1	*37.9*	*69.0*
ALLEGHANY	122	5	1	1	*0.8*	*20.0*	3		3		2		2		3		3		*24.6*	
ANSON	179	328	4	91	*2.2*	*27.7*	5	6	5	3	2	9	2	8	2	22	2	9	*11.2*	*67.1*
ASHE	346	6	23	4	*6.6*	*66.7*	7		7		8		8		11		8		*31.8*	
AVERY	210		15		*7.1*		5		5		3		3		6		4		*28.6*	
BEAUFORT	386	288	8	100	*2.1*	*34.7*	2	6	2	6	2	9	2	7	2	15	2	10	*5.2*	*52.1*
BERTIE	133	345	5	75	*3.8*	*21.7*	4	14	4	13	3	4	3	3	4	8	4	5	*30.1*	*23.2*
BLADEN	253	284		76		*26.8*	1	8	1	7	3	7	3	3	8	13	6	5	*31.6*	*45.8*
BRUNSWICK	212	208	6	57	*2.8*	*27.4*	6	3	6	3	2	5	2	4	3	13	3	6	*14.2*	*62.5*
BUNCOMBE	2264	346	91	100	*4.0*	*28.9*	28	5	27	4	55	9	54	9	68	15	61	11	*30.0*	*43.4*
BURKE	906	102	49	22	*5.4*	*21.6*	11	2	11	2	12	4	11	3	17	6	13	4	*18.8*	*58.8*
CABARRUS	969	313	36	124	*3.7*	*39.6*	15	10	15	10	11	6	11	6	14	11	13	7	*14.4*	*35.1*
CALDWELL	1139	115	40	25	*3.5*	*21.7*	18	3	18	3	29	4	28	3	39	5	31	3	*34.2*	*43.5*
CAMDEN	53	47	1	7	*1.9*	*14.9*	1	1	1	1		2		2		4		4		*85.1*
CARTERET	464	88	12	31	*2.6*	*35.2*	8	3	8	3	9	4	9	4	11	10	11	5	*23.7*	*113.6*
CASWELL	155	222	7	38	*4.5*	*17.1*	5	6	5	6	9	2	9	2	9	3	9	2	*58.1*	*13.5*
CATAWBA	1447	236	57	78	*3.9*	*33.1*	25	3	25	2	33	10	32	8	44	17	37	9	*30.4*	*72.0*
CHATHAM	281	201	3	54	*1.1*	*26.9*	10	2	10	2	7	3	6	3	7	6	6	4	*24.9*	*29.9*
CHEROKEE	250	11	5	5	*2.0*	*45.5*	2		2		5		5		5	1	5		*20.0*	*90.9*
CHOWAN	95	132	3	35	*3.2*	*26.5*		2		2	4	4	4	4	4	6	4	4	*42.1*	*45.5*
CLAY	84	2	1		*1.2*						1		1		2		2		*23.8*	
CLEVELAND	1020	492	29	163	*2.8*	*33.1*	10	7	10	7	16	7	15	6	24	18	19	11	*23.5*	*36.6*
COLUMBUS	612	466	22	127	*3.6*	*27.3*	10	16	9	12	8	10	6	6	15	31	9	11	*24.5*	*66.5*
CRAVEN	1096	463	18	124	*1.6*	*26.8*	11	14	9	13	20	15	20	15	26	28	24	17	*23.7*	*60.5*
CUMBERLAND	3841	1498	79	264	*2.1*	*17.6*	45	37	45	32	67	26	66	24	98	55	80	38	*25.5*	*36.7*
CURRITUCK	69	30	2	4	*2.9*	*13.3*	1	1	1	1	2	1	2	1	4	2	4	2	*58.0*	*66.7*
DARE	101	11	6	4	*5.9*	*36.4*	3		3		1		1		1		1		*9.9*	
DAVIDSON	1448	258	39	65	*2.7*	*25.2*	17	6	15	6	28	5	28	5	32	8	31	5	*22.1*	*31.0*
DAVIE	285	52	8	11	*2.8*	*21.2*	4	1	4	1	9	1	9	1	9	5	9	1	*31.6*	*96.2*
DUPLIN	425	354	16	105	*3.8*	*29.7*	1	10	1	8	4	10	4	5	6	18	4	7	*14.1*	*50.8*
DURHAM	1443	928	54	255	*3.7*	*27.5*	24	19	24	19	24	24	23	24	27	32	25	28	*18.7*	*34.5*
EDGECOMBE	460	746	12	276	*2.6*	*37.0*	6	21	6	11	5	12	5	9	6	27	5	10	*13.0*	*36.2*
FORSYTH	2676	1176	86	410	*3.2*	*34.9*	32	36	31	34	34	50	34	49	39	65	38	58	*14.6*	*55.3*
FRANKLIN	204	323	5	75	*2.5*	*23.2*	2	10	1	6	3	10	3	9	4	13	3	10	*19.6*	*40.2*
GASTON	2339	476	84	143	*3.6*	*30.0*	22	8	22	8	43	11	42	10	57	18	49	14	*24.4*	*37.8*
GATES	47	114		29		*25.4*	2	5	2	4		2		2		5		3		*43.9*
GRAHAM	133	13	1		*0.8*		4		4		2		2		4		4		*30.1*	
GRANVILLE	251	386	8	80	*3.2*	*20.7*	5	7	5	6		11		9		24		13		*62.2*
GREENE	105	199	2	61	*1.9*	*30.7*		13		6	3	5	2	2	3	11	2	3	*28.6*	*55.3*

See Tables A-1 & A-2 for neonatal death rate and fetal death ratio by color. See Tables A-3 & A-4 for births by color and sex, and Table A-5 for births, fetal deaths, infant and neonatal deaths by county, urban and rural.

GUILFORD	3743	1603	163	410	4.4	25.6	39	43	39	42	50	61	49	58	77	85	68	71	20.6	53.0
HALIFAX	433	881	9	239	2.1	27.1	2	28	2	18	7	23	7	16	10	47	10	24	23.1	53.3
HARNETT	637	403	19	126	3.0	31.3	12	13	10	8	8	9	7	6	10	19	8	10	15.7	47.1
HAYWOOD	812	15	38	5	4.7	33.3	7		7		11	1	11	1	15	1	12	1	18.5	66.7
HENDERSON	673	50	19	21	2.8	42.0	13	1	13		11	4	11	4	13	6	12	6	19.3	120.0
HERTFORD	113	384	1	102	0.9	26.6	2	11	2	8	2	9	2	6	3	16	3	8	26.5	41.7
HOKE	122	212	7	64	5.7	30.2	1	5	1	4	1	4	1	4	2	13	2	10	16.4	61.3
HYDE	28	58	3	19	10.7	32.8	1	3		3		2		2		4		3		69.0
IREDELL	1002	357	30	111	3.0	31.1	15	3	15	2	19	6	18	5	24	12	20	8	24.0	33.6
JACKSON	249	57	7	11	2.8	19.3	2	2	2	1	3	2	3	2	3	2	3	2	12.0	35.1
JOHNSTON	706	370	25	98	3.5	26.5	7	10	7	7	14	16	13	16	18	21	16	17	25.5	56.8
JONES	93	114	5	34	5.4	29.8	1	5	1	3	1	4	1	3	1	5	1	3	10.8	43.9
LEE	417	182	14	63	3.4	34.6	5	4	5	4	8	3	8	2	11	6	11	2	26.4	33.0
LENOIR	573	504	16	174	2.8	34.5	4	20	4	13	9	13	9	10	13	26	12	13	22.7	51.6
LINCOLN	476	93	12	30	2.5	32.3	11	3	11	2	13	1	13	1	16	2	14	1	33.6	21.5
MCDOWELL	513	38	19	5	3.7	13.2	6		5		8	2	8	1	11	2	10	1	21.4	52.6
MACON	213	2	5		2.3		7		7		3		3		8		3		37.6	
MADISON	237	4	10	2	4.2	50.0	6		6		3		3		5		3		21.1	
MARTIN	218	336	4	94	1.8	28.0	4	12	4	11	1	11	1	8	1	16	1	8	4.6	47.6
MECKLENBURG	4263	1927	141	641	3.3	33.3	45	27	45	26	61	56	60	53	78	101	71	72	18.3	52.4
MITCHELL	210		13		6.2		2		2		6		6		7		6		33.3	
MONTGOMERY	216	136	14	53	6.5	39.0	10	2	9	2	3	5	3	5	3	9	3	6	13.9	66.2
MOORE	513	289	20	81	3.9	28.0	9	8	9	8	4	12	4	11	11	20	7	14	21.4	69.2
NASH	492	610	17	193	3.5	31.6	13	26	13	17	7	12	6	8	10	19	7	9	20.3	31.1
NEW HANOVER	950	467	39	159	4.1	34.0	17	12	17	10	13	20	13	20	17	26	17	23	17.9	55.7
NORTHAMPTON	114	392	1	111	0.9	28.3	1	16	1	9	2	12	2	5	3	20	2	5	26.3	51.0
ONSLOW	2367	454	27	79	1.1	17.4	23	7	22	6	45	6	44	4	58	15	49	8	24.5	33.0
ORANGE	660	261	13	67	2.0	25.7	8	5	8	5	6	3	6	3	9	9	8	6	13.6	34.5
PAMLICO	82	76	1	20	1.2	26.3		2		2		3		2		10		3		131.6
PASQUOTANK	248	236	6	55	2.4	23.3	2	7	2	6	4	4	4	2	5	7	4	4	20.2	29.7
PENDER	136	192	2	58	1.5	30.2		6		6	1	8	1	8	1	14	1	10	7.4	72.9
PERQUIMANS	61	79		26		32.9	3	2	3	1		1		1		4		2		50.6
PERSON	285	257	1	45	0.4	17.5	3	11	3	11	4	7	4	7	6	10	5	7	21.1	38.9
PITT	671	709	16	242	2.4	34.1	6	21	6	20	17	23	17	22	20	42	17	27	29.8	59.2
POLK	144	40	4	14	2.8	35.0	2		2		3	1	3	1	3	2	3	2	20.8	50.0
RANDOLPH	1130	156	31	60	2.7	38.5	11	2	11	2	28	1	28	1	30	6	28	3	26.5	38.5
RICHMOND	489	328	18	106	3.7	32.3	13	6	13	5	3	14	3	13	8	23	5	16	16.4	70.1
ROBESON	634	1492	20	373	3.2	25.0	7	46	7	43	11	36	11	30	16	77	13	36	25.2	51.6
ROCKINGHAM	1000	431	24	109	2.4	25.3	17	15	17	13	20	7	20	6	22	12	21	9	22.0	27.8
ROWAN	1098	313	37	85	3.4	27.2	12	3	12	3	11	3	11	3	13	12	13	7	11.8	38.3
RUTHERFORD	729	154	22	50	3.0	32.5	9	1	9	1	15	5	14	4	17	8	15	4	23.3	51.9
SAMPSON	483	421	16	120	3.3	28.5	5	9	5	7	10	7	10	5	11	19	11	8	22.8	45.1
SCOTLAND	283	281	12	106	4.2	37.7	8	6	8	6	11	5	10	4	11	12	10	6	38.9	42.7
STANLY	566	100	12	32	2.1	32.0	8	6	8	6	12	3	12	3	15	9	14	5	26.5	90.0
STOKES	347	46	4	9	1.2	19.6	1		1		2	2	2	2	3	4	2	3	8.6	87.0
SURRY	934	74	38	20	4.1	27.0	17	1	17	1	15	5	14	5	23	6	18	5	24.6	81.1
SWAIN	119	66	8	15	6.7	22.7	1	1	1	1	4	2	4	1	4	2	4	1	33.6	30.3
TRANSYLVANIA	367	32	12	10	3.3	31.3	5	1	5	1	12		12		12		12		32.7	
TYRRELL	27	29		15		51.7					1		1		1		1		37.0	
UNION	685	353	17	92	2.5	26.1	11	9	11	8	13	15	13	14	17	25	15	17	24.8	70.8
VANCE	316	406	3	95	0.9	23.4	4	12	4	6	6	9	6	9	6	20	6	13	19.0	49.3
WAKE	2555	1253	90	327	3.5	26.1	29	45	28	44	43	32	42	32	47	60	45	39	18.4	47.9
WARREN	81	259	5	42	6.2	16.2		12		8	2	7	2	4	3	11	3	4	37.0	42.5
WASHINGTON	137	180	2	68	1.5	37.8	1	2	1		1	4	1	3	1	10	1	5	7.3	55.6
WATAUGA	337	1	8	1	2.4	100.0	4		3		8		6		9		6		26.7	

Table B-2 - continued

Area	Live Births						Fetal Deaths				Infant Deaths								Infant Death Rate	
	Total		Illegitimate		Per Cent Illegitimate		Total		In Hosp.		Under 28 Days				Under 1 Year					
											Total		In Hosp.		Total		In Hosp.			
	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW	White	NW
WAYNE	1182	732	30	218	2.5	29.8	17	29	17	27	14	17	14	14	19	29	16	14	16.1	39.6
WILKES	831	65	39	12	4.7	18.5	12	1	12	1	15		14		30	1	20		36.1	15.4
WILSON	576	665	11	230	1.9	34.6	7	20	5	11	12	21	12	12	14	37	12	15	24.3	55.6
YADKIN	393	31	14	5	3.6	16.1	4		4		7	1	7	1	9	1	8	1	22.9	32.3
YANCEY	214	2	6	1	2.8	50.0	1		1		1	1	1	1	2	1	1	1	9.3	500.0
CITIES *																				
ALBEMARLE	144	43	4	11	2.8	25.6	3	3	3	3	2	2	2	2	2	6	2	4	13.9	39.5
ASHEVILLE	916	295	50	82	5.5	27.8	11	5	11	4	21	9	21	9	28	15	24	11	30.6	50.8
BURLINGTON	606	138	17	41	2.8	29.7	5	7	5	7	6	3	6	3	11	6	9	3	18.2	43.5
CHAPEL HILL	227	51	4	18	1.8	35.3	2	2	2	2	1		1		3	1	2	1	13.2	19.6
CHARLOTTE	2866	1641	107	553	3.7	33.7	29	27	29	26	45	45	44	44	59	84	53	61	20.6	51.2
CONCORD	211	114	8	49	3.8	43.0	4	2	4	2	2	4	2	4	3	5	2	4	14.2	43.9
DURHAM	820	740	45	221	5.5	29.9	16	17	16	17	13	20	13	20	14	25	13	23	17.1	33.8
ELIZABETH CITY	155	133	6	37	3.9	27.8	1	4	1	3	3	4	3	2	3	4	3	2	19.4	30.1
FAYETTEVILLE	1143	713	31	131	2.7	18.4	13	17	13	13	21	19	20	17	33	32	25	23	28.9	44.9
GASTONIA	824	232	41	73	5.0	31.5	7		7		24	6	23	5	30	11	26	8	36.4	47.4
GOLDSBORO	508	359	14	95	2.8	26.5	9	10	9	10	6	5	6	5	6	11	6	5	11.8	30.6
GREENSBORO	1634	965	85	250	5.2	25.9	14	23	14	23	22	38	22	37	36	47	32	41	22.0	48.7
GREENVILLE	286	160	5	56	1.7	35.0	2	4	2	4	7	7	7	7	9	9	7	8	31.5	56.3
HENDERSON	142	174		41		23.6	2	3	2	2	3	2	3	2	3	6	3	4	21.1	34.5
HICKORY	434	97	27	35	6.2	36.1	9	1	9		11	3	11	3	11	3	11	3	25.3	30.9
HIGH POINT	924	405	33	106	3.6	26.2	15	13	15	12	13	14	12	12	22	23	19	15	23.8	56.8
JACKSONVILLE	499	62	8	11	1.6	17.7	2	2	2	2	11		11		11		11		22.0	
KINSTON	282	228	11	89	3.9	39.0	4	15	4	11	3	6	3	4	5	10	5	5	17.7	43.9
LENOIR	203	58	10	13	4.9	22.4	6	1	6	1	7	3	7	2	9	3	8	2	44.3	51.7
LEXINGTON	264	87	13	25	4.9	28.7	4	1	4	1	8	1	8	1	9	3	9	1	34.1	34.5
LUMBERTON	244	153	3	43	1.2	28.1	2	5	2	5	4	2	4	2	7	9	6	2	28.7	58.8
MONROE	171	84	6	20	3.5	23.8	2	4	2	3	9	4	9	3	10	9	9	5	58.5	107.1
NEW BERN	166	135	3	46	1.8	34.1	1	5	1	5	2	7	2	7	3	11	2	8	18.1	81.5
RALEIGH	1307	581	51	143	3.9	24.6	16	22	16	21	30	19	29	19	33	31	32	22	25.2	53.4
REIDSVILLE	158	129	8	42	5.1	32.6	4	5	4	5	5		5		6	2	5	1	38.0	15.5
ROANOKE RAPIDS	190	37	4	6	2.1	16.2	1		1		3	2	3	2	4	3	4	2	21.1	81.1
ROCKY MOUNT E	127	188	5	67	3.2	37.4		3		1	3	3	3	3	4	5	3	3	22.7	35.0
ROCKY MOUNT N	181	98	5	40			4	4	4	3	2	3	2	2	3	5	2	2		
SALISBURY	231	124	9	35	3.9	28.2	2	3	2	3	3	1	3	1	3	3	3	1	13.0	24.2
SANFORD	189	77	7	29	3.7	37.7	3	1	3	1	4	1	4		7	2	7		37.0	26.0
SHELBY	226	122	6	48	2.7	39.3					8	2	8	2	11	2	10	2	48.7	16.4
STATESVILLE	319	170	10	53	3.1	31.2	5	3	5	2	4	4	3	3	5	9	3	5	15.7	52.9
THOMASVILLE	227	106	5	30	2.2	28.3	1	4	1	4	2	2	2	2	3	2	2	2	13.2	18.9
WILMINGTON	527	393	23	136	4.4	34.6	11	10	11	9	10	19	10	19	12	24	12	22	22.8	61.1
WILSON	324	332	5	123	1.5	37.0	1	11	1	6	8	10	8	6	8	17	8	6	24.7	51.2
WINSTON SALEM	1385	1099	53	395	3.8	35.9	14	35	14	33	18	46	18	45	19	61	19	54	13.7	55.5

*Cities selected are those with 10,000 or more population in 1960 census.

TABLE B-3 RESIDENT LIVE BIRTHS SHOWING TOTAL-BIRTH ORDER BY COLOR AND AGE OF MOTHER: NORTH CAROLINA, 1965
(Total-birth order refers to number of children ever born to mother, including fetal deaths)

Color and Age of Mother	Total	Total-Birth Order															
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th and Over	Not Stated
NORTH CAROLINA	97656	30259	22882	15777	10446	6512	4090	2616	1723	1075	823	530	340	221	146	208	8
10 - 14	378	366	12														
15 - 19	21220	14628	4851	1307	358	61	11	3									1
20 - 24	34600	11579	10858	6377	3313	1527	596	240	81	17	7		1	1			3
25 - 29	21442	2731	4936	4741	3425	2303	1525	879	483	229	125	34	22	7		1	1
30 - 34	11937	674	1613	2337	2151	1560	1170	829	610	376	281	155	88	47	23	23	
35 - 39	6094	218	498	823	964	814	617	496	411	318	300	215	147	110	76	87	
40 - 44	1869	59	111	187	228	233	163	156	127	130	104	115	76	50	44	86	
45 - 49	107	2	2	5	7	13	8	12	11	5	6	11	6	6	2	11	
50 & OVER	2							1							1		
NOT STATED	7	2	1			1											3
WHITE TOTAL	66271	22265	17149	11424	7031	3843	2096	1066	587	340	194	123	77	29	17	26	4
10 - 14	74	74															
15 - 19	12660	9505	2536	511	91	14	2										1
20 - 24	24530	9498	8378	4110	1669	603	191	56	16	4	4						1
25 - 29	15616	2395	4303	3916	2479	1319	713	286	124	50	22	4	3	1			1
30 - 34	8350	562	1415	2029	1791	1105	667	349	217	104	51	32	11	6	5	6	
35 - 39	3840	181	417	694	809	621	404	274	154	121	75	35	32	10	7	6	
40 - 44	1129	48	98	161	187	168	111	94	69	58	39	44	25	11	5	11	
45 - 49	69	1	1	3	5	13	8	7	7	3	3	8	6	1		3	
50 & OVER																	
NOT STATED	3	1	1														1
NONWHITE TOTAL	31385	7994	5733	4353	3415	2669	1994	1550	1136	735	629	407	263	192	129	182	4
10 - 14	304	292	12														
15 - 19	8560	5123	2315	796	267	47	9	3									
20 - 24	10070	2081	2480	2267	1644	924	405	184	65	13	3		1	1			2
25 - 29	5826	336	633	825	946	984	812	593	359	179	103	30	19	6		1	
30 - 34	3587	112	198	308	360	455	503	480	393	272	230	123	77	41	18	17	
35 - 39	2254	37	81	129	155	193	213	222	257	197	225	180	115	100	69	81	
40 - 44	740	11	13	26	41	65	52	62	58	72	65	71	51	39	39	75	
45 - 49	38	1	1	2	2			5	4	2	3	3		5	2	8	
50 & OVER	2							1							1		
NOT STATED	4	1				1											2

TABLE B-4 RESIDENT LIVE BIRTHS SHOWING BIRTH WEIGHT BY COLOR AND AGE OF MOTHER: NORTH CAROLINA, 1965

Age of Mother	Total	Birth Weight in Grams										
		500 or less	501-1000	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501 & Over	Not Stated
		PREMATURE*										
NORTH CAROLINA	97656	87	526	804	1864	6032	20950	37273	23280	5692	1072	76
WHITE	66271	35	272	401	998	3350	12654	25599	17611	4503	810	38
10 14	74		2	2	1	10	15	28	8	7	1	
15 19	12660	6	65	91	237	718	2566	4990	3226	668	86	7
20 24	24530	16	83	139	359	1186	4789	9791	6391	1537	228	11
25 - 29	15616	6	59	85	205	746	2895	5961	4310	1122	217	10
30 - 34	8350	5	45	44	110	402	1479	3096	2307	707	149	6
35 - 39	3840	2	15	25	66	215	703	1336	1017	355	104	2
40 - 44	1129		2	15	18	69	196	371	331	104	22	1
45 - 49	69		1		2	4	10	25	21	3	3	
50 & OVER												
NOT STATED	3						1	1				1
NONWHITE	31385	52	254	403	866	2682	8296	11674	5669	1189	262	38
10 - 14	304		5	9	14	40	86	113	34	3		
15 - 19	8560	14	81	127	292	851	2649	3190	1169	159	16	12
20 - 24	10070	16	80	122	257	825	2765	3842	1751	350	53	9
25 - 29	5826	6	38	67	127	447	1396	2164	1228	281	64	8
30 - 34	3587	10	28	48	89	276	772	1317	795	193	54	5
35 - 39	2254	4	16	25	67	183	465	778	501	161	52	2
40 - 44	740	1	6	5	19	55	149	259	184	40	21	1
45 - 49	38				1	4	13	9	7	2	2	
50 & OVER	2					1		1				
NOT STATED	4	1					1	1				1

*Infants weighing 2500 grams (5½ pounds) or less at birth are classified as premature.

See Table A-5 for premature births by county of residence, urban and rural.

TABLE B-5 RESIDENT SETS OF PLURAL BIRTHS BY COLOR AND SEX WITH NUMBER LIVE BORN AND STILLBORN: NORTH CAROLINA, 1965

Sex and Status at Birth	Sets of Plural Births			Sex and Status at Birth	Sets of Plural Births		
	Total	White	Non-white		Total	White	Non-white
SETS OF TWINS	986	573	413	SETS OF TRIPLETS	9	6	3
Two males	322	200	122	Three males	3	3	
One male, one female	345	200	145	Two males, one female	1		1
Two females	319	173	146	One male, two females	1	1	
				Three females	4	2	2
Both live born	921	545	376				
Two males	304	192	112	All live born	8	5	3
One male, one female	322	191	131	Three males	3	3	
Two females	295	162	133	Two males, one female	1		1
				One male, two females	1	1	
One live born, one stillborn	44	20	24	Three females	3	1	2
Two males	11	5	6				
One male, one female	20	9	11	Two live born, one stillborn			
Two females	13	6	7	Three females	1	1	
Both stillborn	21	8	13	QUADRUPLETS	1		1
Two males	7	3	4				
One male, one female	3		3	All live born			
Two females	11	5	6	Two males, two females	1		1

TABLE B-6 RESIDENT FETAL DEATHS BY AGE OF MOTHER, COLOR AND PERSON IN ATTENDANCE: NORTH CAROLINA, 1965

Age of Mother in Years	Grand Total	White							Nonwhite						
		Total	Attended by:						Total	Attended by:					
			Physician		Midwife		Other			Physician		Midwife		Other	
			No.	%	No.	%	No.	%		No.	%	No.	%	No.	%
Total	1713	874	867	99.2	3	0.3	4	0.5	839	785	93.6	42	5.0	12	1.4
13	3								3	2	66.7	1	33.3		
14	7	1	1	100.0					6	6	100.0				
15	20	4	4	100.0					16	15	93.8	1	6.3		
16	42	19	19	100.0					23	20	87.0	3	13.0		
17	68	41	38	92.7	2	4.9	1	2.4	27	25	92.6	2	7.4		
18	99	49	49	100.0					50	46	92.0	2	4.0	2	4.0
19	85	39	39	100.0					46	44	95.7	1	2.2	1	2.2
20	116	71	71	100.0					45	42	93.3	1	2.2	2	4.4
21	102	64	64	100.0					38	38	100.0				
22	113	66	66	100.0					47	44	93.6	2	4.3	1	2.1
23	81	43	43	100.0					38	35	92.1	3	7.9		
24	83	51	51	100.0					32	31	96.9			1	3.1
25	65	32	32	100.0					33	30	90.9	3	9.1		
26	76	44	44	100.0					32	32	100.0				
27	55	24	24	100.0					31	31	100.0				
28	67	32	31	96.9			1	3.1	35	33	94.3	1	2.9	1	2.9
29	57	25	25	100.0					32	28	87.5	2	6.3	2	6.3
30	59	27	26	96.3			1	3.7	32	29	90.6	3	9.4		
31	64	37	37	100.0					27	24	88.9	3	11.1		
32	65	28	28	100.0					37	33	89.2	4	10.8		
33	54	27	27	100.0					27	24	88.9	3	11.1		
34	36	17	17	100.0					19	15	78.9	4	21.1		
35	51	19	18	94.7	1	5.3			32	31	96.9			1	3.1
36	40	19	19	100.0					21	21	100.0				
37	34	16	16	100.0					18	18	100.0				
38	44	22	22	100.0					22	21	95.5	1	4.5		
39	30	15	15	100.0					15	15	100.0				
40	32	13	12	92.3			1	7.7	19	19	100.0				
41	24	12	12	100.0					12	11	91.7	1	8.3		
42	17	6	6	100.0					11	11	100.0				
43	13	6	6	100.0					7	7	100.0				
44	5	3	3	100.0					2	2	100.0				
45	3	1	1	100.0					2	1	50.0	1	50.0		
46	1								1	1	100.0				
Not Stated	2	1	1	100.0					1					1	100.0

See Tables A-1 & A-2 for fetal death ratios by color and Table A-5 for fetal deaths by county, urban and rural.

TABLE B-7 MATERNAL DEATHS BY COLOR AND COUNTY OF RESIDENCE: NORTH CAROLINA, 1965
(International code numbers 640-689)

County	White	NW	County	White	NW	County	White	NW	County	White	NW
NORTH CAROLINA	12	27									
Burke	1		Currituck		1	Halifax		2	Richmond		1
Chatham		1	Duplin	1	1	Iredell		1	Rowan		1
Chowan		1	Durham		1	Johnston		1	Sampson		1
Cleveland	1		Edgecombe		2	Mecklenburg	1	2	Surry	1	
Columbus		1	Forsyth		3	Nash		1	Union		1
Craven		1	Gaston	2		Onslow		1	Vance		1
Cumberland	2	1	Guilford	2		Person	1		Wilson		1

See Tables A-1 & A-2 for maternal death rates by color and Table A-5 for maternal deaths by county, urban and rural.
See Table C-1 for maternal deaths by color and cause.

TABLE B-8 RESIDENT INFANT DEATHS BY CAUSE, COLOR AND AGE: NORTH CAROLINA, 1965

Cause of Death (International Code Number Follows Each Cause)	Under 1 Day		1 - 6 Days		Under 28 Days		Under 1 Year	
	W	NW	W	NW	W	NW	W	NW
NORTH CAROLINA	608	461	404	254	1117	833	1460	1512
Syphilis (020-029)	-	-	-	1	-	1	-	1
Whooping cough (056)	-	-	-	-	-	-	-	1
Septicemia and pyemia (053)	-	-	-	-	-	-	5	16
Meningococcal infections (057)	-	-	-	-	-	-	7	4
Acute infectious encephalitis (082)	-	-	-	-	-	-	2	-
Measles (085)	-	-	-	-	-	-	1	-
Leukemia and aleukemia (204)	-	-	-	-	-	-	-	1
Diseases of thymus gland (273)	-	-	-	-	-	-	1	-
Anemias (290-293)	-	-	-	-	-	-	-	2
Hemorrhagic conditions (295,296)	-	-	-	-	-	-	-	1
Meningitis, except meningococcal and tuberculous (340)	-	-	1	-	3	2	6	14
Otitis media and mastoiditis (391-393)	-	-	-	-	-	-	1	3
Influenza and pneumonia, except pneumonia of newborn (480-483,490-493)	-	-	-	-	-	-	86	266
Acute upper respiratory infections (470-475)	-	-	-	-	-	1	5	15
Hernia and intestinal obstruction (560,561,570)	4	1	2	3	8	6	11	9
Dysentery, gastritis, enteritis, and colitis, except diarrhea of newborn (045-048,543,571,572)	-	-	-	-	-	1	11	54
Congenital malformations (750-759)	90	17	66	22	207	51	294	95
Spina bifida and meningocele (751)	16	-	5	4	32	5	52	6
Congenital malformations of circulatory system (754)	15	6	40	8	81	18	117	42
All other congenital malformations (750,752,753,755-759)	59	11	21	10	94	28	125	47
Birth injuries (760,761)	89	56	47	15	139	74	139	75
Postnatal asphyxia and atelectasis (762)	145	115	81	62	229	186	233	188
Pneumonia of newborn (763)	2	7	12	12	27	40	27	40
Diarrhea of newborn (764)	-	-	1	2	5	22	5	22
Other infections of newborn (765-768)	2	-	5	10	9	14	9	14
Neonatal disorders arising from maternal toxemia (769)	4	6	2	5	6	11	7	11
Hemolytic disease of newborn (770)	8	-	7	2	16	2	16	2
Hemorrhagic disease of newborn (771)	1	1	4	3	5	4	5	5
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment (772,773)	86	59	100	37	190	104	195	130
Immaturity with mention of any other subsidiary condition (774)	3	1	2	2	5	3	7	9
Immaturity, unqualified (776)	168	173	65	68	236	249	237	254
Symptoms and ill-defined conditions (780-793,795)	2	16	3	4	7	32	34	96
All other diseases (residual)	2	1	4	3	14	10	69	71
All accidents (800-962)	1	5	2	3	10	17	46	108
Accidental poisonings (870-888,890-895)	-	-	-	-	-	-	4	2
Accident caused by fire and explosion of combustible material, except conflagration (916)	-	-	-	-	-	-	1	2
Accident caused by conflagration (916)	-	-	-	-	1	-	2	9
Inhalation and ingestion of food or other object causing obstruction or suffocation (921,922)	-	-	-	2	2	5	11	22
Accidental mechanical suffocation in bed and cradle (924)	-	1	-	-	1	4	7	37
All other accidental causes (800-866,900-915,917-920,923, 925-962)	1	4	2	1	6	8	21	36
Homicide (964,980-999)	1	3	-	-	1	3	1	5

NOTE: Parts of Table B-6 are cumulative: for example, the number of infants who died under 1 year include those who died under 28 days. The under 28 day class includes the under 1 day class and the 1 - 6 day class. The 1 - 6 day class does not include the under 1 day class. Hebdomadal deaths (under 1 week) is the sum of the under 1 day class and the 1 - 6 day class. Postneonatal deaths (28 days - 1 year) is the difference between the under 1 year class and the under 28 day class.

See Tables A-1 & A-2 for statewide infant and neonatal death rates by color and Table A-5 for infant and neonatal deaths by county of residence, urban and rural. See Table A-13 for leading causes of infant deaths by color and sex (5-year average, 1961-1965). See Table C-1 for infant deaths by cause, color and sex.

NORTH CAROLINA

VITAL STATISTICS

1965



PART 2
SECTION C

Deaths

(excluding fetal deaths)

GUIDE TO TABLES IN SECTION C

Table: C-	1	2	3	4	5
Geographic area:[1]					
North Carolina	1	2		4	5
Counties		2			5
Selected cities[2]			3		5
Type of entry:					
Number of deaths - all ages	1	2	3	4	5
Number of accidental deaths - all ages				4	5
Accidental death rate (per 100,000 population)				4	
Characteristics:					
Age at death (5-year age groups)	1				
Cause of death:					
Every cause	1				
16 selected causes		2	3		
Every cause of accidental death				4	
Accidents involving transportation:					
Motor vehicles - traffic	1				5
Motor vehicles - nontraffic	1				5
Other surface transport	1				5
Aircraft	1				5
Nontransport accidents occurring at:					
Home					5
Farm					5
Resident institution					5
Color	1	2	3	4	
Sex	1			4	
Place of death:					
Hospital		2	3		
Other institution		2	3		
Home or non-institution		2	3		

1. Table C-1 shows resident deaths only. Tables C-2 and C-3 show deaths by place of occurrence and by place of residence. Tables C-4 and C-5 show accidental deaths by place of occurrence only.

2. Cities selected are those with 10,000 or more population in the 1960 census.

SECTION C

DEATHS (EXCLUDING FETAL DEATHS)

Table | Page

C-1 Resident Deaths (Excluding Fetal Deaths) from Each Cause by Age Group, Color and Sex: North Carolina, 1965 .... C-2

C-2 Deaths by County of Occurrence and Residence, with Number Occurring in Hospitals and Other Institutions and Deaths from 16 Selected Causes by Color: North Carolina, 1965 .... C-19

C-3 Deaths in Selected Cities by City of Occurrence and Residence, with Number Occurring in Hospitals and Other Institutions and Deaths from 16 Selected Causes by Color: North Carolina, 1965 .... C-24

C-4 Accidental Deaths Occurring in North Carolina in 1965 by Cause, Color and Sex with Crude Rates Per 100,000 Population C-26

C-5 Accidental Deaths by County and City of Occurrence Showing Type of Transport Involved or Place of Accident: North Carolina, 1965 .... C-27

RELATED TABLES IN OTHER SECTIONS

A-1 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates: North Carolina, 1920-1965 .... A-2

A-2 Population, Resident Live Births, Deaths, Maternal, Infant, Neonatal and Fetal Deaths with Rates, by Color: North Carolina, 1940-1965 .... A-3

A-3 Estimated Population, Live Births and Deaths by Color and Sex with Natural Increase and Estimated Rates by Color: North Carolina Counties, 1965 .... A-4

A-4 Estimated Population, Live Births and Deaths by Color and Sex with Natural Increase and Estimated Rates by Color: Selected North Carolina Cities, 1965 .... A-10

A-5 Resident Live Births, Premature Live Births, Fetal Deaths, Neonatal Deaths, Infant Deaths, Maternal Deaths and Total Deaths: North Carolina, Each County, Urban and Rural, 1965 .... A-12

A-13 Leading Causes of Death (Excluding Fetal Deaths) by Age Group, Color and Sex: North Carolina, Five-Year Average, 1961-1965 .... A-18

B-2 Resident Live Births Showing Number and Per Cent Illegitimate, Fetal Deaths and Infant Deaths with Number Occurring in Hospitals, and Estimated Infant Death Rates, by Color: North Carolina Counties and Selected Cities, 1965 .... B-4

B-8 Resident Infant Deaths by Cause, Color and Age: North Carolina, 1965 .... B-10

TABLE C-1 RESIDENT DEATHS (EXCLUDING FETAL DEATHS) FROM EACH CAUSE BY AGE GROUP, COLOR AND SEX: NORTH CAROLINA, 1965

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
	NORTH CAROLINA	TOTAL	41,661	2,978	487	270	229	597	583	500	624	932	1,422	1,953	2,643	3,106	3,777	4,423	4,712	4,684	3,919	3,814	8
		White-Total	29,680	1,465	247	166	153	383	394	292	353	562	873	1,245	1,760	2,156	2,551	3,057	3,585	3,829	3,343	3,263	3
		Male	17,399	859	137	105	105	299	305	202	232	382	599	869	1,252	1,532	1,718	1,952	2,086	1,932	1,517	1,314	2
		Female	12,281	606	110	61	48	84	89	90	121	180	274	376	508	624	833	1,105	1,499	1,897	1,826	1,949	1
		Nonwhite-Total	11,981	1,513	240	104	76	214	189	208	271	370	549	708	883	950	1,226	1,366	1,127	855	576	551	5
		Male	6,724	836	133	65	47	145	130	145	154	225	324	414	543	524	689	735	605	457	278	272	3
		Female	5,257	677	107	39	29	69	59	63	117	145	225	294	340	426	537	631	522	398	298	279	2
1.	INFECTIVE AND PARASITIC DISEASES	TOTAL	418	49	31	13	4	8	12	2	15	11	19	19	37	27	38	35	27	36	18	17	-
		W M	150	14	11	5	1	-	3	-	4	2	5	5	18	8	17	17	14	16	5	5	-
		W F	96	6	9	3	3	3	4	1	4	1	3	4	4	5	7	6	9	10	6	8	-
		NW M	105	18	8	2	-	1	1	-	4	6	5	9	8	9	10	11	4	4	3	2	-
		NW F	67	11	3	3	-	4	4	1	3	2	6	1	7	5	4	1	-	6	4	2	-
001-008	Tuberculosis of respiratory system	TOTAL	142	-	-	-	-	2	2	-	5	2	11	10	19	14	14	15	16	15	10	7	-
		W M	59	-	-	-	-	-	1	-	2	1	2	4	11	4	8	8	8	4	3	3	-
		W F	25	-	-	-	-	-	-	-	1	-	2	2	1	2	-	1	6	4	4	2	-
		NW M	37	-	-	-	-	-	1	-	-	1	2	4	5	6	5	6	2	3	1	1	-
		NW F	21	-	-	-	-	2	-	-	2	-	5	-	2	2	1	-	-	4	2	1	-
010	Tuberculosis of meninges and central nervous system	W M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	TOTAL	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
		W M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		NW M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
014-019	Tuberculosis, all other forms	TOTAL	6	-	1	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-
		W F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		NW F	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
020	Congenital syphilis	NW M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
024	Tabes dorsalis	W M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
025	General paralysis of insane	W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
022,023, 026-029	All other syphilis	TOTAL	47	-	-	-	-	-	-	-	-	-	1	4	5	6	6	8	5	5	3	4	-
		W M	21	-	-	-	-	-	-	-	-	-	1	-	3	3	3	6	3	-	-	2	-
		W F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	2	-
		NW M	14	-	-	-	-	-	-	-	-	-	-	3	2	1	2	2	1	1	2	-	-
		NW F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-
044	Brucellosis (undulant fever)	W M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
045	Bacillary dysentery	NW M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
047,048	Other forms of dysentery	TOTAL	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		NW M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
053	Septicemia and pyemia	TOTAL	85	21	5	4	-	2	2	-	4	2	2	1	6	1	6	8	5	10	3	3	-
		W M	26	2	2	1	-	-	1	-	1	-	-	-	1	-	2	2	3	9	2	-	-
		W F	24	3	1	1	-	1	1	-	3	-	-	-	3	1	3	2	1	1	1	2	-
		NW M	17	8	1	-	-	-	-	-	-	2	1	-	-	-	-	3	1	-	-	1	-
		NW F	18	8	1	2	-	1	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-

See Tables A-1, A-2, A-3 & A-4 for death rates by color. See Table A-5 for deaths by county, urban and rural.

055	Diphtheria	NW M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	NW F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	TOTAL	38	11	9	4	1	1	3	1	3	-	2	-	1	-	2	-	-	-	-	-	-
		W M	16	4	5	2	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
		W F	10	3	2	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-
		NW M	8	3	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	4	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
061	Tetanus	NW M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-
063	Gas gangrene	NW M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
081	Late effects of acute poliomyelitis	TOTAL	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		W F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
082	Acute infectious encephalitis	TOTAL	10	2	2	-	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
		W M	4	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		W F	6	-	2	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
085	Measles	TOTAL	8	1	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
086	Rubella (German measles)	NW M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
087	Chickenpox	TOTAL	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
089	Mumps	TOTAL	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis	TOTAL	18	-	1	2	-	2	1	-	-	3	1	1	2	1	1	1	-	1	1	-	-
		W M	4	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		W F	6	-	-	-	-	1	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
		NW M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		NW F	7	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-
104	Rocky Mountain spotted fever	TOTAL	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102,103, 105-108	Other rickettsial diseases	NW M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
131-134	Mycosis	TOTAL	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
		W M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
049,054, 064,073, 074,088, 093,096, 120-122, 135-138	All other diseases classified as infective and parasitic	TOTAL	28	9	1	-	-	-	2	-	1	2	-	1	1	1	4	1	1	1	1	2	-
		W M	5	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		W F	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-
		NW M	9	5	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
		NW F	6	1	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	1	-

See Table A-13 for leading causes of death by color, sex, and age group (5-year average, 1961-1965).

Table C-1 - Continued

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
II.	NEOPLASMS	TOTAL	5,649	9	41	35	37	50	35	44	86	149	220	350	573	656	708	746	739	557	371	243	-
		W M	2,369	4	17	15	20	17	17	17	30	62	72	120	222	294	288	327	329	247	163	108	-
		W F	2,047	3	18	13	10	13	11	13	35	52	94	135	208	212	237	234	263	224	162	110	-
		NW M	636	1	4	5	4	10	1	7	7	12	25	41	80	67	93	89	88	55	30	17	-
		NW F	597	1	2	2	3	10	6	7	14	23	29	54	63	83	90	96	59	31	16	8	-
140-148	Malignant neoplasm of buccal cavity and pharynx	TOTAL	124	-	-	-	-	1	1	1	-	1	4	8	15	16	24	8	17	15	8	5	-
		W M	63	-	-	-	-	-	-	-	-	1	1	5	9	8	17	7	3	4	5	3	-
		W F	36	-	-	-	-	-	1	-	-	-	1	2	3	4	4	1	9	6	3	2	-
		NW M	15	-	-	-	-	1	-	1	-	-	2	1	1	3	2	-	2	2	-	-	-
		NW F	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	3	-	-	-
150	Malignant neoplasm of esophagus	TOTAL	92	-	-	-	-	-	-	-	-	-	1	8	11	13	13	12	16	7	6	5	-
		W M	31	-	-	-	-	-	-	-	-	-	-	3	2	5	5	4	4	3	3	2	-
		W F	25	-	-	-	-	-	-	-	-	-	-	1	3	2	2	4	5	3	2	3	-
		NW M	29	-	-	-	-	-	-	-	-	-	1	4	5	5	5	4	4	-	1	-	-
		NW F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	-	-	-
151	Malignant neoplasm of stomach	TOTAL	291	-	-	-	-	1	-	1	2	3	9	11	18	27	33	51	51	42	30	12	-
		W M	114	-	-	-	-	-	-	-	-	1	3	1	10	9	10	22	20	21	12	5	-
		W F	76	-	-	-	-	-	-	1	-	1	4	3	3	7	6	12	12	10	14	3	-
		NW M	59	-	-	-	-	1	-	-	-	1	1	5	4	4	9	12	12	5	2	3	-
		NW F	42	-	-	-	-	-	-	-	2	-	1	2	1	7	8	5	7	6	2	1	-
152,153	Malignant neoplasm of intestines, except rectum	TOTAL	446	-	-	-	-	-	1	2	4	4	4	17	40	54	53	77	60	52	39	39	-
		W M	158	-	-	-	-	-	-	-	2	3	4	6	14	18	25	23	18	17	14	14	-
		W F	199	-	-	-	-	-	1	1	1	1	-	7	16	21	14	33	32	28	20	24	-
		NW M	32	-	-	-	-	-	-	1	1	-	-	-	4	2	8	9	3	1	3	-	-
		NW F	57	-	-	-	-	-	-	-	-	-	-	4	6	13	6	12	7	6	2	1	-
154	Malignant neoplasm of rectum	TOTAL	147	-	-	-	-	1	-	1	-	1	8	7	6	21	19	16	23	25	10	9	-
		W M	67	-	-	-	-	1	-	1	-	-	3	3	1	11	5	7	13	12	7	3	-
		W F	49	-	-	-	-	-	-	-	-	-	2	3	3	5	11	5	6	8	2	4	-
		NW M	15	-	-	-	-	-	-	-	-	1	3	-	-	2	2	1	2	3	-	1	-
		NW F	16	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	2	2	1	1	-
155	Malignant neoplasm of biliary passages and of liver (stated to be primary)	TOTAL	78	-	-	-	-	-	-	1	1	-	-	2	2	9	10	15	23	6	5	4	-
		W M	37	-	-	-	-	-	-	1	-	-	-	1	-	5	4	8	12	1	3	2	-
		W F	32	-	-	-	-	-	-	-	1	-	-	1	2	1	6	5	9	4	2	1	-
		NW M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
		NW F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-
156.1	Malignant neoplasm of liver not specified whether primary or secondary	TOTAL	79	-	-	-	-	1	1	-	2	2	1	5	12	12	9	11	9	2	7	5	-
		W M	26	-	-	-	-	-	-	-	-	1	-	2	1	4	4	7	3	-	2	2	-
		W F	25	-	-	-	-	-	-	-	-	1	-	-	3	2	5	2	6	2	3	1	-
		NW M	16	-	-	-	-	-	1	-	1	-	1	2	5	5	-	-	-	-	1	-	-
		NW F	12	-	-	-	-	1	-	-	1	-	-	1	3	1	-	2	-	-	1	2	-
157	Malignant neoplasm of pancreas	TOTAL	278	-	-	-	-	-	-	-	1	4	6	15	21	28	36	48	44	31	29	15	-
		W M	124	-	-	-	-	-	-	-	1	2	2	9	7	13	21	16	20	12	14	7	-
		W F	89	-	-	-	-	-	-	-	-	2	2	2	8	6	8	15	11	16	12	7	-
		NW M	36	-	-	-	-	-	-	-	-	-	1	3	5	6	4	8	6	2	1	-	-
		NW F	29	-	-	-	-	-	-	-	-	-	1	1	1	3	3	9	7	1	2	1	-
158,159	Malignant neoplasm of peritoneum and of unspecified digestive organs	TOTAL	26	-	1	-	-	-	-	-	-	1	-	2	3	2	5	4	1	3	2	2	-
		W M	13	-	1	-	-	-	-	-	-	-	-	2	1	2	-	2	-	3	1	1	-
		W F	7	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	-	1	-
		NW M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
		NW F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-

161	Malignant neoplasm of larynx	TOTAL	46	-	-	-	-	-	-	-	-	-	-	1	9	6	8	8	7	5	2	-	-
		W M	28	-	-	-	-	-	-	-	-	-	-	-	7	5	2	5	3	4	2	-	-
		W F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-
		NW M	12	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	1	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
162	Malignant neoplasm of trachea, and of bronchus and of lung specified as primary	TOTAL	235	-	-	-	-	-	-	-	1	3	7	18	30	40	36	35	32	21	9	3	-
		W M	176	-	-	-	-	-	-	-	-	3	6	13	23	33	26	26	24	15	5	2	-
		W F	27	-	-	-	-	-	-	-	-	-	1	1	4	3	6	3	2	4	3	-	-
		NW M	28	-	-	-	-	-	-	-	1	-	-	3	3	3	3	5	6	2	1	1	-
		NW F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	TOTAL	584	-	-	-	-	-	-	2	4	10	22	41	84	96	88	96	69	41	17	14	-
		W M	409	-	-	-	-	-	-	2	3	2	13	22	55	76	65	73	53	26	6	13	-
		W F	69	-	-	-	-	-	-	-	1	2	-	7	12	8	6	10	6	7	9	1	-
		NW M	91	-	-	-	-	-	-	-	-	6	7	11	17	11	10	10	9	8	2	-	-
		NW F	15	-	-	-	-	-	-	-	-	-	2	1	-	1	7	3	1	-	-	-	-
160,164	Malignant neoplasm of other parts of respiratory system	TOTAL	19	-	-	-	-	-	-	-	2	2	-	5	2	-	-	2	1	1	1	3	-
		W M	6	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	-	-	-
		W F	8	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	1	3	-
		NW M	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
		NW F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
170	Malignant neoplasm of breast	TOTAL	491	-	-	-	-	-	1	1	12	20	43	49	69	63	66	61	40	32	24	10	-
		W M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		W F	389	-	-	-	-	-	-	1	7	14	32	38	54	53	52	43	35	28	23	9	-
		NW F	101	-	-	-	-	-	1	-	5	6	11	11	15	9	14	18	5	4	1	1	-
171	Malignant neoplasm of cervix uteri	TOTAL	216	-	-	-	-	-	2	5	11	18	15	27	25	27	33	19	18	10	1	5	-
		W F	137	-	-	-	-	-	1	2	6	8	11	14	17	17	23	12	12	8	1	5	-
		NW F	79	-	-	-	-	-	1	3	5	10	4	13	8	10	10	7	6	2	-	-	-
172-174	Malignant neoplasm of other and unspecified parts of uterus	TOTAL	130	-	-	-	-	2	-	-	2	4	2	8	10	15	16	29	17	10	12	3	-
		W F	86	-	-	-	-	-	-	-	2	2	2	6	7	8	6	18	12	10	10	3	-
		NW F	44	-	-	-	-	2	-	-	-	2	-	2	3	7	10	11	5	-	2	-	-
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	TOTAL	128	-	-	-	1	1	1	2	-	4	8	12	21	12	21	14	17	8	3	3	-
		W F	106	-	-	-	-	-	1	1	-	4	8	9	17	10	15	12	15	8	3	3	-
		NW F	22	-	-	-	1	1	-	1	-	-	-	3	4	2	6	2	2	-	-	-	-
176	Malignant neoplasm of other and unspecified female genital organs	TOTAL	9	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	2	1	-	1	-
		W F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	1	-
		NW F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
177	Malignant neoplasm of prostate	TOTAL	360	-	-	-	-	-	-	-	-	-	-	4	12	17	36	50	62	73	66	40	-
		W M	247	-	-	-	-	-	-	-	-	-	-	2	8	11	19	35	39	53	48	32	-
		NW M	113	-	-	-	-	-	-	-	-	-	-	2	4	6	17	15	23	20	18	8	-
178,179	Malignant neoplasm of testis, and other and unspecified male genital organs	W M	22	-	-	-	-	2	3	2	1	4	3	1	2	1	-	2	-	-	-	1	-
180	Malignant neoplasm of kidney	TOTAL	100	-	2	1	2	2	3	-	-	1	2	6	8	11	16	10	9	15	7	5	-
		W M	53	-	-	1	-	-	1	-	-	1	1	3	4	6	11	6	7	6	4	2	-
		W F	31	-	1	-	-	-	1	-	-	-	1	1	2	2	4	3	2	8	3	3	-
		NW M	12	-	1	-	2	1	-	-	-	-	-	2	2	2	1	-	-	1	-	-	-
		NW F	4	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
181	Malignant neoplasm of bladder and other urinary organs	TOTAL	110	-	-	-	-	-	-	-	-	1	2	-	12	13	15	12	20	18	10	7	-
		W M	53	-	-	-	-	-	-	-	-	1	2	-	7	9	5	5	10	9	3	2	-
		W F	35	-	-	-	-	-	-	-	-	-	-	-	3	2	3	2	7	6	7	5	-
		NW M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	7	3	3	2	-	-	-
		NW F	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-	-

Table C-1 - Continued

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
190,191	Malignant neoplasm of skin	TOTAL	118	-	-	-	1	3	1	3	6	10	10	9	9	11	11	12	8	7	9	8	-
		W M	53	-	-	-	-	1	1	1	3	5	3	5	4	8	3	5	2	5	2	5	-
		W F	52	-	-	-	-	2	-	2	3	3	6	3	4	2	7	6	3	2	7	2	-
		NW M	6	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	1	-
		NW F	7	-	-	-	1	-	-	-	-	1	-	1	-	1	1	-	2	-	-	-	-
192	Malignant neoplasm of eye	TOTAL	8	-	-	-	1	-	-	-	-	-	-	1	-	-	1	2	-	1	2	-	-
		W M	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		W F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-
193	Malignant neoplasm of brain and other parts of nervous system	TOTAL	170	1	7	7	8	3	3	4	4	12	10	20	22	26	17	10	11	5	-	-	-
		W M	94	1	4	3	2	2	2	1	2	9	5	11	13	13	10	5	8	3	-	-	-
		W F	51	-	2	1	4	-	-	-	1	3	3	5	6	11	7	4	3	1	-	-	-
		NW M	14	-	-	2	1	1	-	2	-	-	-	3	3	1	-	1	-	-	-	-	-
		NW F	11	-	1	1	1	-	1	1	1	-	2	1	-	1	-	-	-	1	-	-	-
194	Malignant neoplasm of thyroid gland	TOTAL	15	-	-	-	-	-	-	-	-	-	2	-	2	5	-	1	-	4	-	1	-
		W M	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-
		W F	9	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	3	-	1	-
		NW M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
196	Malignant neoplasm of bone (including jaw bone)	TOTAL	53	-	2	2	1	7	2	2	-	1	3	4	3	2	6	6	7	3	1	1	-
		W M	23	-	1	2	1	3	1	2	-	-	1	2	-	1	1	1	4	3	-	-	-
		W F	16	-	1	-	-	1	1	-	-	1	-	-	2	1	2	3	3	-	-	1	-
		NW M	8	-	-	-	-	3	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-
		NW F	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	1	-	-
197	Malignant neoplasm of connective tissue	TOTAL	34	-	2	-	1	3	1	-	1	1	1	1	5	1	6	4	4	1	2	-	-
		W M	23	-	2	-	1	-	-	-	-	1	1	1	4	-	4	4	3	1	1	-	-
		W F	9	-	-	-	-	2	1	-	1	-	-	-	1	1	2	-	-	-	1	-	-
		NW M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
195,199.1	Malignant neoplasm of other specified sites, not stated to be secondary	TOTAL	47	-	1	1	1	-	1	1	1	1	-	4	4	7	3	5	8	4	3	2	-
		W M	23	-	1	1	1	-	1	1	-	1	-	1	2	2	1	2	4	1	3	1	-
		W F	13	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	3	3	-	1	-
		NW M	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
		NW F	7	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-
156.2,165, 198,199.2	Malignant neoplasm of unspecified site	TOTAL	431	1	1	-	1	4	-	6	4	8	17	25	43	58	50	55	64	49	26	19	-
		W M	165	1	-	-	1	-	-	2	2	6	3	12	17	22	18	21	28	19	9	4	-
		W F	166	-	-	-	-	2	-	2	1	2	6	10	8	19	15	15	29	27	16	14	-
		NW M	47	-	1	-	-	-	-	1	1	-	3	-	10	7	11	9	3	1	-	-	-
		NW F	53	-	-	-	-	2	-	1	-	-	5	3	8	10	6	10	4	2	1	1	-
204	Leukemia and aleukemia	TOTAL	309	1	17	16	13	13	6	4	10	10	12	11	26	22	26	26	47	23	14	12	-
		W M	151	-	5	4	9	6	3	2	8	7	6	3	11	11	10	16	23	13	7	7	-
		W F	111	-	11	9	3	5	1	1	2	2	5	5	10	6	14	4	17	8	5	3	-
		NW M	27	-	1	2	1	1	-	-	-	1	-	2	3	3	-	2	6	2	1	2	-
		NW F	20	1	-	1	-	1	2	1	-	-	1	1	2	2	2	4	1	-	1	-	-
200-203, 205	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues	TOTAL	300	1	3	2	3	2	7	2	9	15	14	19	35	22	33	34	40	33	21	5	-
		W M	147	1	2	2	2	-	4	2	4	11	10	8	17	9	15	18	21	10	11	-	-
		W F	114	-	1	-	1	1	3	-	3	2	3	8	11	10	9	12	17	18	10	5	-
		NW M	25	-	-	-	-	-	-	-	2	2	-	2	5	1	5	3	1	4	-	-	-
		NW F	14	-	-	-	-	1	-	-	-	-	1	1	2	2	4	1	1	1	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	TOTAL	153	5	5	6	4	4	1	4	7	8	14	8	11	19	16	11	12	9	5	4	-
		W M	54	1	1	2	2	2	1	-	3	2	5	3	3	8	6	5	6	3	1	-	-
		W F	65	3	2	3	2	-	-	2	4	2	5	4	4	8	6	4	4	5	3	4	-
		NW M	19	1	1	1	-	1	-	2	-	-	3	-	2	2	2	1	2	1	-	-	-
		NW F	15	-	1	-	-	1	-	-	-	4	1	1	2	1	2	1	-	-	1	-	-

III. and IV.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	TOTAL	1,001	17	24	7	3	12	16	28	20	21	37	49	57	115	98	118	125	113	84	56	1
		W M	315	2	8	1	1	2	5	7	7	8	14	16	20	41	24	33	39	34	37	16	-
		W F	330	3	4	2	1	3	4	10	4	3	6	9	8	29	39	39	47	55	34	30	-
		NW M	138	7	3	3	1	2	2	6	4	5	6	10	13	11	14	17	16	11	2	5	-
		NW F	218	5	9	1	-	5	5	5	5	5	11	14	16	34	21	29	23	13	11	5	1
241	Asthma	TOTAL	95	3	3	1	-	1	4	3	6	1	8	4	13	4	9	12	14	8	1	-	-
		W M	36	-	1	1	-	-	-	1	-	-	5	1	4	-	7	5	7	4	-	-	-
		W F	22	-	-	-	-	-	2	1	2	1	2	-	1	1	1	3	5	3	-	-	-
		NW M	13	1	-	-	-	-	-	-	2	-	1	-	3	1	1	3	1	-	-	-	-
		NW F	24	2	2	-	-	1	2	1	2	-	-	3	5	2	-	1	1	1	1	-	-
250,251	Nontoxic goiter	W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
252	Thyrotoxicosis with or without goiter	TOTAL	8	1	-	-	-	-	1	1	1	-	-	-	1	1	1	-	-	1	-	-	-
		W M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		W F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
		NW F	4	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
253,254	Myxedema, cretinism, and other diseases of thyroid gland	TOTAL	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	-
		W M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
		W F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
260	Diabetes mellitus	TOTAL	673	-	-	1	1	5	8	16	8	13	17	31	37	88	71	87	96	82	65	46	1
		W M	206	-	-	-	-	-	4	5	6	5	5	9	15	29	12	20	27	26	30	13	-
		W F	232	-	-	-	-	2	2	5	1	2	2	5	3	22	32	30	35	39	27	25	-
		NW M	87	-	-	1	1	-	1	3	-	3	3	9	10	9	9	12	14	5	2	5	-
		NW F	148	-	-	-	-	3	1	3	1	3	7	8	9	28	18	25	20	12	6	3	1
272	Diseases of pituitary gland	TOTAL	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-
		W M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
273	Diseases of thymus gland	W M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274	Diseases of adrenal gland	TOTAL	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
		W M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		W F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		NW M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
280	Beriberi	NW M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
285,286	Avitaminosis and other deficiency states	TOTAL	29	1	5	-	-	-	-	-	-	1	1	1	1	1	4	2	2	4	2	4	-
		W M	7	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	1	-
		W F	8	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	2	-
		NW M	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
		NW F	9	-	3	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	1	-
290-293	Anemias	TOTAL	81	2	7	3	1	3	2	3	2	3	4	3	3	7	5	5	3	13	10	2	-
		W M	19	-	1	-	-	-	-	-	-	1	1	1	-	5	2	2	-	2	4	-	-
		W F	22	-	-	-	1	-	-	1	-	-	-	1	3	1	1	1	2	7	3	1	-
		NW M	21	1	3	2	-	2	1	1	1	1	1	-	-	-	2	1	1	4	-	-	-
		NW F	19	1	3	1	-	1	1	1	1	1	2	1	-	1	-	1	-	-	3	1	-
295,296	Hemorrhagic conditions	TOTAL	18	1	1	-	-	1	-	3	-	-	1	1	1	1	-	1	2	-	2	3	-
		W M	7	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2	-	1	1	-
		W F	8	-	1	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	2	-
		NW M	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
240, 242-245, 270, 275-277, 287-289, 294, 297-299	Allergic disorders; all other endocrine, metabolic and blood diseases	TOTAL	78	7	8	2	1	2	1	2	3	3	6	7	1	10	7	9	4	4	1	-	-
		W M	31	1	5	-	1	1	1	1	1	1	3	3	-	6	1	3	1	2	-	-	-
		W F	28	3	2	2	-	1	-	1	1	-	1	2	-	3	3	5	2	1	1	-	-
		NW M	7	2	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-
		NW F	12	1	1	-	-	-	-	-	-	1	1	2	1	1	2	1	1	-	-	-	-

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	TOTAL	187	3	4	2	3	4	5	12	10	19	22	27	22	16	13	5	4	6	4	6	-
		W M	90	1	2	-	1	1	2	2	3	11	11	16	13	10	8	1	3	3	1	1	-
		W F	31	1	2	1	-	-	-	1	2	1	5	2	3	2	2	2	-	-	2	5	-
		NW M	45	1	-	1	2	2	3	6	2	5	5	6	5	2	3	2	-	-	-	-	-
		NW F	21	-	-	-	-	1	-	3	3	2	1	3	1	2	-	-	1	3	1	-	-
300-309	Psychoses	TOTAL	64	-	1	1	3	4	3	2	1	3	3	3	5	6	6	3	4	6	4	6	-
		W M	28	-	1	-	1	1	1	1	-	2	2	2	2	4	3	-	3	3	1	1	-
		W F	18	-	-	-	-	-	-	1	1	-	1	1	1	2	2	2	-	-	2	5	-
		NW M	12	-	-	1	2	2	2	-	-	1	-	-	2	-	1	1	-	-	-	-	-
		NW F	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-
322	Alcoholism	TOTAL	111	-	-	-	-	-	2	10	8	15	19	22	16	10	7	2	-	-	-	-	-
		W M	57	-	-	-	-	-	1	1	2	8	9	13	11	6	5	1	-	-	-	-	-
		W F	8	-	-	-	-	-	-	-	1	1	4	1	1	-	-	-	-	-	-	-	-
		NW M	32	-	-	-	-	-	1	6	2	4	5	6	3	2	2	1	-	-	-	-	-
		NW F	14	-	-	-	-	-	-	3	3	2	1	2	1	2	-	-	-	-	-	-	-
310-321, 323,324, 326	Psychoneurosis and disorders of personality	W F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
325	Mental deficiency	TOTAL	11	3	3	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
		W M	5	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
		W F	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	TOTAL	5,780	39	30	19	14	13	26	30	35	75	114	183	250	328	507	664	795	936	813	907	2
		W M	1,940	8	6	5	5	8	12	8	12	20	31	43	74	113	154	230	292	345	281	292	1
		W F	2,093	8	11	4	5	3	9	10	7	22	24	36	46	66	101	165	261	407	409	499	-
		NW M	865	14	8	7	1	1	3	8	8	21	32	47	62	78	130	133	121	85	52	53	1
		NW F	882	9	5	3	3	1	2	4	8	12	27	57	68	71	122	136	121	99	71	63	-
330-334	Vascular lesions affecting central nervous system	TOTAL	5,429	6	3	3	7	3	11	20	22	60	90	152	224	305	477	642	774	925	804	899	2
		W M	1,818	1	-	-	2	2	5	3	4	15	26	34	66	104	143	222	283	341	276	290	1
		W F	1,982	2	2	1	3	1	5	5	5	18	14	31	38	58	89	154	256	401	406	493	-
		NW M	796	3	1	1	1	-	-	8	6	17	27	38	57	74	127	131	114	85	52	53	1
		NW F	833	-	-	1	1	-	1	4	7	10	23	49	63	69	118	135	121	98	70	63	-
340	Meningitis, except meningococcal and tuberculous	TOTAL	59	20	9	2	1	-	2	2	1	4	-	2	4	1	5	1	4	-	-	1	-
		W M	17	3	3	1	-	-	-	1	1	2	-	1	2	-	2	-	1	-	-	-	-
		W F	11	3	2	-	-	-	1	1	-	-	-	-	1	-	1	-	1	-	-	1	-
		NW M	17	7	2	1	-	-	1	-	-	1	-	-	1	1	1	-	2	-	-	-	-
		NW F	14	7	2	-	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
345	Multiple sclerosis	TOTAL	27	-	-	-	-	1	-	1	1	3	6	3	4	1	4	2	-	-	1	-	-
		W M	7	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	-	-
		W F	15	-	-	-	-	1	-	1	-	3	4	-	3	-	2	1	-	-	-	-	-
		NW M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
		NW F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
350	Paralysis agitans	TOTAL	37	-	-	-	-	-	-	-	-	-	-	-	-	3	6	10	7	6	4	1	-
		W M	17	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	3	2	2	1	-
		W F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	3	1	-	-
		NW M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
		NW F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
353	Epilepsy	TOTAL	48	-	-	-	-	3	6	3	3	3	6	8	10	4	-	-	1	1	-	-	-
		W M	19	-	-	-	-	3	3	2	2	1	1	1	3	2	-	-	1	-	-	-	-
		W F	6	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	1	-	-	-
		NW M	12	-	-	-	-	-	1	-	-	1	2	5	2	1	-	-	-	-	-	-	-
		NW F	11	-	-	-	-	-	1	-	-	1	3	1	4	1	-	-	-	-	-	-	-

385	Cataract	W F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
391-393	Otitis media and mastoiditis	TOTAL	11	4	-	-	2	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		W M	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		W F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
41-344,351, 52,354-369, 80-384,386, 88-390,394-398	Other diseases of nervous system and sense organs	TOTAL	167	9	18	14	4	5	5	4	8	4	12	17	7	14	15	9	8	4	4	6	-
		W M	59	4	3	4	3	3	2	2	5	2	2	6	1	3	7	3	4	2	2	1	-
		W F	60	2	7	3	1	1	2	2	1	-	6	4	3	8	5	5	1	2	2	5	-
		NW M	31	2	5	5	-	-	1	-	1	2	3	4	2	2	-	1	3	-	-	-	-
		NW F	17	1	3	2	-	1	-	-	1	-	1	3	1	1	3	-	-	-	-	-	-
VII.	DISEASES OF THE CIRCULATORY SYSTEM	TOTAL	16,694	18	6	6	7	16	20	47	99	213	504	718	1,093	1,347	1,743	2,178	2,311	2,361	2,062	1,943	2
		W M	7,510	6	2	1	2	5	6	13	24	82	230	393	607	758	880	1,017	1,070	972	789	653	-
		W F	5,077	5	-	1	3	2	5	10	20	29	66	86	127	192	340	528	719	971	979	993	1
		NW M	2,301	3	3	-	-	6	3	12	26	60	124	145	231	240	301	349	274	226	145	152	1
		NW F	1,806	4	1	4	2	3	6	12	29	42	84	94	128	157	222	284	248	192	149	145	-
400-402	Rheumatic fever	TOTAL	10	-	-	2	1	-	1	-	-	-	1	-	1	1	-	1	1	1	-	-	-
		W M	5	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		NW M	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
		NW F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	TOTAL	216	-	-	1	2	5	5	8	8	12	23	24	31	31	18	18	14	8	6	2	-
		W M	75	-	-	-	-	-	1	1	1	1	10	8	14	13	7	5	5	5	3	1	-
		W F	91	-	-	-	1	-	1	3	5	5	7	9	14	16	9	9	6	3	2	1	-
		NW M	23	-	-	-	-	4	1	2	2	4	4	2	-	1	1	2	-	-	-	-	-
		NW F	27	-	-	1	1	1	2	2	-	2	2	5	3	1	1	2	3	-	1	-	-
420	Arteriosclerotic heart disease, including coronary disease	TOTAL	10,907	7	-	-	-	2	4	15	41	110	333	491	761	972	1,250	1,516	1,574	1,496	1,267	1,068	-
		W M	5,591	3	-	-	-	2	1	5	16	63	183	315	495	619	715	793	792	690	516	383	-
		W F	3,143	2	-	-	-	-	1	1	7	12	33	46	81	127	248	373	501	604	575	532	-
		NW M	1,271	1	-	-	-	-	1	6	10	21	78	82	125	143	176	204	154	106	89	75	-
		NW F	902	1	-	-	-	-	1	3	8	14	39	48	60	83	111	146	127	96	87	78	-
421	Chronic endocarditis not specified as rheumatic	TOTAL	74	-	-	1	-	-	-	1	-	1	2	2	13	7	6	13	6	9	8	5	-
		W M	30	-	-	-	-	-	-	1	-	1	1	2	7	4	3	4	4	1	1	1	-
		W F	25	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	-	7	5	4	-
		NW M	16	-	-	-	-	-	-	-	-	-	-	-	5	1	1	4	2	1	2	-	-
		NW F	3	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
422	Other myocardial degeneration	TOTAL	1,104	1	2	-	-	-	1	1	3	6	8	10	24	29	57	103	149	207	221	282	-
		W M	391	-	1	-	-	-	-	-	-	-	2	5	11	10	19	33	59	75	86	90	-
		W F	447	-	-	-	-	-	1	-	-	-	1	2	4	5	12	24	44	87	112	155	-
		NW M	138	-	1	-	-	-	-	-	2	5	2	2	5	9	18	18	19	25	13	19	-
		NW F	128	1	-	-	-	-	-	1	1	1	3	1	4	5	8	28	27	20	10	18	-
430-434	Other diseases of heart	TOTAL	1,052	9	4	2	3	7	4	14	14	28	46	70	74	84	115	128	139	120	98	92	1
		W M	428	2	1	1	-	3	2	5	3	11	19	35	38	40	52	45	56	45	40	30	-
		W F	266	3	-	1	2	1	-	3	3	4	7	12	9	13	16	29	37	46	40	40	-
		NW M	219	2	2	-	-	2	1	3	4	8	10	17	19	23	31	30	27	19	9	11	1
		NW F	139	2	1	-	1	1	1	3	4	5	10	6	8	8	16	24	19	10	9	11	-
440-443	Hypertension with heart disease	TOTAL	1,777	-	-	-	-	-	1	1	13	25	51	74	123	148	179	223	245	287	230	177	-
		W M	431	-	-	-	-	-	1	-	-	3	4	10	19	36	40	73	62	77	60	46	-
		W F	532	-	-	-	-	-	-	1	-	1	8	10	8	12	26	42	82	120	128	94	-
		NW M	399	-	-	-	-	-	-	-	5	12	16	27	53	51	54	49	48	47	19	18	-
		NW F	415	-	-	-	-	-	-	-	8	9	23	27	43	49	59	59	53	43	23	19	-
444-447	Hypertension without mention of heart disease	TOTAL	370	-	-	-	-	-	-	1	10	16	14	19	26	14	32	55	32	52	42	56	1
		W M	112	-	-	-	-	-	-	-	1	1	4	4	7	3	3	18	15	19	15	22	-
		W F	104	-	-	-	-	-	-	-	1	1	1	5	2	1	10	13	7	21	22	19	1
		NW M	92	-	-	-	-	-	-	-	2	5	8	7	14	6	7	15	6	8	2	12	-
		NW F	62	-	-	-	-	-	-	1	6	9	1	3	3	4	12	9	4	4	3	3	-

Table C-1 - Continued

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
450	General arteriosclerosis	TOTAL	659	-	-	-	-	-	-	-	-	1	-	2	6	15	26	50	80	114	147	218	-
		W M	216	-	-	-	-	-	-	-	-	-	-	-	2	6	7	16	31	33	53	68	-
		W F	310	-	-	-	-	-	-	-	-	-	-	-	1	6	7	13	29	58	74	122	-
		NW M	62	-	-	-	-	-	-	-	-	1	-	1	1	1	4	10	10	9	9	16	-
		NW F	71	-	-	-	-	-	-	-	-	-	-	1	2	2	8	11	10	14	11	12	-
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	TOTAL	191	-	-	-	-	-	-	1	2	2	4	6	3	23	27	27	34	24	18	20	-
		W M	114	-	-	-	-	-	-	-	1	1	1	5	2	17	18	15	28	16	4	6	-
		W F	47	-	-	-	-	-	-	1	-	1	-	-	1	4	4	3	5	6	11	11	-
		NW M	18	-	-	-	-	-	-	-	1	-	3	1	-	2	3	6	-	1	1	-	-
		NW F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	2	3	-
455	Gangrene of unspecified cause	TOTAL	9	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	1	-	-
		W M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		W F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-
		NW M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
452-454, 456	Other arterial diseases	TOTAL	52	-	-	-	-	1	1	-	2	5	5	2	7	3	2	12	2	5	1	4	-
		W M	14	-	-	-	-	-	-	-	-	-	1	2	1	2	-	4	1	1	1	1	-
		W F	19	-	-	-	-	1	-	-	2	2	2	-	3	1	-	3	-	3	-	2	-
		NW M	9	-	-	-	-	-	-	-	-	1	1	-	2	-	1	4	-	-	-	-	-
		NW F	10	-	-	-	-	-	1	-	-	2	1	-	1	-	1	1	1	1	-	1	-
460-468	Diseases of veins and other diseases of circulatory system	TOTAL	273	-	-	-	1	1	3	5	6	7	17	18	22	20	31	32	33	35	23	19	-
		W M	101	-	-	-	1	-	-	1	2	1	5	7	10	8	16	10	16	9	10	5	-
		W F	89	-	-	-	-	-	2	1	2	3	6	2	2	6	7	14	7	14	10	13	-
		NW M	49	-	-	-	-	-	-	1	-	3	1	6	6	2	5	7	7	9	1	1	-
		NW F	34	-	-	-	-	1	1	2	2	-	5	3	4	4	3	1	3	3	2	-	-
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	TOTAL	2,192	425	82	15	8	13	10	9	20	13	46	74	85	105	137	207	233	257	208	243	2
		W M	945	61	19	7	2	3	3	3	6	5	20	25	46	67	87	128	131	136	94	102	-
		W F	559	51	14	3	2	2	2	2	5	5	6	18	12	18	17	38	61	85	93	125	-
		NW M	393	165	27	3	-	4	4	1	4	1	10	23	18	12	20	27	28	26	12	7	1
		NW F	295	148	22	2	4	4	1	3	5	2	10	8	9	8	13	14	13	10	9	9	1
470-475	Acute upper respiratory infections	TOTAL	36	20	9	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
		W M	11	4	2	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
		W F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	12	8	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	TOTAL	59	8	-	1	-	1	2	-	1	-	2	-	2	1	3	4	7	8	11	8	-
		W M	22	-	-	1	-	-	-	-	-	-	1	-	1	-	1	3	4	3	6	2	-
		W F	15	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	4	4	-
		NW M	11	5	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	1	-	1	-
		NW F	11	2	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	1	1	1	-
490	Lobar pneumonia	TOTAL	184	20	5	-	-	1	1	-	4	4	4	13	10	6	9	19	19	23	20	26	-
		W M	74	3	1	-	-	-	-	-	1	1	1	3	5	2	4	9	9	14	9	12	-
		W F	51	2	3	-	-	-	1	-	-	3	-	4	1	1	2	3	5	7	9	10	-
		NW M	34	7	-	-	-	-	-	-	1	-	1	5	3	2	1	5	4	2	1	2	-
		NW F	25	8	1	-	-	1	-	-	2	-	2	1	1	1	2	2	1	-	1	2	-
491	Bronchopneumonia	TOTAL	592	78	20	5	4	3	3	3	5	2	10	12	18	19	22	49	68	91	69	111	-
		W M	223	9	3	2	-	-	1	1	2	-	4	4	10	10	10	28	25	37	33	44	-
		W F	206	8	4	1	1	1	1	1	1	1	2	3	3	5	4	11	25	41	31	62	-
		NW M	92	32	7	1	-	2	1	-	1	-	2	3	3	2	5	7	11	10	3	2	-
		NW F	71	29	6	1	3	-	-	1	1	1	2	2	2	2	3	3	7	3	2	3	-
492,493	Primary atypical, other and unspecified pneumonia	TOTAL	645	246	35	3	3	5	2	4	6	2	12	16	18	16	20	43	41	45	57	69	2
		W M	188	33	7	-	1	2	2	1	2	-	2	4	7	6	8	20	19	19	24	31	-
		W F	152	30	4	2	1	1	-	1	2	-	-	3	3	4	4	9	12	15	25	36	-
		NW M	166	100	12	1	-	-	-	1	1	1	5	6	5	2	6	7	7	6	4	1	1
		NW F	139	83	12	-	1	2	-	1	1	1	5	3	3	4	2	7	3	5	4	1	1

500	Acute bronchitis	TOTAL	16	4	3	1	-	-	-	1	-	-	-	1	-	2	-	-	1	1	1	1	-
		W M	5	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
		W F	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
		NW M	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		NW F	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
501,502	Bronchitis, chronic and unqualified	TOTAL	111	19	3	-	1	1	-	1	-	2	2	2	3	17	12	8	15	12	9	4	-
		W M	69	2	1	-	1	1	-	-	-	2	1	1	2	15	8	6	14	11	3	1	-
		W F	21	2	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	1	6	3	-
		NW M	13	9	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		NW F	8	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
510	Hypertrophy of tonsils and adenoids	TOTAL	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
518,521	Empyema and abscess of lung	TOTAL	19	2	-	-	-	-	-	-	1	-	-	3	5	1	2	1	-	2	2	-	-
		W M	10	-	-	-	-	-	-	-	-	-	-	1	4	-	2	1	-	1	1	-	-
		W F	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
		NW M	5	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
		NW F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
511-517, 520, 522-527	All other respiratory diseases	TOTAL	527	28	4	2	-	1	2	-	2	3	16	27	29	42	69	83	82	75	39	23	-
		W M	341	9	3	1	-	-	-	-	-	2	11	12	17	32	54	61	59	51	18	11	-
		W F	104	6	-	-	-	-	-	-	2	1	2	7	3	5	5	13	17	17	17	9	-
		NW M	58	3	1	1	-	1	2	-	-	-	2	7	7	4	6	8	6	6	3	1	-
		NW F	24	10	-	-	-	-	-	-	-	-	1	1	2	1	4	1	-	1	1	2	-
IX.	DISEASES OF THE DIGESTIVE SYSTEM	TOTAL	1,379	95	31	2	-	5	9	13	35	53	82	99	110	120	138	132	135	127	99	93	1
		W M	599	20	6	-	-	2	3	5	12	19	40	46	55	61	68	62	68	57	40	34	1
		W F	390	11	7	-	-	1	-	3	12	12	16	21	30	26	29	31	48	47	44	52	-
		NW M	210	38	8	1	-	1	3	3	6	8	13	18	12	22	28	20	10	11	5	3	-
		NW F	180	26	10	1	-	1	3	2	5	14	13	14	13	11	13	19	9	12	10	4	-
530-535	Diseases of teeth and supporting structures	TOTAL	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
		W F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
540	Ulcer of stomach	TOTAL	102	-	-	-	-	-	1	2	1	2	3	10	7	9	13	19	9	13	9	4	-
		W M	49	-	-	-	-	-	-	2	-	1	2	5	3	6	7	8	4	6	3	2	-
		W F	20	-	-	-	-	-	-	-	1	-	1	-	2	-	-	3	2	7	3	1	-
		NW M	20	-	-	-	-	-	1	-	-	-	-	3	1	2	5	5	2	-	1	-	-
		NW F	13	-	-	-	-	-	-	-	-	1	-	2	1	1	1	3	1	-	2	1	-
541	Ulcer of duodenum	TOTAL	89	-	-	1	-	-	-	-	1	-	6	6	5	10	10	4	15	15	9	7	-
		W M	57	-	-	-	-	-	-	-	1	-	4	4	3	6	7	4	9	10	4	5	-
		W F	16	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	3	4	3	2	-
		NW M	12	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	3	1	1	-	-
		NW F	4	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
543	Gastritis and duodenitis	TOTAL	11	2	-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	-	1	1	-
		W M	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-
		W F	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	TOTAL	30	3	2	-	-	-	1	-	-	-	3	3	1	3	2	2	3	2	2	3	-
		W M	14	3	1	-	-	-	-	-	-	-	2	2	-	1	2	-	2	-	-	1	-
		W F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-
		NW M	10	-	1	-	-	-	1	-	-	-	1	1	1	2	-	1	1	1	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
560,561, 570	Hernia and intestinal obstruction	TOTAL	209	20	2	-	-	1	-	4	3	3	5	8	8	14	25	21	23	30	24	17	1
		W M	67	7	-	-	-	-	-	1	-	-	1	5	1	5	9	4	8	13	7	5	1
		W F	81	4	-	-	-	1	-	2	1	1	-	-	4	4	7	8	12	14	12	11	-
		NW M	30	5	1	-	-	-	-	1	1	-	2	2	-	2	5	6	1	3	-	1	-
		NW F	31	4	1	-	-	-	-	-	1	2	2	1	3	3	4	3	2	-	5	-	-

Table C-1 - Continued

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
571.0	Gastro-enteritis and colitis (except ulcerative) (ages between 4 weeks and 2 years)	TOTAL	75	63	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	33	31	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	26	21	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571.1	Gastro-enteritis and colitis (except ulcerative) (ages 2 years and over)	TOTAL	45	-	7	1	-	1	-	-	-	1	-	1	2	3	3	4	3	7	4	8	-
		W M	13	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	2	1	1	3	-
		W F	12	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	4	-
		NW M	10	-	3	1	-	-	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-
		NW F	10	-	2	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1	-	1	-
572	Chronic enteritis and ulcerative colitis	TOTAL	61	1	-	-	-	-	2	1	-	1	-	2	3	11	11	6	9	6	5	3	-
		W M	22	-	-	-	-	-	2	-	-	-	-	-	1	6	4	2	5	1	-	1	-
		W F	25	-	-	-	-	-	-	-	-	1	-	-	1	4	2	3	4	3	5	2	-
		NW M	7	-	-	-	-	-	-	1	-	-	-	2	-	-	4	-	-	-	-	-	-
		NW F	7	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-
581	Cirrhosis of liver	TOTAL	344	1	2	-	-	1	1	4	18	31	41	45	56	45	38	22	16	13	7	3	-
		W M	172	1	1	-	-	-	-	1	6	12	20	21	30	23	24	11	9	7	5	1	-
		W F	91	-	-	-	-	-	-	-	6	8	12	15	19	10	6	4	5	3	1	2	-
		NW M	46	-	-	-	-	1	-	1	4	5	4	5	4	10	6	3	1	1	1	-	-
		NW F	35	-	1	-	-	-	1	2	2	6	5	4	3	2	2	4	1	2	-	-	-
584,585	Cholelithiasis and cholecystitis	TOTAL	87	-	-	-	-	-	-	-	2	2	2	1	1	2	4	16	14	18	11	14	-
		W M	40	-	-	-	-	-	-	-	1	1	-	1	1	1	-	11	9	5	6	4	-
		W F	36	-	-	-	-	-	-	-	1	-	-	-	-	1	4	3	4	8	5	10	-
		NW M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		NW F	10	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	5	-	-	-
536-539, 542,544, 545, 573-580, 582,583, 586,587	Other diseases of digestive system	TOTAL	323	5	6	-	-	2	4	2	9	13	22	21	26	22	30	37	42	23	27	32	-
		W M	151	2	1	-	-	1	1	1	3	5	11	8	16	11	13	19	20	14	13	12	-
		W F	90	1	3	-	-	-	-	1	3	2	1	5	3	5	8	9	17	5	11	16	-
		NW M	41	2	1	-	-	-	1	-	1	3	5	2	5	3	5	5	2	2	2	2	-
		NW F	41	-	1	-	-	1	2	-	2	3	5	6	2	3	4	4	3	2	1	2	-
X.	DISEASES OF THE GENITO-URINARY SYSTEM	TOTAL	818	9	4	3	4	11	11	9	23	22	39	54	63	76	78	79	88	86	78	81	-
		W M	284	1	1	-	3	6	2	2	6	6	8	12	22	24	22	25	36	37	36	35	-
		W F	230	1	-	1	-	2	3	3	5	5	10	12	11	26	19	22	21	31	25	33	-
		NW M	177	5	3	2	-	1	2	2	4	5	7	14	19	14	24	20	24	13	10	8	-
		NW F	127	2	-	-	1	2	4	2	8	6	14	16	11	12	13	12	7	5	7	5	-
590	Acute nephritis	TOTAL	18	-	1	-	1	2	1	-	1	-	2	1	3	1	1	-	1	-	2	1	-
		W M	7	-	-	-	-	2	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-
		W F	5	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	2	-	-
		NW M	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-
		NW F	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
591	Nephritis with edema, including nephrosis	TOTAL	21	1	1	-	1	-	-	3	-	2	1	3	2	4	1	1	-	1	-	-	-
		W M	12	-	1	-	1	-	-	1	-	2	1	1	1	2	-	1	-	1	-	-	-
		W F	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		NW M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
		NW F	4	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
592-594	Chronic and unspecified nephritis and other renal sclerosis	TOTAL	277	2	1	2	1	5	7	4	13	13	17	20	32	27	19	25	25	23	18	23	-
		W M	82	-	-	-	1	3	2	1	5	2	5	4	12	8	4	9	7	5	7	7	-
		W F	57	-	-	-	-	1	1	-	2	4	1	3	5	6	4	4	5	10	2	9	-
		NW M	81	1	1	2	-	1	1	2	3	4	5	7	10	4	7	9	11	5	4	4	-
		NW F	57	1	-	-	-	-	3	1	3	3	6	6	5	9	4	3	2	3	5	3	-
600	Infections of kidney	TOTAL	311	2	-	1	-	2	2	-	4	3	14	20	17	31	38	34	34	32	36	41	-
		W M	95	-	-	-	-	1	-	-	-	-	-	3	5	11	10	7	14	10	15	19	-
		W F	122	1	-	1	-	-	-	-	-	1	8	5	2	14	12	13	13	17	17	18	-
		NW M	46	1	-	-	-	-	1	-	1	1	2	5	5	4	9	6	4	3	2	2	-
		NW F	48	-	-	-	-	1	1	-	3	1	4	7	5	2	7	8	3	2	2	2	-

602,604	Calculi of urinary system	TOTAL	40	-	-	-	-	-	-	1	-	2	1	3	3	3	8	6	5	5	3	-	-
		W M	15	-	-	-	-	-	-	-	-	2	1	1	-	-	3	1	2	3	2	-	-
		W F	19	-	-	-	-	-	-	1	-	-	-	1	3	3	2	4	2	2	1	-	-
		NW M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		NW F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-
610	Hyperplasia of prostate	TOTAL	59	-	-	-	-	-	-	-	-	-	-	-	2	4	6	7	9	13	11	7	-
		W M	35	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	8	9	6	-
		NW M	24	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	4	5	2	1	-
601,603, 605-609, 611-617, 622-637	Other diseases of genito-urinary system	TOTAL	92	4	1	-	1	2	1	1	5	2	4	7	4	6	5	6	14	12	8	9	-
		W M	38	1	-	-	1	-	-	-	1	-	-	3	1	1	3	4	7	10	3	3	-
		W F	25	-	-	-	-	1	1	1	2	-	1	3	1	1	1	1	1	2	3	6	-
		NW M	18	3	1	-	-	-	-	-	-	-	-	-	2	3	1	1	5	-	2	-	-
		NW F	11	-	-	-	-	1	-	-	2	2	3	1	-	1	-	-	1	-	-	-	-
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	TOTAL	39	-	-	-	1	8	7	11	4	3	5	-	-	-	-	-	-	-	-	-	-
		W	12	-	-	-	-	1	4	3	1	1	2	-	-	-	-	-	-	-	-	-	-
		NW	27	-	-	-	1	7	3	8	3	2	3	-	-	-	-	-	-	-	-	-	-
640,641, 681,682, 684	Sepsis of pregnancy, childbirth, and puerperium (except sepsis of abortion)	TOTAL	5	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
		W	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		NW	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
642,685, 686	Toxemias of pregnancy and puerperium, except abortion with toxemia	TOTAL	11	-	-	-	1	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		W	4	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW	7	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
643,644, 670-672	Hemorrhage of pregnancy and childbirth	NW	5	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-
645	Ectopic pregnancy	NW	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650	Abortion without mention of sepsis or toxemia	NW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
651	Abortion with sepsis	TOTAL	7	-	-	-	-	1	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
		W	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW	6	-	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
46-649,660, 73-680,683, 687-689	Other complications of pregnancy, childbirth, and puerperium	TOTAL	9	-	-	-	-	2	1	2	-	2	2	-	-	-	-	-	-	-	-	-	-
		W	5	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
		NW	4	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
XII. and XIII.	DISEASES OF THE SKIN AND CELLULAR TISSUE: AND DISEASES OF THE BONES AND ORGANS OF MOVEMENT	TOTAL	174	5	4	2	5	4	6	1	3	7	6	9	8	25	25	17	19	10	11	7	-
		W M	60	2	1	1	1	1	4	-	-	3	3	3	5	7	11	5	5	3	3	2	-
		W F	55	2	1	-	-	-	-	-	-	2	1	2	2	10	4	8	7	7	6	3	-
		NW M	27	1	1	-	2	1	1	1	-	1	1	2	-	4	5	2	1	-	2	2	-
		NW F	32	-	1	1	2	2	1	-	3	1	1	2	1	4	5	2	6	-	-	-	-
690-698	Infections of skin and subcutaneous tissue	TOTAL	15	-	1	-	-	-	-	-	-	1	-	-	-	-	4	3	3	1	1	1	-
		W M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	1	-
		W F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-
		NW M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		NW F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
720-725	Arthritis and spondylitis	TOTAL	50	-	-	-	-	-	-	-	-	1	1	2	2	8	10	5	9	5	3	4	-
		W M	18	-	-	-	-	-	-	-	-	-	1	1	2	2	4	1	4	2	1	-	-
		W F	20	-	-	-	-	-	-	-	-	1	-	1	-	5	1	4	2	3	1	2	-
		NW M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	-
		NW F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-
726,727	Muscular rheumatism and rheumatism, unspecified	W M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
730	Osteomyelitis and periostitis	TOTAL	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		W M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
737, 745-749	Ankylosis and acquired musculoskeletal deformities	TOTAL	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		W M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		NW M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
700-716, 731-736, 738-744	All other diseases of skin and musculosketetal system	TOTAL	102	4	3	2	5	4	5	1	3	5	5	7	5	16	10	8	7	4	7	1	-
		W M	33	2	1	1	1	1	4	-	-	2	2	2	2	5	5	2	-	1	2	-	-
		W F	29	2	1	-	-	-	-	-	-	1	1	1	2	5	2	3	3	3	4	1	-
		NW M	16	-	1	-	2	1	-	1	-	1	1	2	-	3	1	1	1	-	1	-	-
		NW F	24	-	-	1	2	2	1	-	3	1	1	2	1	3	2	2	3	-	-	-	-
XIV.	CONGENITAL MALFORMATIONS	TOTAL	540	389	51	20	11	20	8	1	5	5	5	5	6	6	5	1	-	2	-	-	-
		W M	211	154	15	7	3	11	4	1	-	2	2	4	2	-	4	1	-	1	-	-	-
		W F	189	140	13	9	5	5	2	-	3	2	2	-	3	3	1	-	-	1	-	-	-
		NW M	74	53	12	3	1	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
		NW F	66	42	11	1	2	3	1	-	2	1	-	1	-	2	-	-	-	-	-	-	-
751	Spina bifida and meningocele	TOTAL	62	58	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	26	25	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	28	27	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754	Congenital malformations of circulatory system	TOTAL	244	159	27	13	8	13	5	1	4	4	1	2	4	1	1	1	-	-	-	-	-
		W M	94	63	5	4	2	9	2	1	-	2	1	2	1	-	1	1	-	-	-	-	-
		W F	83	54	7	7	5	1	2	-	3	1	-	-	2	1	-	-	-	-	-	-	-
		NW M	29	21	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		NW F	38	21	9	1	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
750,752, 753, 755-759	All other congenital malformations	TOTAL	234	172	23	7	3	5	2	-	1	1	4	3	2	5	4	-	-	2	-	-	-
		W M	91	66	10	3	1	1	2	-	-	-	1	2	1	-	3	-	-	1	-	-	-
		W F	78	59	6	2	-	3	-	-	-	1	2	-	1	2	1	-	-	1	-	-	-
		NW M	41	29	6	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		NW F	24	18	1	-	1	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
XV.	CERTAIN DISEASES OF EARLY INFANCY	TOTAL	1,630	1,630	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	543	543	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	426	426	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760,761	Birth injuries	TOTAL	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	Postnatal asphyxia and atelectasis	TOTAL	421	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	Pneumonia of newborn	TOTAL	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	Diarrhea of newborn	TOTAL	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

765-768	All other infections of newborn	TOTAL	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770	Hemolytic disease of newborn (erythroblastosis)	TOTAL	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769,771, 772	All other defined diseases of early infancy	TOTAL	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	Ill-defined diseases peculiar to early infancy	TOTAL	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774	Immaturity with mention of any other subsidiary condition	TOTAL	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Immaturity, unqualified	TOTAL	491	491	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	TOTAL	1,020	130	16	3	3	8	6	4	17	28	31	56	71	82	92	112	88	85	70	118	-
		W M	306	20	1	-	-	2	1	-	1	6	13	24	33	28	38	36	29	23	19	32	-
		W F	172	14	2	1	-	-	1	1	1	7	4	4	4	11	9	12	13	24	26	38	-
		NW M	268	46	7	2	2	3	2	3	10	8	9	16	19	17	22	38	23	16	9	16	-
		NW F	274	50	6	-	1	3	2	-	5	7	5	12	15	26	23	26	23	22	16	32	-
794	Senility without mention of psychosis	TOTAL	101	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	6	6	25	53	-
		W M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	15	-
		W F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	14	20	-
		NW M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	2	9	-
		NW F	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	4	9	-
780-793, 795	Symptoms, ill-defined and unknown causes	TOTAL	919	130	16	3	3	8	6	4	17	28	31	56	70	81	90	105	82	79	45	65	-
		W M	283	20	1	-	-	2	1	-	1	6	13	24	33	28	38	35	29	21	14	17	-
		W F	135	14	2	1	-	-	1	1	1	7	4	4	4	11	8	12	12	23	12	18	-
		NW M	251	46	7	2	2	3	2	3	10	8	9	16	18	17	22	35	22	15	7	7	-
		NW F	250	50	6	-	1	3	2	-	5	7	5	12	15	25	22	23	19	20	12	23	-
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE	TOTAL	4,140	160	163	143	129	425	412	289	252	313	292	310	268	203	195	129	148	108	101	100	-
		W M	2,077	23	48	63	66	241	243	144	127	156	150	162	135	121	117	70	70	58	49	34	-
		W F	663	24	29	23	19	49	44	33	22	38	35	47	50	24	28	20	50	35	40	53	-
		NW M	1,059	58	49	36	34	112	104	96	79	93	86	83	75	47	39	27	16	10	8	7	-
		NW F	341	55	37	21	10	23	21	16	24	26	21	18	8	11	11	12	12	5	4	6	-
800-802	Railway accidents	TOTAL	31	-	-	-	1	1	2	3	2	5	3	6	3	1	3	1	-	-	-	-	-
		W M	17	-	-	-	1	-	1	1	2	2	1	4	2	1	1	1	-	-	-	-	-
		NW M	14	-	-	-	-	1	1	2	-	3	2	2	1	-	2	-	-	-	-	-	-
810	Motor vehicle traffic accident involving collison with railway train	TOTAL	56	-	3	1	2	14	6	7	2	5	3	4	2	-	1	2	2	1	1	-	-
		W M	26	-	-	-	1	6	4	4	1	2	-	2	-	-	1	2	2	1	-	-	-
		W F	9	-	-	-	-	3	-	1	-	1	-	1	2	-	-	-	-	-	1	-	-
		NW M	16	-	2	1	1	4	1	1	1	1	3	1	-	-	-	-	-	-	-	-	-
		NW F	5	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-

Table C-1 - Continued

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
812	Motor vehicle traffic accident to pedestrian	TOTAL	289	-	33	59	15	15	15	9	5	12	15	17	18	18	14	12	17	8	6	1	-
		W M	131	-	12	26	8	10	5	3	1	8	9	8	5	9	6	4	9	5	3	-	-
		W F	34	-	7	6	2	-	2	2	1	-	-	2	2	1	2	2	3	1	1	-	-
		NW M	89	-	9	17	3	5	7	2	3	4	3	6	9	5	6	4	3	-	2	1	-
		NW F	35	-	5	10	2	-	1	2	-	-	3	1	2	3	-	2	2	2	-	-	-
811,813-819	Other motor vehicle traffic accident involving collision	TOTAL	613	6	11	21	31	95	91	41	38	43	34	43	32	27	34	17	21	13	13	2	-
		W M	329	1	4	9	18	56	54	18	20	24	19	21	14	14	18	8	11	10	8	2	-
		W F	132	3	1	8	7	21	17	7	7	6	7	9	11	4	6	4	7	3	4	-	-
		NW M	113	1	3	4	5	13	14	12	7	9	5	11	7	6	9	4	2	-	1	-	-
		NW F	39	1	3	-	1	5	6	4	4	4	3	2	-	3	1	1	1	-	-	-	-
820-824	Motor vehicle noncollision traffic accidents	TOTAL	567	3	8	3	17	136	108	71	45	45	45	29	19	13	12	3	4	3	2	1	-
		W M	364	-	4	2	10	93	82	41	30	23	27	18	10	7	8	2	2	2	2	1	-
		W F	53	1	3	1	2	12	8	6	2	8	6	1	2	-	1	-	-	-	-	-	-
		NW M	126	1	1	-	4	27	14	21	10	12	10	7	7	6	2	1	2	1	-	-	-
		NW F	24	1	-	-	1	4	4	3	3	2	2	3	-	-	1	-	-	-	-	-	-
825	Motor vehicle traffic accident of unspecified nature	TOTAL	68	-	1	2	-	6	14	6	3	7	6	5	4	3	4	1	4	1	1	-	-
		W M	41	-	-	1	-	4	10	4	2	5	3	2	2	2	2	1	2	1	-	-	-
		W F	17	-	1	1	-	2	2	1	-	1	1	1	2	1	1	-	2	-	1	-	-
		NW M	9	-	-	-	-	-	2	1	-	1	2	2	-	-	1	-	-	-	-	-	-
		NW F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
830-835	Motor vehicle nontraffic accidents	TOTAL	36	1	10	2	1	2	4	3	2	2	-	2	1	1	1	1	1	1	1	-	-
		W M	16	-	2	-	1	1	2	3	1	1	-	2	1	-	1	-	1	-	-	-	-
		W F	6	-	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
		NW M	9	1	5	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	5	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
850-858	Water transport accidents	TOTAL	56	-	-	1	3	8	8	4	4	2	2	5	7	5	6	1	-	-	-	-	-
		W M	47	-	-	1	2	8	7	3	3	2	1	4	6	5	5	-	-	-	-	-	-
		NW M	9	-	-	-	1	-	1	1	1	-	1	1	1	-	1	1	-	-	-	-	-
860-866	Aircraft accidents	TOTAL	16	-	-	-	-	-	3	2	4	2	1	3	1	-	-	-	-	-	-	-	-
		W M	14	-	-	-	-	-	2	2	4	2	1	3	-	-	-	-	-	-	-	-	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		NW M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870-888	Accidental poisoning by solid and liquid substances	TOTAL	61	4	9	-	-	1	-	3	2	4	6	9	8	4	8	2	1	-	-	-	-
		W M	33	3	3	-	-	-	-	3	1	3	1	7	4	2	6	-	-	-	-	-	-
		W F	11	1	2	-	-	-	-	-	1	-	2	1	3	-	-	-	1	-	-	-	-
		NW M	14	-	3	-	-	1	-	-	-	1	3	1	1	2	1	1	-	-	-	-	-
		NW F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
890-895	Accidental poisoning by gases and vapours	TOTAL	19	2	-	-	-	1	3	-	-	2	2	1	3	1	2	-	2	-	-	-	-
		W M	7	-	-	-	-	-	2	-	-	1	1	1	1	-	1	-	-	-	-	-	-
		W F	6	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-
		NW M	4	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
		NW F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
900-902	Fall from one level to another	TOTAL	110	2	2	-	-	5	3	3	2	8	4	6	7	10	9	8	6	8	10	17	-
		W M	51	-	1	-	-	4	2	3	2	3	2	1	2	8	6	6	3	2	4	2	-
		W F	28	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	5	6	11	-
		NW M	24	1	-	-	-	-	1	-	-	3	2	4	3	2	2	2	1	-	-	3	-
		NW F	7	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
903	Fall on same level	TOTAL	54	-	-	-	-	-	-	1	-	2	1	-	-	1	3	6	4	8	18	10	-
		W M	13	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	-	5	1	-
		W F	34	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	2	7	11	9	-
		NW M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-
		NW F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-

904	Unspecified falls	TOTAL	165	1	-	-	-	2	-	1	1	2	1	4	4	4	7	14	30	22	29	43	-
		W M	66	-	-	-	-	1	-	1	-	2	-	3	4	1	1	6	10	8	15	14	-
		W F	78	1	-	-	-	-	-	-	-	-	1	-	-	-	3	4	17	13	13	26	-
		NW M	10	-	-	-	-	1	-	-	1	-	-	1	-	2	2	-	-	1	1	1	-
		NW F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	-	-	2	-
910	Blow from falling object	TOTAL	41	-	3	1	-	3	4	3	2	4	6	5	2	3	2	3	-	-	-	-	-
		W M	21	-	1	1	-	2	4	-	1	3	2	3	-	2	-	2	-	-	-	-	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		NW M	18	-	1	-	-	1	-	3	1	1	4	2	2	1	2	-	-	-	-	-	-
		NW F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
912	Accident caused by machinery	TOTAL	53	-	-	-	3	2	4	4	3	3	2	9	5	4	5	5	3	-	-	1	-
		W M	45	-	-	-	3	2	4	2	3	3	1	7	4	4	5	5	1	-	-	1	-
		W F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		NW M	7	-	-	-	-	-	-	2	-	-	1	2	1	-	-	-	1	-	-	-	-
914	Accident caused by electric current	TOTAL	41	-	-	2	1	4	11	7	4	4	2	1	3	2	-	-	-	-	-	-	-
		W M	32	-	-	1	-	4	11	5	2	3	1	-	3	2	-	-	-	-	-	-	-
		W F	4	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
		NW M	4	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
		NW F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
916	Accident caused by fire and explosion of combustible material (except conflagration)	TOTAL	127	3	16	3	5	2	6	4	1	8	6	9	14	8	10	5	11	7	7	2	-
		W M	53	1	4	-	1	1	3	2	-	4	1	5	5	4	5	2	5	4	4	2	-
		W F	21	-	5	1	2	-	2	-	-	2	2	-	-	2	1	-	2	1	1	-	-
		NW M	26	1	2	-	-	-	1	1	1	1	2	3	7	1	2	1	1	1	1	-	-
		NW F	27	1	5	2	2	1	-	1	-	1	1	1	2	1	2	2	3	1	1	-	-
916	Accident caused by conflagration	TOTAL	148	11	29	7	2	3	2	6	8	9	13	13	11	4	8	5	4	4	3	6	-
		W M	48	1	2	-	-	-	1	2	4	7	8	5	3	3	2	1	1	4	1	3	-
		W F	16	1	-	-	-	-	-	2	2	1	1	2	2	-	3	1	-	-	-	1	-
		NW M	49	6	14	3	1	2	-	2	2	1	2	6	4	1	1	2	1	-	-	1	-
		NW F	35	3	13	4	1	1	1	-	-	-	2	-	2	-	2	1	2	-	2	1	-
917,918	Accident caused by hot substance, corrosive liquid, steam and radiation	TOTAL	8	-	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
		W M	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		W F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		NW F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919	Accident caused by firearm	TOTAL	99	-	3	9	13	16	12	6	3	4	6	9	9	2	4	1	2	-	-	-	-
		W M	55	-	1	4	7	11	5	4	-	2	3	4	7	2	4	1	-	-	-	-	-
		W F	11	-	1	1	2	1	2	-	-	1	-	-	1	-	-	-	2	-	-	-	-
		NW M	26	-	1	3	3	3	5	2	3	1	1	3	1	-	-	-	-	-	-	-	-
		NW F	7	-	-	1	1	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
921,922	Inhalation and ingestion of food and other object causing obstruction or suffocation	TOTAL	68	33	5	1	1	-	-	2	-	1	3	3	2	1	3	-	2	7	1	3	-
		W M	16	4	2	-	1	-	-	1	-	-	-	1	1	-	1	-	1	2	1	1	-
		W F	19	7	1	1	-	-	-	1	-	-	1	1	-	1	1	-	1	2	-	2	-
		NW M	18	10	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	-	-	-
		NW F	15	12	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
924	Accidental mechanical suffocation in bed and cradle	TOTAL	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		W F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
927	Accidents caused by venomous animals and insects	NW F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929	Accidental drowning	TOTAL	196	2	16	21	28	47	18	6	7	8	15	5	8	4	5	-	2	2	1	1	-
		W M	104	1	11	13	10	24	10	-	4	4	10	2	4	2	3	-	2	2	1	1	-
		W F	16	-	2	1	4	3	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-
		NW M	71	-	3	7	12	20	7	5	3	4	5	-	3	1	1	-	-	-	-	-	-
		NW F	5	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-

Table C-1 - Continued

Seventh Revision Number	Cause of death, color, and sex		Total Deaths	AGE AT DEATH																			
				Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & Over	Not Stated
931	Excessive heat and insolation	TOTAL	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
		W M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		NW M	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
935	Lightning	TOTAL	5	-	-	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		W M	3	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		W F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
940-959	Complications due to medical procedures	TOTAL	34	2	-	-	-	1	2	-	4	-	1	3	1	4	1	3	5	5	1	1	-
		W M	14	-	-	-	-	-	-	-	2	-	-	1	1	2	-	2	4	2	-	-	-
		W F	7	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	-	-
		NW M	8	1	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	1	1	1	-
		NW F	5	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-	-
911,913,915, 920,923,925, 926,928,930, 932-934,936, 960-962	All other accidents	TOTAL	172	40	8	6	3	6	9	7	8	18	8	12	10	7	5	5	7	3	4	6	-
		W M	63	7	-	4	2	2	5	6	3	7	2	7	3	2	3	3	3	2	2	-	-
		W F	26	6	2	-	-	1	1	-	-	1	1	-	2	1	1	1	3	1	1	4	-
		NW M	51	11	2	-	1	3	3	1	4	6	4	4	5	3	1	1	1	-	1	-	-
		NW F	32	16	4	2	-	-	-	-	1	4	1	1	-	1	-	-	-	-	-	2	-
970-973	Suicide by poisoning	TOTAL	67	-	-	-	-	1	3	5	14	7	9	7	12	6	2	1	-	-	-	-	-
		W M	43	-	-	-	-	1	2	2	10	2	8	5	6	5	2	-	-	-	-	-	-
		W F	22	-	-	-	-	-	1	2	4	5	1	2	5	1	-	1	-	-	-	-	-
		NW M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
974	Suicide by hanging and strangulation	TOTAL	33	-	-	-	-	2	2	1	3	2	10	6	3	1	-	1	-	1	-	1	-
		W M	26	-	-	-	-	1	1	1	3	1	9	4	2	1	-	1	-	1	-	1	-
		W F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		NW M	6	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-
976	Suicide by firearms and explosives	TOTAL	331	-	-	-	-	8	13	30	18	31	34	47	38	38	27	20	11	11	2	3	-
		W M	256	-	-	-	-	3	9	20	17	22	27	31	30	30	25	18	9	10	2	3	-
		W F	46	-	-	-	-	1	1	8	-	7	4	14	4	3	1	1	2	-	-	-	-
		NW M	27	-	-	-	-	2	3	2	1	2	3	2	4	5	1	1	-	1	-	-	-
		NW F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
963,975, 977-979	Suicide by all other means	TOTAL	43	-	-	-	-	1	2	-	1	1	5	5	12	7	4	1	2	2	-	-	-
		W M	18	-	-	-	-	-	1	-	-	-	2	3	4	4	2	-	-	2	-	-	-
		W F	20	-	-	-	-	-	1	-	-	1	2	2	6	3	2	1	2	-	-	-	-
		NW M	5	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-
981	Assault by firearms and explosives	TOTAL	349	1	-	2	2	34	57	40	48	48	39	30	21	10	11	4	1	-	1	-	-
		W M	85	-	-	-	1	5	13	11	7	11	10	5	9	5	5	2	-	-	1	-	-
		W F	29	-	-	1	-	2	4	-	3	2	5	5	3	-	4	-	-	-	-	-	-
		NW M	201	1	-	-	1	22	34	25	32	30	19	18	9	5	2	2	1	-	-	-	-
		NW F	34	-	-	1	-	5	6	4	6	5	5	2	-	-	-	-	-	-	-	-	-
982	Assault by cutting and piercing instruments	TOTAL	84	-	-	-	1	7	6	13	7	17	10	5	6	6	1	3	1	1	-	-	-
		W M	14	-	-	-	-	2	-	-	2	6	1	-	1	1	-	-	1	-	-	-	-
		W F	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		NW M	54	-	-	-	1	4	4	12	2	7	8	4	4	3	1	3	-	1	-	-	-
		NW F	13	-	-	-	-	-	1	1	3	4	1	1	1	1	-	-	-	-	-	-	-
964,980, 983	Assault by other means	TOTAL	47	5	-	-	-	2	2	1	9	4	-	5	1	6	3	3	4	-	-	2	-
		W M	17	1	-	-	-	-	2	1	1	2	-	1	-	3	2	1	1	-	-	2	-
		W F	5	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
		NW M	13	1	-	-	-	-	-	-	4	-	-	2	1	1	1	1	2	-	-	-	-
		NW F	12	3	-	-	-	1	-	-	3	2	-	2	-	1	-	-	-	-	-	-	-
984	Injury by intervention of police	TOTAL	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		W M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
965,990- 999	Injury resulting from operations of war	W M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE C-2 DEATHS BY COUNTY OF OCCURRENCE AND RESIDENCE, WITH NUMBER OCCURRING IN HOSPITALS AND OTHER INSTITUTIONS AND DEATHS FROM 16 SELECTED CAUSES BY COLOR: NORTH CAROLINA, 1965

Area	Total Deaths		Resident Deaths																			
			Place of Death			Selected Causes of Death																
						CARDIOVASCULAR - RENAL											ACCIDENTS					
	Occurring in Area	To Residents of Area	Hospital	Other Institution	Home & Non-institution	1 HEART	INTRACRANIAL VASCULAR LESIONS 2	ARTERIOSCLEROSIS 3	4 NEPHRITIS	OTHER C.V.R. 5	CANCER, LEUKEMIA, HODGKIN'S DIS. 6	DIABETES MELLITUS 7	8 TUBERCULOSIS	SYPHILIS 9	DIARRHEA & ENTERITIS 10	INFLUENZA & PNEUMONIA 11	MOTOR VEHICLE 12	HOME & FARM 13	OTHER ACCIDENTS 14	SUICIDE 15	HOMICIDE 16	ALL OTHER CAUSES
NORTH CAROLINA	41978	41661	21717	4850	15094	15130	5429	659	316	905	5496	673	153	51	195	1480	1629	862	691	474	483	7035
WHITE	29929	29680	15941	3885	9854	11450	3800	526	165	611	4297	438	89	30	99	931	1158	535	460	432	154	4505
NONWHITE	12049	11981	5776	965	5240	3680	1629	133	151	294	1199	235	64	21	96	549	471	327	231	42	329	2530
ALAMANCE	584	710	310	90	310	255	88	16	5	18	115	20	1	1	4	18	33	9	12	11	10	94
WHITE	466	573	269	76	228	215	72	12	2	14	101	14	1	1	1	12	25	8	8	10	5	72
NONWHITE	118	137	41	14	82	40	16	4	3	4	14	6			3	6	8	1	4	1	5	22
ALEXANDER	122	166	86	19	61	45	25	4		7	17	2				4	3	3	3	5		48
WHITE	106	152	80	18	54	42	23	4		7	15	2				3	3	3	3	5		42
NONWHITE	16	14	6	1	7	3	2				2					1						6
ALLEGHANY	130	104	66	6	32	32	29	3		1	13	3		1		6	2	1		1		12
WHITE	123	99	64	6	29	31	28	3		1	13	3		1		4	1	1		1		12
NONWHITE	7	5	2		3	1	1									2	1					
ANSON	180	237	102	19	116	89	21	8	1	8	24	2				15	12	7	5	1	3	41
WHITE	89	130	63	15	52	57	16	3	1	1	20	2				6	5	2	5		1	11
NONWHITE	91	107	39	4	64	32	5	5		7	4					9	7	5		1	2	30
ASHE	172	194	94	17	83	78	21	10		4	23	3	2		2	6	5	2	3	2		33
WHITE	171	193	93	17	83	78	21	10		4	23	3	2		2	6	4	2	3	2		33
NONWHITE	1	1	1														1					
AVERY	169	130	91	11	28	43	13	2		3	16	2	1	1	2	4	6	4	1	1		31
WHITE	168	129	90	11	28	43	13	2		3	16	2	1	1	2	4	6	4	1	1		30
NONWHITE	1	1	1																			1
BEAUFORT	472	434	205	54	175	130	78	8	1	1	65	13	2	1	3	18	14	9	10	3	5	73
WHITE	297	265	135	38	92	94	39	8	1		50	7		1	1	11	2	4	5	3	1	38
NONWHITE	175	169	70	16	83	36	39			1	15	6	2		2	7	12	5	5		4	35
BERTIE	165	216	112	21	83	81	33	2	3	8	27	8	1	1	2	4	6	8	7	3	3	19
WHITE	71	100	58	13	29	45	15			4	11	3	1	1		2		1	3	3		11
NONWHITE	94	116	54	8	54	36	18	2	3	4	16	5			2	2	6	7	4		3	8
BLADEN	212	284	128	36	120	96	49	3	4	7	29	6	1	1	2	21	11	5	4	2	4	39
WHITE	115	163	82	26	55	63	28	2	1	3	17	4	1	1	1	14	4	1		2		21
NONWHITE	97	121	46	10	65	33	21	1	3	4	12	2			1	7	7	4	4		4	18
BRUNSWICK	121	185	84	19	82	53	33	4	1	1	20	2			3	5	12	8	3	4	2	34
WHITE	69	109	55	15	39	36	21	3		1	14				1	3	6	4	2	3		15
NONWHITE	52	76	29	4	43	17	12	1	1		6	2			2	2	6	4	1	1	2	19
BUNCOMBE	1902	1436	714	258	464	548	190	27	9	48	195	12	10	2	7	69	35	20	21	14	9	220
WHITE	1592	1193	593	208	392	450	164	25	7	38	165	11	7	2	7	49	33	15	19	14	5	182
NONWHITE	310	243	121	50	72	98	26	2	2	10	30	1	3			20	2	5	2		4	38
BURKE	801	392	201	55	136	147	49	10	3	8	54	6		1	1	18	27	3	3	3	6	53
WHITE	745	347	174	54	119	133	45	10	2	8	49	5			1	15	21	3	3	3	4	45
NONWHITE	56	45	27	1	17	14	4		1		5	1		1		3	6				2	8
CABARRUS	587	631	377	77	177	208	67	6	3	11	104	6	2		2	18	27	3	10	10	4	150
WHITE	480	509	310	71	128	189	50	5	3	6	92	5	1		1	17	21	2	10	10	3	94
NONWHITE	107	122	67	6	49	19	17	1		5	12	1	1		1	1	6	1			1	56
CALDWELL	394	500	282	50	168	173	52	5	6	11	51	9	2		2	22	24	13	9	21	4	96
WHITE	350	447	252	45	150	155	47	5	6	10	46	8	1		2	21	21	8	8	21	1	87
NONWHITE	44	53	30	5	18	18	5			1	5	1	1			1	3	5	1		3	9
CAMDEN	21	64	39	5	20	27	7	2	1	2	11	1				1		4				8
WHITE	11	35	21	2	12	14	6	1	1	1	7							2				3
NONWHITE	10	29	18	3	8	13	1	1		1	4	1				1		2				5
CARTERET	291	289	167	26	96	128	24	3	4	3	48	4				10	9	8	7	1	2	38
WHITE	240	236	139	21	76	112	17	3	4	1	43	2				8	8	3	5	1	1	28
NONWHITE	51	53	28	5	20	16	7			2	5	2				2	1	5	2		1	10
CASWELL	81	164	60	18	86	66	22	3	2	1	26	3		1		4	8	2	3	2	2	19
WHITE	47	97	40	13	44	38	15	3	1		16	1				2	4	2		2		13
NONWHITE	34	67	20	5	42	28	7		1	1	10	2		1		2	4		3		2	6
CATAWBA	604	715	394	89	232	273	87	11	6	14	98	15	1		3	21	35	12	12	3	5	119
WHITE	520	618	339	83	196	239	75	11	6	13	86	12			3	19	29	11	10	2	3	99
NONWHITE	84	97	55	6	36	34	12			1	12	3	1			2	6	1	2	1	2	20

International Statistical Codes Included in 16 Selected Causes of Death

1 - (410-443)
2 - (330-334)
3 - (450)
4 - (590-594)
5 - (400-402,444-447,451-468)
6 - (140-205)
7 - (260)
8 - (001-019)
9 - (020-029)
10 - (041-043,045-049,543,571,572)
11 - (480-483,490-493)
12 - (810-835)
13 - (870-936, digits 0,1,7)
14 - (800-802,840-962)
15 - (963,970-979)
16 - (964,980-985)

See Tables A-1, A-2 & A-3 for death rates by color. See Table A-5 for deaths by county, urban and rural. See Table A-13 for leading causes of death by color, sex, and age group (5-year average, 1961-1965).

Table C-2 - continued

Area	Total Deaths		Resident Deaths																			
			Place of Death			Selected Causes of Death																
						CARDIOVASCULAR - RENAL											ACCIDENTS					
	Occurring In Area	To Residents of Area	Hospital	Other Institution	Home & Non-Institution	HEART	INTRACRANIAL VASCULAR LESIONS	ARTERIO-SCLEROSIS	NEPHRITIS	OTHER C.V.R.	CANCER, LEUKEMIA, HODGKIN'S DIS.	DIABETES MELLITUS	TUBERCULOSIS	SYPHILIS	DIARRHEA & ENTERITIS	INFLUENZA & PNEUMONIA	MOTOR VEHICLE	HOME & FARM	OTHER ACCIDENTS	SUICIDE	HOMICIDE	ALL OTHER CAUSES
CHATHAM	169	237	125	34	78	100	32	2	1	4	29	3				3	6	9	1	3	1	43
WHITE	125	178	102	26	50	76	24	2		2	23	1				2	6	6		2		34
NONWHITE	44	59	23	8	28	24	8		1	2	6	2				1		3	1	1	1	9
CHEROKEE	143	151	80	15	56	42	15	4		7	22	5				7	5	2	7	1	1	33
WHITE	137	145	78	14	53	40	15	4		7	21	5				7	5	2	5	1	1	32
NONWHITE	6	6	2	1	3	2					1								2			1
CHOWAN	102	90	33	5	52	24	20	2	1	2	9	2				2	1		3	3		21
WHITE	57	50	16	4	30	17	8			1	4	2							3	3		12
NONWHITE	45	40	17	1	22	7	12	2	1	1	5					2	1					9
CLAY	18	57	36	2	19	19	8	2		1	12	2			1	1	1	1	1	1		7
WHITE	18	56	35	2	19	19	8	2			12	2			1	1	1	1	1	1		7
NONWHITE		1	1							1												
CLEVELAND	602	592	359	45	188	228	82	9	2	17	91	9			3	18	19	15	4	6	6	83
WHITE	470	467	286	41	140	192	60	8	2	15	79	7				12	12	12	2	4	1	61
NONWHITE	132	125	73	4	48	36	22	1		2	12	2			3	6	7	3	2	2	5	22
COLUMBUS	341	459	202	49	208	163	57	2	8	9	52	8	3		3	39	17	9	12	7	8	62
WHITE	183	277	131	38	108	110	39	1	1	4	30	5	2		1	18	9	7	9	7	2	32
NONWHITE	158	182	71	11	100	53	18	1	7	5	22	3	1		2	21	8	2	3		6	30
CRAVEN	465	487	270	42	175	171	64		7	9	57	7	1	1		26	19	10	13	5	9	88
WHITE	255	265	151	26	88	87	29		1	5	39	3				9	18	7	11	5	2	49
NONWHITE	210	222	119	16	87	84	35		6	4	18	4	1	1		17	1	3	2		7	39
CUMBERLAND	1223	923	454	128	341	250	92	6	2	22	97	10	4	1	6	30	51	22	18	10	12	290
WHITE	791	603	314	98	191	189	57	4		13	76	7	2	1	3	18	33	15	8	10	3	164
NONWHITE	432	320	140	30	150	61	35	2	2	9	21	3	2		3	12	18	7	10		9	126
CURRITUCK	61	93	31	5	57	44	6	2		3	15	2			1		2	2	1	1	1	13
WHITE	41	63	21	4	38	31	3	2		2	11	2			1		1	2	1	1		6
NONWHITE	20	30	10	1	19	13	3			1	4						1				1	7
DARE	42	95	57	4	34	43	11	1			20	2			1	1	2	2	2	2	1	7
WHITE	39	89	54	4	31	40	11	1			19	2				1	2	2	2	2		7
NONWHITE	3	6	3		3	3					1				1						1	
DAVIDSON	553	666	351	84	231	264	76	9	4	11	98	10	3	1	3	20	35	18	9	9	7	89
WHITE	474	571	301	77	193	238	65	9	2	10	84	7	3	1	3	17	26	10	7	9	3	77
NONWHITE	79	95	50	7	38	26	11		2	1	14	3				3	9	8	2		4	12
DAVIE	134	153	59	29	65	50	27	1		2	23	9				6	10	2	3	1		19
WHITE	113	129	53	27	49	44	24	1		1	21	9				3	9	2	1	1		13
NONWHITE	21	24	6	2	16	6	3			1	2					3	1		2			6
DUPLIN	268	366	151	39	176	127	50	4	2	3	39	7		3	3	12	20	12	10	6	5	63
WHITE	152	218	103	22	93	91	29	3	1	2	22	2		1	2	6	13	5	3	5		33
NONWHITE	116	148	48	17	83	36	21	1	1	1	17	5		2	1	6	7	7	7	1	5	30
DURHAM	1996	1047	537	147	363	390	134	10	5	24	141	17	5	2	4	32	38	15	15	14	17	184
WHITE	1288	673	352	113	208	259	89	7		12	100	9	3		3	18	27	10	8	10	5	113
NONWHITE	708	374	185	34	155	131	45	3	5	12	41	8	2	2	1	14	11	5	7	4	12	71
EDGECOMBE	403	512	246	60	206	179	76	12	7	10	68	7	4		4	17	15	10	6	6	3	88
WHITE	197	258	133	36	89	104	27	7	3	5	41	4	1			4	10	4	5	5		38
NONWHITE	206	254	113	24	117	75	49	5	4	5	27	3	3		4	13	5	6	1	1	3	50
FORSYTH	2210	1736	1001	180	555	689	220	21	15	41	238	28	6	2	7	37	39	33	20	23	27	290
WHITE	1567	1087	578	149	360	446	147	14	8	16	172	19	2	1	1	23	29	18	12	21	7	151
NONWHITE	643	649	423	31	195	243	73	7	7	25	66	9	4	1	6	14	10	15	8	2	20	139
FRANKLIN	181	265	138	31	96	100	36	3	1	3	41	9	3		1	9	8	2	2	1		46
WHITE	107	159	91	20	48	60	21	2	1	1	28	5	2		1	3	4	1	1	1		28
NONWHITE	74	106	47	11	48	40	15	1		2	13	4	1			6	4	1	1			18
GASTON	923	1135	643	116	376	439	159	15	6	33	131	20	5	1	2	34	42	24	16	6	7	195
WHITE	757	952	534	111	307	375	135	11	6	25	104	16	5	1	2	26	40	23	11	6	4	162
NONWHITE	166	183	109	5	69	64	24	4		8	27	4				8	2	1	5		3	33
GATES	47	103	46	9	48	37	24	1		2	7	1			1	2	3	1	2	1	2	19
WHITE	19	44	24	3	17	18	13	1			3					2	1	1		1		4
NONWHITE	28	59	22	6	31	19	11			2	4	1			1		2		2		2	15
GRAHAM	23	51	26	1	24	10	4	1		1	8		1			2	1	4	1		1	17
WHITE	22	49	26	1	22	9	4	1		1	8		1			2	1	4	1		1	16
NONWHITE	1	2			2	1																1
GRANVILLE	424	306	152	25	129	109	37	8	3	9	41	5		2	5	8	15	9	6	1	3	45
WHITE	298	153	84	19	50	64	19	6	2	2	23	2			1	5	6	5	2	1		15
NONWHITE	126	153	68	6	79	45	18	2	1	7	18	3		2	4	3	9	4	4		3	30

Table C-2 - continued

Area	Total Deaths		Resident Deaths																			
			Place of Death			Selected Causes of Death																
						CARDIOVASCULAR - RENAL											ACCIDENTS					
	Occurring In Area	To Residents of Area	Hospital	Other Institution	Home & Non-institution	HEART	INTRACRANIAL VASCULAR LESIONS	ARTERIO-SCLEROSIS	NEPHRITIS	OTHER C.V.R.	CANCER, LEUKEMIA, HODGKIN'S DIS	DIABETES MELLITUS	TUBERCULOSIS	SYPHILIS	DIARRHEA & ENTERITIS	INFLUENZA & PNEUMONIA	MOTOR VEHICLE	HOME & FARM	OTHER ACCIDENTS	SUICIDE	HOMICIDE	ALL OTHER CAUSES
GREENE	66	138	53	15	70	54	19		2	2	14	2				5	9	5	1	2	1	22
WHITE	31	77	32	12	33	30	14			2	10	1				2	4		1	2		11
NONWHITE	35	61	21	3	37	24	5		2		4	1				3	5	5			1	11
GUILFORD	2051	2093	1268	262	563	767	279	18	9	43	334	34	2	1	9	55	69	30	43	21	23	356
WHITE	1543	1551	942	225	384	597	218	17	5	36	266	20	2	1	4	34	49	25	32	21	6	218
NONWHITE	508	542	326	37	179	170	61	1	4	7	68	14			5	21	20	5	11		17	138
HALIFAX	559	594	265	77	252	188	104	19	4	16	64	14	6		6	16	21	14	12	6	8	96
WHITE	267	303	158	48	97	121	40	9	3	7	46	7	2		2	8	12	4	4	5	1	32
NONWHITE	292	291	107	29	155	67	64	10	1	9	18	7	4		4	8	9	10	8	1	7	64
HARNETT	376	470	233	51	186	165	59	1	2	15	53	6		2	1	13	28	17	7	7	13	81
WHITE	249	313	166	37	110	121	37	1		10	44	3		2	1	5	22	12	3	7	4	41
NONWHITE	127	157	67	14	76	44	22		2	5	9	3				8	6	5	4		9	40
HAYWOOD	377	388	187	60	141	165	54	11	6	7	51	8			1	10	10	4	9	2	2	48
WHITE	363	373	179	58	136	161	53	11	5	7	49	7			1	10	10	3	9	2	2	43
NONWHITE	14	15	8	2	5	4	1		1		2	1						1				5
HENDERSON	399	386	236	53	97	141	60	7	4	11	57	3		1		17	9	7	5	5	1	58
WHITE	362	352	211	51	90	137	52	6	1	11	53	3		1		15	8	6	4	5		50
NONWHITE	37	34	25	2	7	4	8	1	3		4					2	1	1	1		1	8
HERTFORD	263	209	100	23	86	81	16	5	1	5	22	4	1		3	7	6	5	2	1	2	48
WHITE	123	90	42	14	34	41	5	3	1	4	10					5	2	2	2		1	14
NONWHITE	140	119	58	9	52	40	11	2		1	12	4	1		3	2	4	3		1	1	34
HOKE	136	127	58	22	47	48	16	3	1	2	7	3				8	4	5	1	1	2	26
WHITE	74	64	25	12	27	30	6	1			4	1				3	3	3	1	1	1	10
NONWHITE	62	63	33	10	20	18	10	2	1	2	3	2				5	1	2			1	16
HYDE	33	67	32	5	30	25	14	2	1	1	8	1			1	1	1				1	11
WHITE	18	40	19	5	16	18	7	2		1	5				1		1					5
NONWHITE	15	27	13		14	7	7		1		3	1				1					1	6
IREDELL	665	598	345	71	182	255	95	10	5	14	67	12	3		1	17	14	11	5	4	3	82
WHITE	532	469	266	64	139	197	77	9	2	9	59	7	3		1	13	13	6	4	4	2	63
NONWHITE	133	129	79	7	43	58	18	1	3	5	8	5				4	1	5	1		1	19
JACKSON	159	197	97	23	77	95	20	5		5	21	11		1		7	6	1	4	1		20
WHITE	153	182	90	21	71	91	20	5		5	20	7		1		7	4	1	2	1		18
NONWHITE	6	15	7	2	6	4					1	4					2		2			2
JOHNSTON	453	618	307	71	240	259	69	8	4	9	75	7	3	1	1	11	27	6	9	7	7	115
WHITE	335	462	230	52	180	208	54	7	2	5	62	6	2	1	1	9	22	4	8	7	2	62
NONWHITE	118	156	77	19	60	51	15	1	2	4	13	1	1			2	5	2	1		5	53
JONES	45	99	47	5	47	31	16		5	6	13	1			1	4	1	1	4	1	2	13
WHITE	19	54	29	5	20	21	8			5	10					3			2			5
NONWHITE	26	45	18		27	10	8		5	1	3	1			1	1	1	1	2	1	2	8
LEE	296	241	140	26	75	91	29	6	2	4	23	2	3		3	9	14	1		3	6	45
WHITE	220	169	109	21	39	66	17	6	1	4	18	2	2		2	6	8			3	1	33
NONWHITE	76	72	31	5	36	25	12		1		5		1		1	3	6	1			5	12
LENOIR	498	515	233	63	219	169	87	3	5	8	73	8	2		1	23	16	13	8	11	10	78
WHITE	300	288	149	31	108	118	28	2	1	4	44	4				12	11	5	5	11	1	42
NONWHITE	198	227	84	32	111	51	59	1	4	4	29	4	2		1	11	5	8	3		9	36
LINCOLN	237	303	177	26	100	84	58	4	3	5	50	3			2	10	24	8	5	4	2	41
WHITE	196	254	156	24	74	69	52	2	2	4	47	2			2	8	16	7	3	4	1	35
NONWHITE	41	49	21	2	26	15	6	2	1	1	3	1				2	8	1	2		1	6
MCDOWELL	211	257	111	33	113	58	42	4	1	10	38	4	1		1	6	14	5	3	3	4	63
WHITE	196	239	100	30	109	57	36	4	1	8	35	4	1		1	6	13	4	3	3	3	60
NONWHITE	15	18	11	3	4	1	6			2	3						1	1			1	3
MACON	128	145	63	18	64	45	14	2	1	4	22	5			1	6	7	3	1	3	1	30
WHITE	124	139	61	17	61	44	14	2	1	3	21	5			1	6	6	3	1	3		29
NONWHITE	4	6	2	1	3	1				1	1						1				1	1
MADISON	78	172	73	22	77	73	30	5		7	22					9	4	2	1	1		18
WHITE	76	169	72	22	75	73	29	5		7	20					9	4	2	1	1		18
NONWHITE	2	3	1		2		1				2											
MARTIN	184	256	119	29	108	98	28	3	4	3	30	7	3		3	10	14	12	4			37
WHITE	93	137	74	21	42	65	11	2	3		19	4	2		1	4	4	5	1			16
NONWHITE	91	119	45	8	66	33	17	1	1	3	11	3	1		2	6	10	7	3			21
MECKLENBURG	2531	2307	1322	270	715	904	199	15	15	51	365	27	8	5	13	109	69	45	38	34	54	356
WHITE	1796	1569	896	227	446	637	127	14	4	37	291	14	5	2	11	53	49	28	21	29	11	236
NONWHITE	735	738	426	43	269	267	72	1	11	14	74	13	3	3	2	56	20	17	17	5	43	120

Table C-2 - continued

Area	Total Deaths		Resident Deaths																			
			Place of Death			Selected Causes of Death																
						CARDIOVASCULAR - RENAL											ACCIDENTS					
	Occurring in Area	To Residents of Area	Hospital	Other Institution	Home & Non-institution	HEART	INTRACRANIAL VASCULAR LESIONS	ARTERIO-SCLEROSIS	NEPHRITIS	OTHER C.V.R.	CANCER, LEUKEMIA, HODGKIN'S DIS.	DIABETES MELLITUS	TUBERCULOSIS	SYPHILIS	DIARRHEA & ENTERITIS	INFLUENZA & PNEUMONIA	MOTOR VEHICLE	HOME & FARM	OTHER ACCIDENTS	SUICIDE	HOMICIDE	ALL OTHER CAUSES
MITCHELL	89	125	69	13	43	39	23	5	1	2	11	1				4	5	4	3		1	26
WHITE	89	123	67	13	43	39	23	5	1	2	10	1				4	5	4	3		1	25
NONWHITE		2	2								1											1
MONTGOMERY	176	195	93	26	76	62	25	3	1	3	26	7	2	1	2	5	8	6	1	4	2	37
WHITE	127	147	71	25	51	49	20	3	1	3	23	6	1			4	8	5		3		21
NONWHITE	49	48	22	1	25	13	5				3	1	1	1	2	1		1	1	1	2	16
MOORE	427	415	218	56	141	159	50	8	5	8	43	4	1		1	22	19	6	9	6	6	68
WHITE	288	293	153	43	97	114	37	6	3	8	28	2			1	14	17	3	5	6	4	45
NONWHITE	139	122	65	13	44	45	13	2	2		15	2	1			8	2	3	4		2	23
NASH	608	553	239	74	240	214	68	9	7	23	58	12	5		3	19	21	9	10	8	7	80
WHITE	368	348	162	54	132	136	43	6	4	11	43	7	2		2	9	16	2	9	8	3	47
NONWHITE	240	205	77	20	108	78	25	3	3	12	15	5	3		1	10	5	7	1		4	33
NEW HANOVER	872	786	444	108	234	248	105	23	6	12	109	15	2	1	5	25	21	19	10	9	9	167
WHITE	575	507	271	89	147	189	61	18	1	9	73	10			2	18	13	13	7	9	7	77
NONWHITE	297	279	173	19	87	59	44	5	5	3	36	5	2	1	3	7	8	6	3		2	90
NORTHAMPTON	176	264	82	40	142	105	25	4	7	9	30	3	3			10	8	6	4	2	2	46
WHITE	80	124	53	22	49	61	12	3	3	6	15	2	1			5	3	2		1		10
NONWHITE	96	140	29	18	93	44	13	1	4	3	15	1	2			5	5	4	4	1	2	36
ONSLOW	334	376	237	22	117	102	34	10	10	2	37	4	1		1	21	25	10	15	7	2	95
WHITE	267	296	194	15	87	89	25	10	5	1	31	1	1			11	21	7	10	5	1	78
NONWHITE	67	80	43	7	30	13	9		5	1	6	3			1	10	4	3	5	2	1	17
ORANGE	684	323	143	47	33	124	45	1		4	50	4	2	1		8	12	13	3	2	3	51
WHITE	400	222	98	38	86	90	30	1		1	39	3	2			6	11	8	2	1		28
NONWHITE	284	101	45	9	47	34	15			3	11	1		1		2	1	5	1	1	3	23
PAMLICO	49	95	34	10	51	30	11	6		6	10	1	2		1	5	4	1	1	1		16
WHITE	32	63	24	6	33	23	6	4		5	9	1			1	1	2		1	1		9
NONWHITE	17	32	10	4	18	7	5	2		1	1		2			4	2	1				7
PASQUOTANK	353	274	158	27	89	109	25	4		11	49	4	1		2	7	11	5	5	1	1	39
WHITE	226	167	101	18	48	75	14	2		6	32	3			1	2	6	1	3	1		21
NONWHITE	127	107	57	9	41	34	11	2		5	17	1	1		1	5	5	4	2		1	18
PENDER	142	179	80	11	88	56	25	3	1	3	23	2			1	6	8	12	5	1	1	32
WHITE	56	78	41	7	30	28	7	1	1		17	1				6	3	2	3	1	1	7
NONWHITE	86	101	39	4	58	28	18	2		3	6	1			1		5	10	2			25
PERQUIMANS	51	76	30	6	40	29	11	1		3	11	4				3	1	1			2	10
WHITE	29	45	21	6	18	17	5	1		3	10	4				1					1	3
NONWHITE	22	31	9		22	12	6				1					2	1	1			1	7
PERSON	206	248	129	20	99	86	33	5	2	5	40	2	1			6	12	4	6	3	4	39
WHITE	144	175	85	14	76	68	20	5	1	2	34	1	1			3	9	1	4	3	2	21
NONWHITE	62	73	44	6	23	18	13		1	3	6	1				3	3	3	2		2	18
PITT	598	666	325	76	265	269	91	7	6	9	80	8	3	1	6	28	19	15	15	8	8	93
WHITE	313	349	171	43	135	140	60	4	1	3	46	4			1	9	16	5	8	5	3	44
NONWHITE	285	317	154	33	130	129	31	3	5	6	34	4	3	1	5	19	3	10	7	3	5	49
POLK	144	123	59	17	47	36	19	5	1	2	15	2	1			11	4	2	1	1		23
WHITE	127	104	51	12	41	32	15	5	1	2	13	1	1			9	4	1	1	1		18
NONWHITE	17	19	8	5	6	4	4				2	1				2		1				5
RANDOLPH	412	534	263	67	204	198	80	18	1	9	73	4			3	11	23	12	13	5	4	80
WHITE	365	478	234	63	181	184	69	16	1	6	68	4			2	10	19	9	11	5	2	72
NONWHITE	47	56	29	4	23	14	11	2		3	5				1	1	4	3	2		2	8
RICHMOND	345	418	216	42	160	150	58	5	2	4	51	11	1	1	3	14	13	8	13	4	7	73
WHITE	201	257	139	31	87	104	35	4	2	2	33	6	1	1	1	6	6	4	12	4	2	34
NONWHITE	144	161	77	11	73	46	23	1		2	18	5			2	8	7	4	1		5	39
ROBESON	934	861	363	88	410	223	110	21	5	12	80	15	6	2	6	29	68	26	12	9	17	220
WHITE	431	383	190	53	140	131	49	8	3	3	50	6	3	2	1	18	21	9	4	6	2	67
NONWHITE	503	478	173	35	270	92	61	13	2	9	30	9	3		5	11	47	17	8	3	15	153
ROCKINGHAM	532	630	376	63	191	226	77	9	6	19	91	14			3	24	22	8	7	5	7	112
WHITE	383	474	271	51	152	186	55	6	3	11	67	7			2	15	13	6	6	5	4	88
NONWHITE	149	156	105	12	39	40	22	3	3	8	24	7			1	9	9	2	1		3	24
ROWAN	698	755	376	116	263	305	92	14	9	15	118	13	2	1	5	24	20	17	16	6	4	94
WHITE	547	601	311	101	189	246	76	14	8	11	99	8	2	1	5	13	16	14	10	6	4	68
NONWHITE	151	154	65	15	74	59	16		1	4	19	5				11	4	3	6			26

Table C-2 - continued

Area	Total Deaths		Resident Deaths																			
			Place of Death			Selected Causes of Death																
						CARDIOVASCULAR - RENAL											ACCIDENTS					
	Occurring in Area	To Residents of Area	Hospital	Other Institution	Home & Non-institution	HEART	INTRACRANIAL VASCULAR LESIONS	ARTERIO-SCLEROSIS	NEPHRITIS	OTHER C.V.R.	CANCER, LEUKEMIA, HODGKIN'S DIS.	DIABETES MELLITUS	TUBERCULOSIS	SYPHILIS	DIARRHEA & ENTERITIS	INFLUENZA & PNEUMONIA	MOTOR VEHICLE	HOME & FARM	OTHER ACCIDENTS	SUICIDE	HOMICIDE	ALL OTHER CAUSES
RUTHERFORD	394	460	274	59	127	154	84	9	1	8	52	5	2			26	23	6	13	6	4	67
WHITE	351	408	245	55	108	143	74	8	1	7	47	5	1			23	21	5	10	6	1	56
NONWHITE	43	52	29	4	19	11	10	1		1	5		1			3	2	1	3		3	11
SAMPSON	384	473	225	38	210	172	67	8	8	5	58	9	2		1	18	28	9	6	9	8	65
WHITE	226	289	149	28	112	112	39	8	2	2	39	4				7	19	6	3	9		39
NONWHITE	158	184	76	10	98	60	28		6	3	19	5	2		1	11	9	3	3		8	26
SCOTLAND	290	271	146	28	97	86	39	8	3	9	27	4			3	8	10	8	7	2	8	49
WHITE	171	158	90	15	53	50	20	1	2	6	18	1			1	4	6	6	3	2	5	33
NONWHITE	119	113	56	13	44	36	19	7	1	3	9	3			2	4	4	2	4		3	16
STANLY	332	387	194	39	154	154	52	2	2	9	60	5		1	2	17	10	5	4	6	1	57
WHITE	283	333	172	34	127	138	43	2	1	8	55	4		1	2	13	10	3	3	6	1	43
NONWHITE	49	54	22	5	27	16	9		1	1	5	1				4		2	1			14
STOKES	116	197	100	23	74	75	34	2	2	5	26	1	1		1	8	10	3	1	3	3	22
WHITE	105	172	86	21	65	72	30	2	2	4	25	1	1			4	7	1	1	3	1	18
NONWHITE	11	25	14	2	9	3	4			1	1				1	4	3	2			2	4
SURRY	410	439	231	47	161	172	68	8	3	9	56	6	3			8	13	10	4	7	7	65
WHITE	386	411	212	46	153	166	66	8	2	9	51	5	3			8	13	10	3	7	6	54
NONWHITE	24	28	19	1	8	6	2		1		5	1							1		1	11
SWAIN	102	88	53	4	31	28	15	2		3	12	2				1		4	1	1	2	17
WHITE	80	71	45	3	23	26	11	2		2	12					1		3				14
NONWHITE	22	17	8	1	8	2	4			1		2						1	1	1	2	3
TRANSYLVANIA	96	142	76	19	47	50	23	3	2	3	14	1				1	6	2	2	1	1	33
WHITE	87	129	67	19	43	45	21	2	2	3	10	1				1	6	2	2	1		33
NONWHITE	9	13	9		4	5	2	1			4										1	
TYRRELL	47	59	40	3	16	18	12	2		1	10	1				5			1			9
WHITE	32	42	31	3	8	12	7	2			8	1				5			1			6
NONWHITE	15	17	9		8	6	5			1	2											3
UNION	392	440	253	38	149	147	55	14	6	12	59	7	1	1	2	21	20	5	6	4	8	72
WHITE	270	322	179	35	108	115	40	10	5	8	51	5	1		1	14	17	5	3	4	1	42
NONWHITE	122	118	74	3	41	32	15	4	1	4	8	2		1	1	7	3		3		7	30
VANCE	297	305	173	34	98	132	23		3	3	50	1			2	16	20	5	2		1	47
WHITE	168	170	99	24	47	74	15		1	1	31					6	12	2	1			27
NONWHITE	129	135	74	10	51	58	8		2	2	19	1			2	10	8	3	1		1	20
WAKE	1652	1440	758	193	489	534	168	17	8	26	184	21	12	2	4	47	71	28	32	14	16	256
WHITE	1207	962	534	145	283	364	107	14	4	18	140	13	8		1	27	53	14	20	12	5	162
NONWHITE	445	478	224	48	206	170	61	3	4	8	44	8	4	2	3	20	18	14	12	2	11	94
WARREN	118	188	93	16	79	58	25	1	2	6	19	3				3	9	9	1		1	51
WHITE	52	78	47	6	25	28	11	1		5	11	2				1	1	1	1			16
NONWHITE	66	110	46	10	54	30	14		2	1	8	1				2	8	8			1	35
WASHINGTON	106	122	64	8	50	36	15	2	1	3	23	3		1	1	4	4	5	4			20
WHITE	57	71	40	7	24	25	8	2		3	14	2		1		2	1	3	3			7
NONWHITE	49	51	24	1	26	11	7		1		9	1			1	2	3	2	1			13
WATAUGA	145	152	98	8	46	69	19	5	1	5	14	2		2		1	5	7	1	2		19
WHITE	142	150	96	8	46	68	19	5	1	5	14	2		2		1	5	7	1	2		18
NONWHITE	3	2	2			1																1
WAYNE	934	702	332	83	287	240	121	15	4	13	77	9	5		9	34	23	10	12	11	8	111
WHITE	460	421	211	53	157	161	60	9	3	6	48	5	2		5	15	17	7	10	8	3	62
NONWHITE	474	281	121	30	130	79	61	6	1	7	29	4	3		4	19	6	3	2	3	5	49
WILKES	324	414	225	31	158	168	54	5	4	6	49	6				21	18	15	3	2	3	60
WHITE	304	393	216	30	147	156	52	5	4	6	47	6				18	18	14	3	2	3	59
NONWHITE	20	21	9	1	11	12	2				2					3		1				1
WILSON	656	559	272	68	219	185	69	11	8	11	72	10	3	1	2	23	34	17	13	7	12	81
WHITE	405	339	193	50	96	120	40	8	2	6	55	8	2			13	22	5	6	5	2	45
NONWHITE	251	220	79	18	123	65	29	3	6	5	17	2	1	1	2	10	12	12	7	2	10	36
YAOKIN	189	240	133	21	86	93	27	7		4	30	2		1		3	12	9	1	2	1	48
WHITE	174	222	125	19	78	87	22	7		3	29	2		1		3	10	9	1	2		46
NONWHITE	15	18	8	2	8	6	5			1	1						2				1	2
YANCEY	83	132	68	16	48	43	26	4		6	15	3	1			10	4	3	1	4		12
WHITE	81	130	66	16	48	42	26	4		6	15	3	1			10	4	3	1	4		11
NONWHITE	2	2	2			1																1

TABLE C-3 DEATHS IN SELECTED CITIES BY CITY OF OCCURRENCE AND RESIDENCE, WITH NUMBER OCCURRING IN HOSPITALS AND OTHER INSTITUTIONS AND DEATHS FROM 16 SELECTED CAUSES BY COLOR: NORTH CAROLINA, 1965

Area	Total Deaths		Resident Deaths																				
			Place of Death			Selected Causes of Death																
						CARDIOVASCULAR - RENAL											ACCIDENTS					
	Occurring in Area	To Residents of Area	Hospital	Other Institution	Home & Non-institution	HEART 1	INTRACRANIAL VASCULAR LESIONS 2	ARTERIO-SCLEROSIS 3	NEPHRITIS 4	OTHER C.V.R. 5	CANCER, LEUKEMIA, HODGKIN'S DIS 6	DIABETES MELLITUS 7	TUBERCULOSIS 8	SYPHILIS 9	DIARRHEA & ENTERITIS 10	INFLUENZA & PNEUMONIA 11	MOTOR VEHICLE 12	HOME & FARM 13	OTHER ACCIDENTS 14	SUICIDE 15	HOMICIDE 16	ALL OTHER CAUSES
ALBEMARLE	238	126	70	9	47	45	16	1	1	1	30	1				6	2	2		2	1	18
WHITE	212	111	60	8	43	41	16	1		1	28					3	2	1		2	1	15
NONWHITE	26	15	10	1	4	4			1		2	1				3		1				3
ASHEVILLE	1180	803	412	159	232	303	100	16	5	35	115	6	6	1	3	49	11	11	7	8	5	122
WHITE	977	585	303	117	165	214	78	14	3	25	90	5	4	1	3	31	9	7	5	8	2	86
NONWHITE	203	218	109	42	67	89	22	2	2	10	25	1	2			18	2	4	2		3	36
BURLINGTON	374	265	127	37	101	100	23	6	1	7	47	9			1	6	8	3	7	5	3	39
WHITE	323	223	109	33	81	86	22	6		5	43	5				4	6	3	5	4	3	31
NONWHITE	51	42	18	4	20	14	1		1	2	4	4			1	2	2		2	1		8
CHAPEL HILL	24	72	36	13	23	26	5			1	16	1		1		3	2	2			1	14
WHITE	15	54	27	13	14	20	4				11	1				2	2	2				12
NONWHITE	9	18	9		9	6	1			1	5			1		1					1	2
CHARLOTTE	2236	1810	1062	211	537	705	164	15	13	35	284	24	7	4	11	85	43	36	28	26	50	280
WHITE	1574	1175	679	182	314	468	105	14	4	25	219	12	4	2	9	39	28	24	15	21	9	177
NONWHITE	662	635	383	29	223	237	59	1	9	10	65	12	3	2	2	46	15	12	13	5	41	103
CONCORD	455	210	128	24	58	55	23	5	1	3	43	2	1		1	5	9		3	3	1	55
WHITE	372	158	99	22	37	46	15	4	1	1	37	2	1		1	5	5		3	3		34
NONWHITE	83	52	29	2	21	9	8	1		2	6						4				1	21
DURHAM	1868	710	360	106	244	263	83	7	5	18	93	9	3	2	2	24	25	9	11	8	13	135
WHITE	1200	420	217	81	122	164	51	5		8	61	5	2		1	13	18	5	5	4	3	75
NONWHITE	668	290	143	25	122	99	32	2	5	10	32	4	1	2	1	11	7	4	6	4	10	60
ELIZABETH CITY	52	178	107	22	49	77	15	3		10	30	2	1		1	4	5	4	2			24
WHITE	31	116	73	16	27	57	8	2		5	20	2			1	1	2	1	2			15
NONWHITE	21	62	34	6	22	20	7	1		5	10		1			3	3	3				9
FAYETTEVILLE	882	453	226	75	152	136	43	5	2	13	43	5	4		3	17	25	9	10	3	5	130
WHITE	536	275	144	53	78	99	23	3		10	32	3	2		2	8	17	7	3	3	1	62
NONWHITE	346	178	82	22	74	37	20	2	2	3	11	2	2		1	9	8	2	7		4	68
GASTONIA	660	472	283	49	140	173	64	8	1	19	47	12	3			16	15	8	9		3	94
WHITE	528	367	220	47	100	138	50	5	1	14	37	9	3			11	14	7	5		2	71
NONWHITE	132	105	63	2	40	35	14	3		5	10	3				5	1	1	4		1	23
GOLDSBORO	453	314	146	36	132	111	57	7	2	2	35	4	2		4	11	6	2	6	7	5	53
WHITE	262	164	83	22	59	63	23	4	1		22	1			1	4	2	2	5	5	2	29
NONWHITE	191	150	63	14	73	48	34	3	1	2	13	3	2		3	7	4		1	2	3	24
GREENSBORO	1294	1054	676	126	252	366	123	7	5	28	170	20	1	1	5	24	37	16	16	11	13	211
WHITE	930	720	459	106	155	270	85	6	3	22	125	10	1	1	1	15	25	13	13	11	2	117
NONWHITE	364	334	217	20	97	96	38	1	2	6	45	10			4	9	12	3	3		11	94
GREENVILLE	69	223	114	27	82	98	33	4	5	2	27	1			2	4	5	1	8	3		30
WHITE	30	110	55	14	41	40	21	3		1	14	1			1		5		5	3		16
NONWHITE	39	113	59	13	41	58	12	1	5	1	13				1	4		1	3			14
HENDERSON	229	132	70	16	46	63	9			1	27				1	5	9	1	1			15
WHITE	124	74	44	11	19	30	6				17					1	8		1			11
NONWHITE	105	58	26	5	27	33	3			1	10				1	4	1	1				4
HICKORY	328	240	153	24	63	97	30	3	3	8	33	7			1	8	5	3	4		2	36
WHITE	292	203	127	24	52	82	21	3	3	8	31	4			1	8	3	2	3		2	32
NONWHITE	36	37	26		11	15	9				2	3					2	1	1			4
HIGH POINT	567	533	327	64	142	216	81	3	2	8	78	9	1		3	19	14	9	9	4	5	72
WHITE	456	413	262	54	97	166	70	3	1	8	67	7	1		2	12	11	8	5	4	1	47
NONWHITE	111	120	65	10	45	50	11		1		11	2			1	7	3	1	4		4	25
JACKSONVILLE	170	76	56	5	15	21	10		2	2	9	2				3	2	3	2	1		19
WHITE	132	61	47	2	12	20	6		2	1	7					2	2	1	1			19
NONWHITE	38	15	9	3	3	1	4			1	2	2				1		2	1	1		
KINSTON	388	283	134	37	112	95	59		3	5	46	5	1		1	10	2	5	7	4	3	37
WHITE	233	150	83	17	50	59	15		1	3	30	2				6	1	3	5	4		21
NONWHITE	155	133	51	20	62	36	44		2	2	16	3	1		1	4	1	2	2		3	16

International Statistical Codes Included in 16 Selected Causes of Death

1 - (410-443)
2 - (330-334)
3 - (450)
4 - (590-594)
5 - (400-402,444-447,451-468)
6 - (140-205)
7 - (260)
8 - (001-019)
9 - (020-029)
10 - (041,043,045-049,543,571,572)
11 - (480-483,490-493)
12 - (810-835)
13 - (870-936,digits 0,1,7)
14 - (800-802,840-962)
15 - (963,970-979)
16 - (964,980-985)

See Tables A-1, A-2 & A-4 for death rates by color. See Table A-5 for deaths by county, urban and rural. See Table A-13 for leading causes of death by color, sex, and age group (5-year average, 1961-1965).

Table C-3 - continued

Area	Total Deaths		Resident Deaths																				
			Place of Death			Selected Causes of Death																	
						CARDIOVASCULAR - RENAL											ACCIDENTS						
	Occurring in Area	To Residents of Area	Hospital	Other Institution	Home & Non-institution	HEART	INTRACRANIAL VASCULAR LESIONS	ARTERIO-SCLEROSIS	NEPHRITIS	OTHER C.V.R.	CANCER, LEUKEMIA, HODGKIN'S DIS	DIABETES MELLITUS	TUBERCULOSIS	SYPHILIS	DIARRHEA & ENTERITIS	INFLUENZA & PNEUMONIA	MOTOR VEHICLE	HOME & FARM	OTHER ACCIDENTS	SUICIDE	HOMICIDE	ALL OTHER CAUSES
LENOIR	275	132	73	18	41	44	19	3	3	4	9	3	1		1	5	3	6	2	2	2	25
WHITE	238	100	56	17	27	33	18	3	3	3	7	2	1		1	5		2	2	2		18
NONWHITE	37	32	17	1	14	11	1			1	2	1					3	4			2	7
LEXINGTON	169	163	84	18	61	61	20	1		1	28	3			1	6	9	4	1	3	3	22
WHITE	134	124	65	15	44	50	15	1		1	21	2			1	4	5			3	1	20
NONWHITE	35	39	19	3	17	11	5				7	1				2	4	4	1		2	2
LUMBERTON	419	179	106	20	53	48	24	3	1	5	18	3	3		1	9	4	6	4			50
WHITE	216	114	77	14	23	36	15	2	1	1	15	3	3		1	8	2	3	1			23
NONWHITE	203	65	29	6	30	12	9	1		4	3					1	2	3	3			27
MONROE	298	126	77	10	39	40	17	2	1	3	13	3				8	6	1		2	4	26
WHITE	202	83	50	8	25	28	9	1	1	2	9	2				4	6	1		2		18
NONWHITE	96	43	27	2	14	12	8	1		1	4	1				4					4	8
NEW BERN	345	222	127	17	78	85	35		3	3	25	4	1	1		10	6	6	5	2	4	32
WHITE	174	93	52	10	31	34	11			2	17	1				4	5	3	3	2	1	10
NONWHITE	171	129	75	7	47	51	24		3	1	8	3	1	1		6	1	3	2		3	22
RALEIGH	1256	743	396	119	228	259	84	10	5	16	99	14	4	2	3	24	33	8	11	8	10	153
WHITE	927	498	281	86	131	164	54	8	3	12	71	8	3		1	14	28	7	8	7	4	106
NONWHITE	329	245	115	33	97	95	30	2	2	4	28	6	1	2	2	10	5	1	3	1	6	47
REIDSVILLE	263	160	102	15	43	47	27	2	1	5	23	6				9	3	1		1	3	32
WHITE	173	97	58	8	31	35	16	1		2	10	3				4	1	1		1	1	22
NONWHITE	90	63	44	7	12	12	11	1	1	3	13	3				5	2				2	10
ROANOKE RAPIDS	259	158	86	24	48	57	28	5	3	5	18	4	1			3	6	3	2	2	1	20
WHITE	173	143	79	22	42	54	22	5	2	4	18	4	1			3	6	2	2	2	1	17
NONWHITE	86	15	7	2	6	3	6		1	1								1				3
ROCKY MOUNT E	102	158	71	26	61	60	21	4	3	4	28	3			1	3	1	1	3			26
WHITE	52	81	38	17	26	29	8	3	2	1	20	2				1			3			12
NONWHITE	50	77	33	9	35	31	13	1	1	3	8	1			1	2	1	1				14
ROCKY MOUNT N	413	207	94	31	82	89	21	3	3	8	26	4	2		2	8	3	1	5	3	1	28
WHITE	246	139	73	21	45	57	15	3	2	2	21	3	1		1	6	3	1	4	3		17
NONWHITE	167	68	21	10	37	32	6		1	6	5	1	1		1	2			1		1	11
SALISBURY	509	266	134	44	88	102	28	7	3	7	44	6		1	2	9	6	3	9	2		37
WHITE	394	191	101	38	52	77	23	7	2	5	34	2		1	2	4	3	3	5	2		21
NONWHITE	115	75	33	6	36	25	5		1	2	10	4				5	3		4			16
SANFORD	232	106	62	11	33	42	10	2	1	3	13		2		2	6	2			1	1	21
WHITE	170	77	50	9	18	31	5	2		3	11		1		1	4	1			1	1	16
NONWHITE	62	29	12	2	15	11	5		1		2		1		1	2	1					5
SHELBY	276	174	111	14	49	71	24		2	6	31	2				5	8	4	1		2	18
WHITE	209	135	86	13	36	59	14		2	5	27	2				4	3	3	1		1	14
NONWHITE	67	39	25	1	13	12	10			1	4					1	5	1			1	4
STATESVILLE	354	203	123	29	51	91	32		1	7	17	4			1	6		3	2	2	1	36
WHITE	271	137	84	23	30	60	22			3	14	3			1	2		3	2	2	1	24
NONWHITE	83	66	39	6	21	31	10		1	4	3	1				4						12
THOMASVILLE	168	122	67	14	41	55	10	1	2	2	17	2		1	1	3	8	2	2	1	2	13
WHITE	141	93	51	11	31	44	7	1	1	2	13	1		1	1	3	4	2	2	1	1	9
NONWHITE	27	29	16	3	10	11	3		1		4	1					4				1	4
WILMINGTON	643	578	337	74	167	165	87	16	5	8	82	13	1	1	5	19	13	15	6	6	7	129
WHITE	366	341	185	59	97	119	46	11	1	6	50	9			2	14	5	10	4	6	5	53
NONWHITE	277	237	152	15	70	46	41	5	4	2	32	4	1	1	3	5	8	5	2		2	76
WILSON	187	299	142	41	116	95	42	6	4	7	47	6	2			12	13	6	5	6	6	42
WHITE	86	177	100	30	47	59	21	3	1	4	37	5	1			6	7	1	4	5		23
NONWHITE	101	122	42	11	69	36	21	3	3	3	10	1	1			6	6	5	1	1	6	19
WINSTON SALEM	1897	1284	773	120	391	523	149	17	13	32	173	21	4	1	7	26	21	23	13	14	25	222
WHITE	1268	673	371	89	213	289	80	11	7	10	111	12			1	12	14	8	7	12	6	93
NONWHITE	629	611	402	31	178	234	69	6	6	22	62	9	4	1	6	14	7	15	6	2	19	129

TABLE C-4 ACCIDENTAL DEATHS OCCURRING IN NORTH CAROLINA IN 1965 BY CAUSE, COLOR AND SEX WITH CRUDE RATES PER 100,000 POPULATION

Type of Accident (International Code Number Follows Each Cause)	Total		White		Nonwhite	
	Number	*Rate*	Male	Female	Male	Female
All Accidents	3,292	*68.4*	1,670	564	774	284
Railway accidents (800-802)	32	*0.7*	17	-	15	-
Motor vehicle traffic accidents (810-825)	1,683	*34.9*	934	269	371	109
Accident involving collision with railway train(810)	60	*1.2*	31	8	16	5
Accident to pedestrian (812)	305	*6.3*	135	35	98	37
Other accidents involving collision (811,813-819)	678	*14.1*	362	159	116	41
Noncollision traffic accidents (820-824)	605	*12.6*	384	60	136	25
Accident of unspecified nature (825)	35	*0.7*	22	7	5	1
Motor vehicle nontraffic accidents (830-835)	37	*0.8*	16	7	9	5
Other road vehicle accidents (840-845)	-	-	-	-	-	-
Water transport accidents (850-858)	61	*1.3*	50	-	11	-
Drownings involving small boat (850,851)	50	*1.0*	41	-	9	-
Other water transport accidents (852-858)	11	*0.2*	9	-	2	-
Aircraft accidents (860-866)	29	*0.6*	26	3	-	-
Accidental poisoning (870-895)	83	*1.7*	41	18	18	6
By solid and liquid substances (870-888)	60	*1.2*	31	11	14	4
By gases and vapours (890-895)	23	*0.5*	10	7	4	2
Accidental falls (900-904)	325	*6.7*	128	140	38	19
From one level to another (900-902)	109	*2.3*	52	28	23	6
On same level (903)	53	*1.1*	12	34	4	3
Unspecified falls (904)	163	*3.4*	64	78	11	10
Blow from falling object (910)	44	*0.9*	23	1	19	1
Accident caused by machinery (912)	51	*1.1*	45	1	5	-
Accident caused by electric current (914)	41	*0.9*	32	4	4	1
Accident caused by burns (916,917,918)	286	*5.9*	104	41	78	63
By fire and explosion (except conflagration) (916)	130	*2.7*	54	23	26	27
Conflagration (916)	148	*3.1*	48	16	49	35
By hot substance, corrosive liquid, steam, and radiation (917,918)	8	*0.2*	2	2	3	1
Accident caused by firearm (919)	103	*2.1*	56	11	29	7
Inhalation and ingestion of food or other object causing obstruction or suffocation (921,922)	69	*1.4*	18	18	18	15
Accidental mechanical suffocation in bed and cradle (924)	45	*0.9*	5	3	22	15
Accidents caused by venomous animals and insects (927)	1	*0.0*	-	-	-	1
Accidental drowning and submersion (not involving boat)(929)	197	*4.1*	102	15	74	6
Excessive heat and insolation (931)	6	*0.1*	2	-	4	-
Lightning (935)	6	*0.1*	4	1	1	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures (940-959)	32	*0.7*	13	7	8	4
All other accidents (911,913,915,920,923,925,926,928, 930,932-934,936,950-962)	161	*3.3*	54	25	50	32

TABLE C-5 ACCIDENTAL DEATHS BY COUNTY AND CITY OF OCCURRENCE SHOWING TYPE OF TRANSPORT INVOLVED OR PLACE OF ACCIDENT: NORTH CAROLINA, 1965

Area	All Accidental Deaths (800-962)	Motor Vehicle		Other Surface Transport (800-802,840-845,850-858)	Aircraft Accidents (860-866)	All Other Accidental Deaths (870-936,940-962)			
		Traffic (810-825)	Non-Traffic (830-835)			Home (.0)	Farm (.1)	Resident Institution (.7)	Other
NORTH CAROLINA	3292	1683	37	93	29	704	96	68	582
ALAMANCE	40	22	1	1		5	1	1	9
ALEXANDER	8	3				2		1	2
ALLEGHANY	9	5				2			2
ANSON	17	8		1		7			1
ASHE	6	1				1		1	3
AVERY	15	7				5	2		1
BEAUFORT	42	19	1	3		10		1	8
BERTIE	18	5		3		6	1		3
BLADEN	23	15				4	1		3
BRUNSWICK	27	12			5	6	1		3
BUNCOMBE	95	39	3			25	1	6	21
BURKE	36	19	1			4		3	9
CABARRUS	22	15	1			3			3
CALDWELL	40	22				13			5
CAMDEN	2	2							
CARTERET	30	11		5	1	7		1	5
CASWELL	2	2							
CATAWBA	47	32				10	1		4
CHATHAM	20	14				4	1		1
CHEROKEE	16	7				2	1		6
CHOWAN	6	2			2				2
CLAY	1	1							
CLEVELAND	40	21			3	10	3		3
COLUMBUS	36	16	2	5		6	1		6
CRAVEN	44	22			2	9		1	10
CUMBERLAND	95	48	1	2		21	3		20
CURRITUCK	7	3		1		1	1		1
DARE	5			1					4
DAVIDSON	52	23		2		14	2		11
DAVIE	12	8	1			1			2
DUPLIN	24	10	1			6	2		5
DURHAM	138	74	2	4		20	5	2	31
EDGECOMBE	28	12	1	1		6	3		5
FORSYTH	134	74		1		39	3	2	15
FRANKLIN	4	3				1			
GASTON	76	37		1		18	1	2	17
GATES	3	2							1
GRAHAM	3					2	1		
GRANVILLE	35	10	2			6	1	8	8
GREENE	5	3				2			
GUILFORD	143	67	1	3	1	27		4	40
HALIFAX	45	26	3	2		12	1		1
HARNETT	47	29		2		7	2	1	6
HAYWOOD	21	9				2	1		9
HENDERSON	21	10		1		4	1		5
HERTFORD	17	8				3	1		5
HOKE	9	7				1	1		
HYDE	3	1							2
IREDELL	38	17	1	2	1	10	1	3	3
JACKSON	10	2		2		3			3
JOHNSTON	32	18	1	1		4	1		7
JONES	6	3				1			2
LEE	20	15				4		1	
LENOIR	23	9				8		1	5
LINCOLN	26	14		1		5	1		5
MCDOWELL	16	9	1	1		1	3		1
MACON	10	4		3		3			
MADISON	6	4				1			1
MARTIN	23	12				7	1		3
MECKLENBURG	197	106	3	7	1	40	2	3	35
MITCHELL	7	2				3			2
MONTGOMERY	22	13				4		2	3
MOORE	32	17		1	1	5	1	1	6
NASH	49	34		1		5	4	1	4
NEW HANOVER	72	27	2	4	2	20	1		16
NORTHAMPTON	17	11				4			2
ONSLOW	46	22		1		7			16
ORANGE	103	44	1			36		4	18
PAMLICO	3	2				1			
PASQUOTANK	26	8		1		9	1	1	6
PENDER	24	8		3	1	11			1
PERQUIMANS	2	2							
PERSON	17	9		2		3			3
PITT	41	18		5		9	3		6
POLK	14	7				2	1		4
RANDOLPH	46	29	1			8	1	1	6
RICHMOND	25	12		1		7			5
ROBESON	93	63		1		16	6	1	6
ROCKINGHAM	23	16				2	2		3
ROWAN	56	23		2	1	12	1	3	14
RUTHERFORD	39	23		2		5			9
SAMPSON	40	27		1		5	4		3
SCOTLAND	28	11				9	1		7
STANLY	24	15		4		5			
STOKES	6	3	1				2		
SURRY	27	16				5	5		1
SWAIN	8	4				2			2
TRANSYLVANIA	7	3				1			3
TYRRELL	2	1							1
UNION	25	15		1		5	1		3
VANCE	31	16	2	1		3	1	1	7
WAKE	145	71	3	4	6	22	4	7	28
WARREN	10	4				5			1
WASHINGTON	15	4			2	4			5
WATAUGA	14	6				5	1		2
WAYNE	56	34		1		7	2	2	10
WILKES	31	16				13			2
WILSON	71	38		1		16	2	1	13
YADKIN	17	9				6		1	1
YANCEY	2	1				1			
CITIES *									
ALBEMARLE	16	9		2		5			
ASHEVILLE	69	32	1			18	1	3	14
BURLINGTON	26	16	1			2			7
CHAPEL HILL	2	1							1
CHARLOTTE	169	94	2	6		35		3	29
CONCORD	17	12	1			2			2
DURHAM	122	64	1	4		18	5	2	28
ELIZABETH CITY	3	1				1			1
FAYETTEVILLE	55	26		1		15			13
GASTONIA	52	27				12	1	2	10
GOLDSBORO	22	13				4			5
GREENSBORO	96	47	1	2	1	18		1	26
GREENVILLE	4	2							2
HENDERSON	20	11	2			3		1	3
HICKORY	18	11				6			1
HIGH POINT	32	15		1		6		3	7
JACKSONVILLE	20	9		1		4			6
KINSTON	14	4				4		1	5
LENOIR	21	8				11			2
LEXINGTON	10	3				5	1		1
LUMBERTON	26	14				6		1	5
MONROE	20	13		1		3	1		2
NEW BERN	24	12				6		1	5
RALEIGH	90	53	2	1		10		7	17
REIDSVILLE	9	7				1			1
ROANOKE RAPIDS	17	10	1	1		4			1
ROCKY MOUNT E	1					1			
ROCKY MOUNT N	19	12				4			3
SALISBURY	34	13		2		5		2	12
SANFORD	19	15				3		1	
SHELBY	16	10				5			1
STATESVILLE	18	8				5	1	2	2
THOMASVILLE	16	9				3	1		3
WILMINGTON	45	22	1			16			6
WILSON	11	2				6		1	2
WINSTON SALEM	127	72		1		36	3	2	13

*Cities selected are those with 10,000 or more population in 1960 census.

OTHER INFORMATION IS AVAILABLE

In addition to this report on North Carolina Vital Statistics, the Public Health Statistics Section prepares many special reports and publishes several other statistical reports. Among those regularly published are:

PROVISIONAL VITAL STATISTICS REPORT:	This quarterly report contains current data on births, deaths, marriages and divorces registered in North Carolina, each county, and 35 selected cities.
HOSPITAL PERINATAL MORTALITY STATISTICS:	This annual report contains yearly totals of live births, fetal deaths (of 20 weeks or more gestation) neonatal deaths, and perinatal deaths by coded hospitals.
COMMUNICABLE DISEASE MORBIDITY STATISTICS:	This annual report contains yearly totals of reportable communicable disease cases, including tuberculosis and venereal disease, reported in North Carolina and each county.
CANCER ACTIVITY REPORT:	This monthly report and its annual summary shows the results of screening activities of North Carolina's 19 Cancer Detection Centers and 5 Diagnostic Centers.

Tables published in these reports are limited to those of general interest. The Public Health Statistics Section has more detailed tabulations which are not published but which are available to qualified research groups and individuals.

Requests for additional information should be addressed to:

STATE BOARD OF HEALTH
PUBLIC HEALTH STATISTICS SECTION
POST OFFICE BOX 2091
RALEIGH, NORTH CAROLINA 27602